

RCSL: 43-RI0993

AUTHOR: PEN

EDITED: 77.04.12

CODEPROCEDURE RC36-R0021.00

DELAY

KEYWORDS: MUSIL, CODEPROCEDURE, DATA ENTRY, LISTING

ABSTRACT: THIS PROCEDURE DELAYS THE CALLING PROGRAM FOR A  
NUMBER OF TIMER PERIODS SPECIFIED BY MESS3 OF A  
MESSAGE BUFFER.  
THE MESSAGE BUFFER ADDRESS MUST BE GIVEN AS  
PARAMETER IN THE CALL OF THE PROCEDURE.

RCSL: 43-RI0994: ASCII SOURCE TAPE.

RCSL: 43-RI0995: REL. BIN. TAPE.



TITLE: CODEPROCEDURE DELAY.

ABSTRACT: THIS PROCEDURE DELAYS THE CALLING PROGRAM FOR A  
NUMBER OF TIMER PERIODS SPECIFIED BY MESS3 OF A  
MESSAGE BUFFER.  
THE MESSAGE BUFFER ADDRESS MUST BE GIVEN AS  
PARAMETER IN THE CALL OF THE PROCEDURE.

SIZE: 30 BYTES.

DATE: 77.04.12

CALL: DELAY(VAR PERIODS: INTEGER;  
VAR BUFADDR: INTEGER);

DESCRIPTION: PERIODS: RETURN PARAMETER WHICH HOLDS NO OF  
TIMER PERIODS THE CALLING PROGRAM  
HAS BEEN DELAYED.  
BUFADDR: CALL PARAMETER WHICH MUST HOLD THE  
ADDRESS OF A MESSAGE BUFFER USED WHEN  
THE CALLING PROGRAM WAS ACTIVATED  
(E.G. BY THE DATA ENTRY SUPERVISOR).  
MESS3 IN THIS MESSAGE BUFFER MUST HOLD  
EITHER ZERO OR NO OF TIMER PERIODS TO BE  
DELAYED.

