
Master Index

The Master Index combines the indexes for Volumes 1–11 in the *Rational Environment Reference Manual*. Thus, the prefix to the page number indicates where the item can be found, as shown below:

DEB Debugging (Volume 3)
DIO Data and Device Input/Output (Volume 7)
EI Editing Images (Volume 2)
EST Editing Specific Types (Volume 2)
LM Library Management (Volume 5)
PM Project Management (Volume 11)
PT Programming Tools (Volume 9)
QR Quick Reference to Parameter-Value Conventions
(found in an appendix in Volumes 3, 4, 5, and 10)
RS Reference Summary (Volume 1)
SJM Session and Job Management (Volume 4)
SMU System Management Utilities (Volume 10)
ST String Tools (Volume 8)
TIO Text Input/Output (Volume 6)

This index contains information on key concepts as well as entries for each unit and its declarations, exceptions, errors, enumerations, pragmas, switches, and so on. The entries for each unit are arranged alphabetically by simple name. The first indented item under the simple name is the pathname; second-level indentions, if any, list units in which cross-references appear. A bold page number indicates the primary reference for an entry.

Units that are not documented separately as reference entries, but are cross-referenced, appear under their full pathnames (see the ! section at the beginning of the index). For a complete list of objects in the standard Environment and any existing documentation about those objects, see the Map of the Rational Environment Library System in the Environment Specifications tabbed section of the Reference Summary (RS) book.

SYMBOLS

!(exclamation mark)
context character QR-4, RS-23, RS-24
pathnames for library objects LM-3
reserved character
fully qualified pathnames DEB-18
relative pathnames DEB-19
root world LM-3
special character PM-131

!! (double exclamation mark)
context character QR-4, RS-23, RS-24

!!! (warning messages)
filtering messages RS-59, RS-61

!Implementation.Work_Order_Implementation package PM-400

!Io.Device_Independent_Io package	DIO-3, TIO-3
Io.Convert function	TIO-17
!Io.Device_Independent_Io.File_Type type	
Io.Convert function	TIO-17
Io.Convert procedure	TIO-18
!Io.Terminal_Specific package	DIO-3, TIO-3
!Machine.Devices library	SMU-259, SMU-281
!Machine.Devices.Terminal_N device	DIO-3, SMU-281, SMU-299, TIO-3
!Machine.Editor_Data directory	
Editor.Key package	EI-28
!Machine.Editor_Data.Daily_Message file	
What.Message procedure	SJM-376
!Machine.Editor_Data.Rational_Commands procedure	
Editor.Key package	EI-28
!Machine.Editor_Data.Rational_User_Commands procedure	
Editor.Key package	EI-27, EI-28
!Machine.Editor_Data.Visible_Key_Names package	
Window_Io package	DIO-85
Window_Io.Image function	DIO-179
Window_Io.Raw.Value function	DIO-188
Window_Io.Raw.Value procedure	DIO-190
!Machine.Error_Logs world	SMU-5, SMU-11
!Machine.Operator_Capability file	LM-111
!Machine.Release.Current.Activity	PM-80, PM-83
!Machine.Release.Current.Commands.Login	PM-83
!Machine.Search_Lists.Default file	
Search_List.Reset_To_System_Default procedure	SJM-320
!Machine.User_Acl_Suffix file	SMU-68
!Machine.User_Default_Acl_Suffix file	SMU-68
!Machine.Users username	SMU-68
!Machine.Users world	SMU-74
!Model.R1000	PM-22
!Model.R1000 world	SMU-68
!Model.R1000_Implementation	PM-22
!Model.R1000_Portable	PM-22
!Users library, home world	SJM-3
" " execution message (Debug.Task_Display)	DEB-163
* (pound sign)	
restricted naming expression	LM-137, LM-176, LM-180, QR-7, RS-51
substitution character	PM-130, QR-5, RS-32, RS-33
symbol in window banner	PM-135, PM-404
wildcard character	LM-176, LM-180, LM-399, LM-404, PM-129, QR-5, RS-29, RS-30
set notation	LM-136
### (user-defined messages)	
filtering messages	RS-59, RS-61

- \$ (dollar sign)
 - context character QR-4, RS-23, RS-25, RS-27
 - metacharacter EI-56
 - searchlist component SJM-302
 - special character PM-131
 - wildcard character LM-258, LM-261, LM-270, LM-273, LM-276, QR-7, RS-53
- \$\$ (double dollar sign)
 - context character QR-4, RS-23, RS-25, RS-27
 - special character PM-132
 - wildcard character QR-5
- \$\$\$ (user-defined messages)
 - filtering messages RS-59, RS-61
- % (percent)
 - debugger context character QR-4, RS-49, RS-50
 - metacharacter EI-56
 - naming tasks DEB-36
 - referencing task activations DEB-31
 - wildcard character LM-258, LM-261, LM-270, LM-273, LM-276, QR-7, RS-53
- %% (exception messages)
 - filtering messages RS-59, RS-61
- %%ASCII command (PostScript)
 - PostScript printing SMU-116
- %%BINARY command (PostScript)
 - PostScript printing SMU-116
- %%INCLUDE command (PostScript)
 - PostScript printing SMU-116
- ' (single quotation mark)
 - referencing overloaded units and subprograms DEB-24
 - searchlist component SJM-302
- * (asterisk)
 - copying or restoring objects under original names LM-139
 - metacharacter EI-56
 - symbol in window banner PM-210, PM-232, PM-244, PM-292
 - wildcard character LM-258, LM-261, LM-270, LM-273, LM-276, QR-7, RS-53
- *** (error messages)
 - filtering messages RS-59, RS-61
- + (plus) PM-404
 - function
 - Calendar.+ **PT-8**
 - Time_Uilities.+ **PT-176**
- ++* (negative messages)
 - filtering messages RS-59, RS-61
- +++ (positive messages)
 - filtering messages RS-59, RS-61
- , (comma)
 - set notation PM-133, QR-6
- ; (semicolon)
 - separator PM-133
 - set notation PM-133, QR-6
- (hyphen)
 - levels of elision LM-295

- (minus)	
function	
Time_Uilities.-	PT-177
--- (notes messages)	
filtering messages	RS-59, RS-61
(period)	
debugger context character	QR-4, RS-49
default level of detail in library images	LM-292
library image	LM-5
pathnames for library objects	LM-3
special character	PM-132
::: (auxiliary messages)	
filtering messages	RS-59, RS-61
< (less than)	
function	
Calendar.<	PT-8
Io.<	TIO-10
generic formal function	
Table_Sort_Generic.<	PT-170
<i>see also</i> Less_Than	
<= function	
Calendar.<=	PT-8
= (equals)	
function	
Io.=	TIO-9
symbol in window banner	PM-135
<i>see also</i> Equal	
> (greater than)	
function	
Calendar.>	PT-8
Io.>	TIO-11
<i>see also</i> Greater_Than	
>= function	
Calendar.>=	PT-8
>>> (position messages)	
filtering messages	RS-59, RS-61
? (question mark)	
metacharacter	EI-56
recursive operation	LM-291
restricted naming expression	LM-137, LM-176, LM-180, QR-7, RS-51
substitution character	PM-130
wildcard character	LM-176, LM-180, LM-399, LM-404, PM-129, QR-5, RS-29, RS-31
pattern matching	LM-258, LM-261, LM-270, LM-273, LM-276, QR-7, RS-53
set notation	LM-136
?? (double question mark)	
recursive operation	LM-291
wildcard character	PM-129, QR-5, RS-29, RS-31
set notation	LM-136
??? (debug messages)	
filtering messages	RS-59, RS-61
@ (at sign)	

- indicating frozen window state EI-63, EI-65, EI-67
- restricted naming expression LM-137, LM-176, LM-180, QR-7, RS-51
- substitution character PM-130, QR-5, RS-32, RS-33
- wildcard character LM-176, LM-180, LM-399, LM-404, PM-129, QR-5, RS-29, RS-30
 - set notation LM-136
- @@@ (user-defined messages)
 - filtering messages RS-59, RS-61
- [] (brackets)
 - context character QR-4, RS-23, RS-24
 - metacharacter EI-57
 - restricted naming expression LM-137, LM-176, LM-180, QR-7, RS-51
 - set notation QR-6, RS-34
 - special character LM-176, LM-180, LM-399, LM-404, PM-131, PM-133
 - wildcard character
 - pattern matching LM-258, LM-261, LM-270, LM-273, LM-276, QR-7, RS-53
 - set notation LM-136
- \ (backslash)
 - context character QR-4, RS-23, RS-27
 - metacharacter EI-57
 - resolving object names relative to searchlists SJM-304
 - special character PM-132
 - wildcard character LM-258, LM-261, LM-270, LM-273, LM-276, QR-7, RS-53
- ^ (caret)
 - context character QR-4, RS-23, RS-26, RS-27
 - metacharacter EI-56
 - special character PM-131
 - wildcard character LM-258, LM-261, LM-270, LM-273, LM-276, QR-7, RS-53
- _ (underscore)
 - debugger context character QR-4, RS-49
 - indirect-file prefix RS-35
 - referencing stack frames DEB-31
 - special character PM-132
- ` (grave)
 - context character QR-4, RS-23, RS-28
 - searchlist component SJM-302
 - special character PM-132
 - systemwide default searchlists SJM-12
- { (left brace)
 - wildcard character LM-258, LM-261, LM-270, LM-273, LM-276, QR-7, RS-53
- { } (braces)
 - displaying special variables DEB-47
 - levels of elision LM-295
 - metacharacters EI-56
 - special characters PM-131, PM-133
 - for specifying deleted objects RS-37
- } (right brace)
 - wildcard character LM-258, LM-261, LM-270, LM-273, LM-276, QR-7, RS-53
- ~ (tilde) LM-176, LM-180, LM-399, LM-404
 - excluding properties RS-39
 - indicating replace window state EI-63, EI-65, EI-67
 - restricted naming expression LM-137, LM-176, LM-180, QR-7, RS-51
 - set notation QR-6
 - wildcard characters and set notation LM-136

A

A.M.	
Time_Uilities.Sun_Positions type	PT-202
abandon	PM-27
Abandon procedure	
Common.Abandon	EST-62 , PM-135
Ada images	EST-9
Cmvc.Append_Notes procedure	PM-210
Cmvc.Get_Notes procedure	PM-244
Cmvc.Put_Notes procedure	PM-292
command images	EST-47
commands from package Common for debugger	DEB-64
commands from package Common for editing searchlists	SJM-307
commands from package Common for Jobs procedure display	SJM-362
commands from package Common for use in help windows	SJM-361
described	DEB-5
editing libraries with	LM-298
editing links with	LM-377
editing switches with	LM-424
help	EST-126
menu images	EST-133
Search_List.Release procedure	SJM-317
text images	EST-140
What.Jobs procedure	SJM-368
windows images	EST-156
xref images	EST-161
Abandon_Reservation procedure	
Cmvc.Abandon_Reservation	PM-28, PM-202
Cmvc.Check_Out procedure	PM-218
abort, <i>see</i> Kill	
aborting task execution message (Debug.Task_Display)	DEB-163
About_To_Return enumeration	
Debug.Stop_Event type	DEB-157
absolute, defined	RS-21
absolute unit-state changes	LM-21, LM-33
accept changes	PM-14, PM-40, PM-41, PM-202, PM-205
accept statement	
fully qualified pathnames	DEB-18
object numbering rules	DEB-26
referencing declarations and simple statements	DEB-25
Accept_Changes procedure	
Cmvc.Accept_Changes	PM-41, PM-42, PM-46, PM-205
Cmvc.Merge_Changes procedure	PM-288
Cmvc.Revert procedure	PM-306
Accept_Tokens procedure	
!Commands.System_Maintenance'Spec_View.Units.Accept_Tokens specification	RS-270
access	
controlled objects, concurrently	PM-43
gaining to searchlists	SJM-307

gaining to session switches	SJM-329
programmatic access	DEB-11
read	LM-64
to session switches, gaining	DEB-57
write	LM-64, SMU-52
<i>see also specific access</i>	
access control	DIO-5, LM-64, LM-146, LM-291, SMU-50, TIO-5
change identity	
Program.Change_Identity procedure	SJM-233
changing	
Program.Change_Identity procedure	SJM-233
CMVC	LM-146
defined	SMU-6, SMU-50
groups	LM-64
defined	LM-6, LM-64
implications of	LM-67
links and	LM-376
<i>see also access list; ACLs</i>	
access list	SMU-50
adding	
Access_List.Add procedure	LM-71
adding default	
Access_List.Add_Default procedure	LM-72
amending	
Access_List_Tools.Amend function	LM-93
changing	
Access_List.Add procedure	LM-71
Access_List.Add_Default procedure	LM-72
Access_List.Remove procedure	LM-81
Access_List.Remove_Default procedure	LM-82
Access_List.Set procedure	LM-83
Access_List.Set_Default procedure	LM-85
Access_List_Tools.Set procedure	LM-121
Access_List_Tools.Set_Default procedure	LM-123
checking	
Access_List_Tools.Check function	LM-95
class	
Access_List_Tools.Access_Class subtype	LM-90
classes	
Access_List.Create constant	LM-73
Access_List.Delete constant	LM-75
Access_List.Owner constant	LM-79
Access_List.Read constant	LM-80
Access_List.Write constant	LM-87
Access_List_Tools.Create constant	LM-99
Access_List_Tools.Delete constant	LM-100
Access_List_Tools.Owner constant	LM-118
Access_List_Tools.Read constant	LM-119
Access_List_Tools.Write constant	LM-125
creating	
Access_List.Add procedure	LM-71
Access_List.Set procedure	LM-83
Access_List.Set_Default procedure	LM-85
Access_List_Tools.Set procedure	LM-121
Access_List_Tools.Set_Default procedure	LM-123
Daemon.Get_Access_List_Compaction function	SMU-12
Daemon.Set_Access_List_Compaction procedure	SMU-30
displaying	

Access_List.Display procedure	LM-76
displaying default	
Access_List.Default_Display procedure	LM-74
editing	
Access_List.Add procedure	LM-71
Access_List.Add_Default procedure	LM-72
Access_List.Remove procedure	LM-81
Access_List.Remove_Default procedure	LM-82
error	
Access_List_Tools.Access_Tools_Error exception	LM-91
getting	
Access_List_Tools.Get function	LM-101
Access_List_Tools.Get procedure	LM-103
getting default	
Access_List_Tools.Get_Default function	LM-105
Access_List_Tools.Get_Default procedure	LM-107
maximum length	
Access_List_Tools.Max_Acl_Length constant	LM-114
name	
Access_List.Name subtype	LM-78
Access_List_Tools.Name subtype	LM-115
normalizing	
Access_List_Tools.Normalize function	LM-116
operator capability	
Access_List_Tools.Has_Operator_Capability function	LM-111
removing	
Access_List.Remove procedure	LM-81
removing default	
Access_List.Remove_Default procedure	LM-82
removing old entries	
Access_List_Tools.Normalize function	LM-116
setting	
Access_List.Set procedure	LM-83
Access_List_Tools.Set procedure	LM-121
setting default	
Access_List.Set_Default procedure	LM-85
Access_List_Tools.Set_Default procedure	LM-123
validity	
Access_List_Tools.Check_Validity procedure	LM-97
access requirements	LM-20, LM-32, LM-145
access rights	LM-2, LM-65
adding	
Access_List.Add procedure	LM-71
Access_List.Add_Default procedure	LM-72
Access_List_Tools.Amend function	LM-93
checking	
Access_List_Tools.Check function	LM-95
commands for	LM-63, LM-89
defined	LM-6, LM-64
displaying	
Access_List.Display procedure	LM-76
Access_List.Default_Display procedure	LM-74
ensuring well-formed ACLs	
Access_List_Tools.Check_Validity procedure	LM-97
Access_List_Tools.Normalize function	LM-116
mixing	LM-66
overriding	LM-66, LM-147
querying for operator capability	

Access_List_Tools.Has_Operator_Capability function	LM-111
removing	
Access_List.Remove procedure	LM-81
Access_List.Remove_Default procedure	LM-82
retrieving	
Access_List_Tools.Get function	LM-101
Access_List_Tools.Get procedure	LM-103
Access_List_Tools.Get_Default function	LM-105
Access_List_Tools.Get_Default procedure	LM-107
setting	
Access_List.Set procedure	LM-83
Access_List.Set_Default procedure	LM-85
Access_List_Tools.Set procedure	LM-121
Access_List_Tools.Set_Default procedure	LM-123
access-control groups	SMU-6, SMU-50
reclaiming	SMU-6
access-control identity	
changing	SJM-232
defined	LM-65, SJM-16, SJM-232
of jobs	SJM-230
access-control lists, <i>see</i> ACLs	
access-list compaction	SMU-6
defined	SMU-6
Access_Class subtype	
Access_List_Tools.Access_Class	LM-90
Access_Error	
Io_Exceptions.Use_Error exception	DIO-37, TIO-163
Access_List package	
!Commands.Access_List	LM-63
access-control groups	SMU-50
described	LM-6
key concepts for	LM-63
resources in	LM-63
specification	RS-78
Access_List_Tools package	
!Tools.Access_List_Tools	LM-89
key concepts for	LM-89
resources in	LM-89
specification	RS-397
Access_Tools_Error exception	
Access_List_Tools.Access_Tools_Error	LM-91
Amend function	LM-93
Check function	LM-96
Get function	LM-101
Get_Default function	LM-105
Account library switch	
Ftp.Account	
described	LM-417
Account session switch	
Session_Ftp.Account	
described	SJM-333
Accounting_Information package	
!Tools.System_Availability'Spec_View.Units.Accounting_Information	

specification	RS-643
Accounting_Report procedure	
!Tools.System_Availability'Spec_View.Units.Accounting_Report	
specification	RS-644
accounts	SJM-1
customizing	SJM-4
defined	SJM-1
overview of	SJM-1
Acl subtype	
Access_List.Acl	LM-70
Access_List_Tools.Acl	LM-92
ACLs (access-control lists)	LM-64
default	LM-2, LM-7, LM-66
defined	LM-2, LM-6, LM-64, SMU-6, SMU-50
editor locks and	LM-67
for objects	LM-66
of restored objects	LM-131
versions and	LM-67
<i>see also</i> access control; access list	
action, defined	SJM-9
Action_Utilities package	
!Commands.Action_Utilities	
specification	RS-80
Actions	
client	SMU-4, SMU-22
defined	SMU-4
object manager	SMU-60
[Activate] key	
breakpoint state	DEB-43
Debug.Activate procedure	DEB-65
Activate procedure	
Debug.Activate	DEB-65
breakpoint state	DEB-43
Remove procedure	DEB-137
activated, defined	DEB-31, RS-49
activating child packages execution message (Debug.Task_Display)	DEB-163
activating child tasks execution message (Debug.Task_Display)	DEB-163
activations	
multiple	DEB-36
task	DEB-14, DEB-31
active breakpoints	DEB-43
defined	DEB-43
Activity	
argument for 'C (class) attribute (file subclasses)	QR-11, RS-43
activity	PM-12, PM-29, PM-52, PM-65, PM-136, PM-137, PM-139
adding entries	PM-66
creating an empty activity	PM-66
current	RS-47
default	
Profile.Default_Activity function	SJM-143
defined	PM-1, RS-7

differential entries	PM-82
editing	PM-135, PM-150
images	EST-1
modes for creating entries	PM-82
nondefault	RS-63
release	PM-16
set	
Profile.Set_Activity procedure	SJM-193
Profile.Set_Default_Activity procedure	SJM-196
setting the default	PM-67
specifying compatible load views in	PM-94
type	
Profile.Activity_Type subtype	SJM-140
using for execution	PM-65
Activity function	
Profile.Activity	SJM-139
Profile.Default_Activity function	SJM-143
Activity option	
specifying nondefault activities	RS-63
Activity package	
!Commands.Activity	PM-1, PM-135
changing job response profiles	SJM-25
setting response characteristics	SJM-26
setting session response profiles	SJM-24
specification	RS-81
Activity procedure	
Check.Activity	PM-178
activity response characteristic	
described	SJM-20, SJM-115
setting	SJM-25
<ACTIVITY> special name	
defined	QR-3, RS-17
demoting across subsystems	LM-37
in Compilation commands	LM-29, LM-208, LM-218
in Library commands	LM-325, LM-327
activity window	PM-175
Activity_File session switch	
Activity.Set_Default procedure	PM-161
described	SJM-333
session response profile	RS-57
Activity_Name subtype	
Activity.Activity_Name	PM-139
Activity_Type subtype	
Profile.Activity_Type	SJM-140
Ada	
argument for 'C (class) attribute (object classes)	QR-9, RS-41
client	SMU-12, SMU-15, SMU-22, SMU-30
images	EST-1, EST-3
commands from package Common	EST-9
committing images	EST-8
cursor designation	EST-4
designation	EST-3
image structure	EST-3

incremental compilation	EST-7, EST-8
insertion points	EST-7
key concepts	EST-3
library switches	EST-9
locks	EST-9
selection	EST-4
special names	EST-5
unit states	EST-5
versions	EST-8
name	PM-127
name resolution mode	PM-132
object manager	SMU-60
Ada class, defined	LM-12
Ada compilation units	LM-12
access rights	LM-65
Ada unit states	LM-15
changing state	
Compilation.Demote procedure	LM-224
Compilation.Make renamed procedure	LM-236
Compilation.Promote procedure	LM-242
creating from text files	LM-212
Compilation.Compile procedure	LM-220
Compilation.Parse procedure	LM-240
deleting	
Compilation.Atomic_Destroy procedure	LM-217
Compilation.Delete procedure	LM-222
Compilation.Destroy procedure	LM-230
demoting	LM-31, LM-68
displaying	DEB-63
formatting	LM-415
listing dependencies	
Compilation.Dependents procedure	LM-227
managing target keys	
Compilation.Get_Target_Key function	LM-233
Compilation.Set_Target_Key procedure	LM-250
Show_Target_Key procedure	LM-252
multiple	LM-23, LM-35
prelinking during compilation	
Compilation.Load procedure	LM-234
promoting	LM-18, LM-68
referencing constructs within	DEB-25
reformatting	LM-349
registering	LM-416
restored	LM-131
saving	LM-136
state changes	
absolute	LM-21, LM-33
defined	LM-13
relative	LM-21, LM-33
switches for installing	LM-52
switches for semanticizing	LM-416
<i>see also</i> Ada unit; units	
Ada enumeration	
Time_Uilities.Date_Format type	PT-180
Time_Uilities.Time_Format type	PT-204
Ada identifiers	RS-51
Ada object manager	SMU-5

described	SMU-5
reclaiming access-control groups	SMU-6
Ada objects, pathnames for	RS-20
Ada package	EST-6, EST-19
!Commands.Ada specification	RS-87
Ada source code printing	SMU-114
Ada subclasses arguments for 'C attribute	QR-10, RS-42
Ada unit	
access classes	
Access_List.Read constant	LM-80
Access_List.Write constant	LM-87
Access_List_Tools.Read constant	LM-119
Access_List_Tools.Write constant	LM-125
define coded	
Xref.Uses procedure	LM-462
define installed	
Xref.Uses procedure	LM-462
list coded	
Xref.Used_By procedure	LM-458
list installed	
Xref.Used_By procedure	LM-458
pretty-printing	
Library.Reformat_Image procedure	LM-349
<i>see also</i> Ada compilation units; units	
Ada-unit names	
assigning	LM-16
when grave follows	RS-29
Ada_Format constant	
Library.Ada_Format	LM-301
Ada_List renamed procedure	
Library.Ada_List	LM-302
Ada_Format constant	LM-301
Ada_Location function	
Debug_Tools.Ada_Location	DEB-179
jobs in debugger	DEB-3
programmatic access to debugger facilities	DEB-11
Ada_Object_Editor package	
!Tools.Ada_Object_Editor specification	RS-401
Ada_Program package	
!Tools.Lrm.Ada_Program specification	RS-470
Ada_Text package	
!Tools.Ada_Text specification	RS-402
add	
comment	
Editor.Region.Comment procedure	EI-46
cross-library link	

Links.Add procedure	LM-379
entry, <i>see</i> Define	
links	LM-68
to end, <i>see</i> Append	
<i>see also</i> Create; Create_Group; Create_Session; Create_User; Insert; Push	
Add procedure	
Access_List.Add	LM-71
access control	LM-66
ACLs	LM-64, LM-67
Activity.Add	PM-82, PM-140
Links.Add	LM-379
Cmvc_Maintenance.Check_Consistency procedure	PM-341
creating links	LM-374
Insert procedure	LM-395
Link_Name subtype	LM-399
Replace procedure	LM-401
Queue.Add	SMU-118
Register procedure	SMU-149
Queue_Generic.Add	PT-96
Remote_Passwords.Add	SJM-282
Remote_Passwords.Show_Encryption procedure	SJM-296
Remote_Passwords.Add, Remote_Passwords.Change procedure	SJM-285
Remote_Passwords.Change	
encrypting passwords	SJM-278
Search_List.Add	SJM-310
creating searchlists	SJM-305
editing searchlists	SJM-306
Search_List.Set_Up procedure	SJM-323
Set_Generic.Add	PT-112
Work_Order.List_Editor.Add	PM-414
Add_Child procedure	
Cmvc_Hierarchy.Add_Child	PM-326, PM-328
Add_Comment procedure	
Work_Order.Editor.Add_Comment	PM-405
Add_Configuration procedure	
Work_Order.Editor.Add_Configuration	PM-406
Add_Default procedure	
Access_List.Add_Default	LM-72
ACLs	LM-67
Add_To_Group procedure	
Operator.Add_To_Group	SMU-58
Create_Group procedure	SMU-64
username groups	SMU-50
Add_To_List procedure	
Work_Order.Add_To_List	PM-365
Add_User procedure	
Work_Order.Editor.Add_User	PM-407
Add_Version procedure	
Work_Order.Editor.Add_Version	PM-408
address	
Debug.Location_To_Address procedure	DEB-109
System.Null_Address constant	PT-166
Address type	

System.Address	PT-164
Address_To_Location procedure	
Debug.Address_To_Location	DEB-66
Debug_Tools.Get_Exception_Name function	DEB-185
Debug_Tools.Get_Raise_Location function	DEB-187
example of use	DEB-186, DEB-188
Location_To_Address procedure	DEB-109
Addresses enumeration	
Debug.Option type	DEB-118
Adjust type	
Table_Formatter.Adjust	ST-93
adjusting output width	RS-62
advanced startup techniques	DEB-11
After option	
Archive.Save procedure	LM-128
summarized	LM-133
Alert procedure	
Editor.Alert	EI-10
aliases, local	LM-44
Alignment_Threshold library switch	
Format.Alignment_Threshold described	LM-417
All	
argument for 'V (version) attribute	QR-9, RS-40
all response characteristic setting	SJM-25
all, send	
Message.Send_All procedure	SMU-47
All_Bad_Blocks constant	
System_Uilities.All_Bad_Blocks	SMU-233
All_Classes constant	
Queue.All_Classes	SMU-121
All_Events enumeration	
Debug.Trace_Event type	DEB-170
All_Fields constant	
Library.All_Fields	LM-304
All_Parts	
value for Scope parameter	LM-207
All_Parts enumeration	
Compilation.Promote_Scope type	LM-245
All_Spooler_Devices constant	
Queue.All_Spooler_Devices	SMU-122
All_State enumeration	
Debug.State_Type type	DEB-153
All_Tasks enumeration	
Debug.Task_Category type	DEB-162
<ALL_WORLDS>	

promoting across libraries	LM-27
special value for Limit parameter	LM-29, LM-208, LM-218
All_Worlds constant	
Compilation.All_Worlds	LM-216
<ALL_WORLDS> special value	LM-325, LM-327
Allocate function	
String_Table.Allocate	ST-50
Allow_Edit_Of_Work_Orders enumeration	
Work_Order.Venture_Policy_Switch	PM-400
Work_Order.Create_Field procedure	PM-370
Allow-Token_Conversion procedure	
!Commands.System_Maintenance'Spec_View.Units.Allow-Token_Conversion specification	RS-271
Allows_Deallocation function	
Allows_Deallocation.Allows_Deallocation	PT-2
Allows_Deallocation generic function	
!Tools.Allows_Deallocation	PT-1
specification	RS-408
Unchecked_Deallocation generic procedure	PT-241
Unchecked_Deallocation procedure	PT-246
alphanumeric character set	DIO-82, DIO-157
Already_Open_Error	
Io_Exceptions.Status_Error exception	DIO-36, TIO-162
Alternative_List	
argument for 'C (class) attribute (Ada subclasses)	QR-10, RS-42
Ambiguous_Name_Error	
Io_Exceptions.Name_Error exception	DIO-35, TIO-161
Amend function	
Access_List_Tools.Amend	LM-93
Analyze_Disks_For_Backup procedure	
!Commands.System_Maintenance'Spec_View.Units.Analyze_Disks_For_Backup specification	RS-272
ANSI-labeled tapes	
processing	SMU-314
Any	
argument for 'L (link) attribute	QR-9, RS-46
argument for 'V (version) attribute	QR-9, RS-40
Any constant	
Links.Any	LM-381
Append procedure	
Bounded_String.Append	ST-2
File_Uilities.Append	LM-260
Io.Append	TIO-12
Polymorphic_Sequential_Io.Append	DIO-40
Unbounded_String.Append	ST-104
Append_Notes procedure	
Cmvc.Append_Notes	PM-210
Cmvc.Create_Empty_Note_Window procedure	PM-232
Cmvc.Get_Notes procedure	PM-244
Cmvc.Put_Notes procedure	PM-292

application	
copying	LM-155
execution	PM-84
single library	PM-15
testing	PM-85
archive	
copying	
Archive.Copy procedure	LM-163
listing	
Archive.List procedure	LM-176
Operator.Get_Archive_On_Shutdown function	SMU-85
restoring	
Archive.Restore procedure	LM-179
saving	
Archive.Save procedure	LM-193
<i>see also</i> Backup	
archive objects	
Compilation.Demote procedure	LM-224
Archive package	
!Commands.Archive	LM-127
specification	RS-89
access requirements	LM-145
access rights	LM-69
described	LM-7
examples	LM-157
multiple-host development	LM-149
overview of Save, Restore, and Copy procedures	LM-128
resources in	LM-127
specifying destination names	LM-139
specifying source names	LM-135
summary of options	LM-133
transferring data between R1000s	LM-142
vs. system backups	LM-127
archive server	
defined	LM-145
identities, changing	LM-147
Archive_On_Shutdown procedure	
Operator.Archive_On_Shutdown	SMU-60
Get_Archive_On_Shutdown function	SMU-85
Show_Shutdown_Settings procedure	SMU-104
Archived	
argument for 'S (compilation state) attribute	QR-9, RS-44
Archived enumeration	
Compilation.Unit_State type	LM-254
archived state	EST-5, LM-18
Archived_Code	
argument for 'C (class) attribute (object classes)	QR-9, RS-41
Archived_Code object manager	SMU-5, SMU-60
described	SMU-5
argument prefixes, using	DEB-7
Argument_Digit procedure	
Editor.Set.Argument_Digit	EI-60

Argument_Minus procedure	
Editor.Set.Argument_Minus	EI-60
Argument_Prefix procedure	
Editor.Set.Argument_Prefix	EI-60
arguments	
for 'C (class) attribute (Ada subclasses)	QR-10, RS-42
for 'C (class) attribute (file subclasses)	QR-11, RS-43
for 'C (class) attribute (library subclasses)	QR-10, RS-42
for 'C (class) attribute (object classes)	QR-9, RS-41
for 'If conditional attribute	QR-9, RS-48
for 'L (link) attribute	QR-9, RS-46
for 'S (compilation state) attribute	QR-9, RS-44
for 'V (version) attribute	QR-9
predefined	QR-9
array	
Table_Sort_Generic.Element_Array generic formal type	PT-172
ASCII characters	DIO-1, DIO-85, TIO-1
ASCII devices	
default formatting for	SMU-117
printing using	SMU-111
Ascii package	
Standard.Ascii	PT-161
Ascii.Ff	DIO-6, TIO-5
Ascii.Lf	DIO-6, TIO-5
Asm_Listing library switch	
R1000_Cg.Asm_Listing	
described	LM-47, LM-417
Asm_Listing session switch	
Command_Cg.Asm_Listing	
described	SJM-334
Aspect suboption	
printing bitmapped images	SMU-115
Assertion_Error exception	
System.Assertion_Error	PT-164
Unchecked_Conversion.Unchecked_Conversion function	PT-213
Unchecked_Conversions.Convert_From_Byte_String function	PT-233
Unchecked_Conversions.Unchecked_Conversion_Package.Convert function	PT-227
assigning Ada-unit names	LM-16
Associate procedure	
Switches.Associate	LM-427
associating library switch files	LM-414
Create procedure	LM-432, LM-435
Dissociate procedure	LM-439
Associated function	
Switches.Associated	LM-429
Associate procedure	LM-427
associating library switch files	LM-414
Dissociate procedure	LM-439
associated, library switch files	
defined	LM-410

- associating library switch files LM-410, LM-414
- Associations package
 - !Tools.Lm.Associations
 - specification RS-483
- asterisk (*)
 - copying or restoring objects under original names LM-139
 - metacharacter EI-56
 - wildcard character LM-258, LM-261, LM-270, LM-273, LM-276, QR-7, RS-53
- at sign (@)
 - indicating frozen window state EI-63, EI-65, EI-67
 - restricted naming expression LM-137, LM-176, LM-180, QR-7, RS-51
 - substitution character PM-130, QR-5, RS-32, RS-33
 - wildcard character LM-176, LM-180, LM-399, LM-404, PM-129, QR-5, RS-29, RS-30
 - set notation LM-136
- At_Msg enumeration
 - Profile.Msg_Kind type SJM-172
- atomic, defined LM-291
- Atomic_Destroy procedure
 - Compilation.Atomic_Destroy LM-207, **LM-217**
 - using LM-206
- attach, *see* Connect
- Attached enumeration
 - Scheduler.Job_Kind type SMU-187
- attached job kind
 - described SJM-18
 - relationship between job classes and kinds SJM-19
- attached jobs
 - defined SJM-34, SMU-157
- attempting entry call execution message (Debug.Task_Display) DEB-163
- Attribute type
 - Window_Io.Attribute **DIO-102**
- attributes PM-127, QR-8, RS-37
 - defined DEB-14, DEB-24, RS-14, RS-20
 - job
 - Scheduler.Get_Job_Attribute function SMU-176
 - Scheduler.Set_Job_Attribute procedure SMU-200
 - syntax for RS-38
 - with predefined arguments QR-9
- Auto_Login library switch
 - Ftp.Auto_Login
 - described LM-417
- Auto_Login session switch
 - Session_Ftp.Auto_Login
 - described SJM-334
- automated compilation
 - Compilation.Make renamed procedure LM-236
 - Compilation.Promote procedure LM-242
- automatic demotions, additional LM-38
- automatic source display DEB-8

auxiliary messages (:::)	
filtering messages	RS-59, RS-61
Auxiliary_Msg enumeration	
Profile.Msg_Kind type	SJM-172
Availability_Report procedure	
!Tools.System_Availability'Spec_View.Units.Reports.Availability_Report specification	RS-648

B

B flag	
Xref package	LM-454
background	
defined	SJM-34
placing jobs in	SJM-34
<i>see also</i> Disconnect	
background job class	
described	SJM-17
relationship between job classes and kinds	SJM-19
background job streams	SMU-161
defined	SMU-161
parameters	SMU-195, SMU-198
Scheduler.Display procedure	SMU-168
background jobs	SMU-156, SMU-160
defined	SMU-156
Background_Streams scheduler parameter	
background job streams	SMU-161
backoff	SMU-10
backslash (\)	
context character	QR-4, RS-23, RS-27
metacharacter	EI-57
resolving object names relative to searchlists	SJM-304
special character	PM-132
wildcard character	LM-258, LM-261, LM-270, LM-273, LM-276, QR-7, RS-53
backup index, defined	SMU-210
Backup procedure	
System_Backup.Backup	SMU-211
key concepts for System_Backup package	SMU-209
Kind type	SMU-219
varieties of backups	SMU-210
backup tapes, structure of	SMU-210
Backup_Generic generic procedure	
System_Backup.Backup_Generic	SMU-212
Backup_Generic.Backup_Finishing generic formal procedure	
System_Backup.Backup_Generic.Backup_Finishing	SMU-214
Backup_Generic.Backup_Starting generic formal procedure	
System_Backup.Backup_Generic.Backup_Starting	SMU-215
backups	

full	SMU-210
primary	SMU-210
restoring	SMU-210
secondary	SMU-210
system	LM-127
varieties of	SMU-210
backward	
deletion	
Editor.Char.Delete_Backward procedure	EI-12
Editor.Line.Delete_Backward procedure	EI-33
Editor.Word.Delete_Backward procedure	EI-70
movement	
Editor.Cursor.Previous procedure	EI-19
Editor.Line.Previous procedure	EI-34
Editor.Window.Previous procedure	EI-67
Editor.Word.Previous procedure	EI-71
search	EI-4
Editor.Search.Previous procedure	EI-57
search and replace	EI-4
Editor.Search.Replace_Previous procedure	EI-58
tab	
Editor.Char.Tab_Backward procedure	EI-14
Backward procedure	
Editor.Cursor.Backward	EI-17, EI-18
bad blocks	
System_Uilities.All_Bad_Blocks constant	SMU-233
System_Uilities.Manufacturers_Bad_Blocks constant	SMU-273
Bad_Block_Kinds type	
System_Uilities.Bad_Block_Kinds	SMU-234
Bad_Block_List function	
System_Uilities.Bad_Block_List	SMU-235
system hardware	SMU-229
banner	
Window_Io.Read_Banner function	DIO-161
Window_Io.Set_Banner procedure	DIO-168
Banner parameter	
specifying default format options	SMU-116
Banner session switch	
Queue.Banner	
default formatting for ASCII devices	SMU-117
described	SJM-334
specifying default format options	SMU-116
base	
default	
Io.Integer_Io.Default_Base constant	TIO-144
Text_Io.Integer_Io.Default_Base constant	TIO-252
number	
Io.Number_Base subtype	TIO-62
Text_Io.Number_Base subtype	TIO-192
Based On timestamp	
restoring backups	SMU-210
basic operations on session switch files	DEB-56
batch, <i>see</i> Disconnect	

batch job, *see* background jobs

baud rates

- System_Uilities.Input_Rate function SMU-263
- System_Uilities.Output_Rate function SMU-278
- Terminal.Set_Input_Rate procedure SMU-349
- Terminal.Set_Output_Rate procedure SMU-354

Become_Owner option

- Archive.Restore procedure LM-131
- CMVC access control LM-147
- summarized LM-133

Beep_On_Errors session switch

- Session.Beep_On_Errors described SJM-334

Beep_On_Interrupt session switch

- Session.Beep_On_Interrupt described SJM-334

Beep_On_Messages session switch

- Session.Beep_On_Messages described SJM-334

begin, *see* Run

begin at scheduled time

- Daemon.Schedule procedure SMU-28

Begin_Rendezvous enumeration

- Debug.Stop_Event type DEB-157

beginning, *see* First

Beginning_Of procedure

- Editor.Image.Beginning_Of **EI-25**
- Editor.Line.Beginning_Of EI-31, **EI-32**
- Editor.Region.Beginning_Of **EI-45**
- Editor.Window.Beginning_Of **EI-64**
- Editor.Word.Beginning_Of **EI-69**

behavior

- command SJM-20
- disconnect SMU-334
- job SJM-15, SJM-331
- login SMU-334

being aborted execution message (Debug.Task_Display) DEB-163

bell

- Editor.Alert procedure EI-10

Bell procedure

- Window_Io.Bell **DIO-104**

Binary

- argument for 'C (class) attribute (file subclasses) QR-11, RS-43

binary files, create

- Direct_Io.Create procedure DIO-10
- Polymorphic_Sequential_Io.Create procedure DIO-42
- Sequential_Io.Create procedure DIO-63

binary objects, controlling PM-25

Bind procedure

Editor.Macro.Bind	El-37, EI-38
binding	
key combinations	SJM-10
keys	SJM-7
Editor.Key package	El-27
macros to keys	SJM-8
Bit constant	
System.Bit	PT-164
Bit_Operations package	
!Tools.Bit_Operations specification	RS-409
bitmapped images	
defined	SMU-115
format of	SMU-115
printing	SMU-115
bits	
System_Uilities.Character_Bits_Range subtype	SMU-238
System_Uilities.Stop_Bits function	SMU-293
System_Uilities.Stop_Bits_Range subtype	SMU-294
Terminal.Character_Bits_Range subtype	SMU-338
Terminal.Set_Stop_Bits procedure	SMU-360
Terminal.Stop_Bits_Range subtype	SMU-366
blank line	
Ada.Delete_Blank_Line procedure	EST-26
Ada.Insert_Blank_Line procedure	EST-29
block	
declare	SJM-333
object numbering rules	DEB-26
System_Uilities.All_Bad_Blocks constant	SMU-233
System_Uilities.Bad_Block_Kinds type	SMU-234
System_Uilities.Bad_Block_List function	SMU-235
System_Uilities.Manufacturers_Bad_Blocks constant	SMU-273
System_Uilities.Retargeted_Blocks constant	SMU-286
Block procedure	
Text.Block	EST-146
<i>see also</i> Disable; Hold; Quiesce	
Block_List type	
System_Uilities.Block_List	SMU-236
Blocked enumeration	
Debug.Task_Category type	DEB-162
board information	
System_Uilities.Get_Board_Info function	SMU-252
body	
Ada.Create_Body procedure	EST-22
Body attribute	RS-40
described	QR-8, RS-38
referencing overloaded units and subprograms	DEB-24
Bold character attribute	DIO-102
Boolean options	DEB-10
Boolean type	
Standard.Boolean	PT-161

Boolean value	
read from file	
Io.Get procedure	TIO-49
write to current error file (message window)	
Io.Echo procedure	TIO-31
write to file	
Io.Put procedure	TIO-78
Boolean values	
options with	RS-54
boot	
configuration	
System_Uilities.System_Boot_Configuration function	SMU-295
last	
System_Uilities.System_Up_Time function	SMU-296
boot system	SMU-333
Both enumeration	
Time_Uilities.Image_Contents type	PT-192
bottom	
image	
Editor.Image.End_Of procedure	EI-26
of selection	
Editor.Region.End_Of procedure	EI-46
of window	
Editor.Window.End_Of procedure	EI-66
Bounded_String package	ST-1
!Tools.Bounded_String	
specification	RS-410
braces ({})	
displaying special variables	DEB-47
levels of elision	LM-295
metacharacters	EI-56
special characters for specifying deleted objects	PM-131, PM-133, RS-37
brackets ([])	
context character	QR-4, RS-23, RS-24
metacharacter	EI-57
restricted naming expression	LM-137, LM-176, LM-180, QR-7, RS-51
set notation	QR-6, RS-34
special character	LM-176, LM-180, LM-399, LM-404, PM-131, PM-133
wildcard character	
pattern matching	LM-258, LM-261, LM-270, LM-273, LM-276, QR-7, RS-53
set notation	LM-136
[Break ~Default] key	
Debug.Break(False) procedure	DEB-67
break characters	EI-70
[Break] key	
breakpoint type	DEB-43
Debug.Break procedure	DEB-67
Break procedure	
Debug.Break	DEB-67
breakpoint numbering	DEB-44
breakpoint state	DEB-43
breakpoint type	DEB-43

breakpoints and tasks	DEB-42
Context procedure	DEB-77, DEB-78
Display procedure	DEB-86
locations for breakpoints	DEB-42
Editor.Word.Break	
Word_Breaks session switch, described	SJM-359
Break_At_Creation enumeration	
Debug.Option type	DEB-118
breakpoint state	DEB-43
defined	DEB-43
breakpoint type	DEB-43
defined	DEB-43
breakpoints	DEB-41
active breakpoints	DEB-43
canceling	
Debug.Forget procedure	DEB-98
Debug.Remove procedure	DEB-137
canceling exception	
Debug.Propagate procedure	DEB-127
characteristics	DEB-43
creating	DEB-41
Debug.Break procedure	DEB-67
creating and manipulating	DEB-63
defined	DEB-41
generics and	DEB-42
inactive breakpoints	DEB-43
locations for	DEB-41
loops and	DEB-42
manipulating	DEB-41
numbering	DEB-44
permanent breakpoints	DEB-43
programmatic	
Debug_Tools.User_Break procedure	DEB-207
reactivate	
Debug.Activate procedure	DEB-65
setting	DEB-44
Debug.Break procedure	DEB-67
showing	
Debug.Information procedure	DEB-105
stopping execution	
Debug.Catch procedure	DEB-71
tasks and	DEB-42
temporary breakpoints	DEB-43
Breakpoints enumeration	
Debug.State_Type type	DEB-153
Breaks procedure	
Editor.Word.Breaks	EI-69, EI-70
broadcast bulletin, <i>see</i> Send; Send_All	
brother	
Common.Object.Next procedure	EST-113
BT flag	
Xref package	LM-454
budget, foreground	SMU-159, SMU-160

buffer	
create	
Text.Create procedure	EST-148
force characters to file	
Io.Flush procedure	TIO-39
Build procedure	
Cmvc.Build	PM-33, PM-49, PM-50, PM-212
Cmvc.Destroy_View procedure	PM-239
Cmvc.Release procedure	PM-294
Build_Activity procedure	
Cmvc_Hierarchy.Build_Activity	PM-326, PM-329
building	
macros	SJM-8
profiles	SJM-137
byte	
convert from byte string	
Unchecked_Conversions.Convert_From_Byte_String function	PT-232
Unchecked_Conversions.Convert_From_Byte_String generic function	PT-231
convert to byte string	
Unchecked_Conversions.Convert_To_Byte_String function	PT-238
Unchecked_Conversions.Convert_To_Byte_String generic function	PT-237
receive Xon/Xoff bytes	
System_Uilities.Receive_Xon_Xoff_Bytes function	SMU-284
set receive Xon/Xoff bytes	
Terminal.Set_Receive_Xon_Xoff_Bytes procedure	SMU-358
set Xon/Xoff bytes	
Terminal.Set_Xon_Xoff_Bytes procedure	SMU-362
Xon/Xoff	
System_Uilities.Xon_Xoff_Bytes function	SMU-310
Byte type	
System.Byte	PT-164
Byte_Defs package	
!Tools.Networking.Byte_Defs	
specification	RS-531
Byte_Size constant	
System.Byte_Size	PT-164
Byte_String subtype	
System_Uilities.Byte_String	SMU-237
terminal ports	SMU-227
Byte_String type	
System.Byte_String	PT-164
Byte_String_Io package	
!Tools.Networking.Byte_String_Io	
specification	RS-532

C

C (class) attribute	RS-41
arguments for (Ada subclasses)	QR-10, RS-42
arguments for (file subclasses)	QR-11, RS-43
arguments for (library subclasses)	QR-10, RS-42
arguments for (object classes)	QR-9, RS-41
described	QR-8, RS-38

- <c> special name
 - described DEB-15
- Cache_Stack_Frames debugger flag DEB-96
- cached
 - Profile.Get_Cached_Resolution procedure SJM-158
- Cached_Selected_Text function
 - Profile.Cached_Selected_Text **SJM-141**
- Calendar package
 - !Lrm.Calendar **PT-5**
 - specification RS-386
- Call enumeration
 - Debug.Trace_Event type DEB-170
- call stacks DEB-10
 - defined DEB-31, RS-49
 - displaying DEB-10
- cancel break, *see* Remove
- cancel exception break, *see* Forget; Propagate
- Cancel procedure
 - Queue.Cancel **SJM-252, SMU-123**
 - Display procedure SJM-253, SMU-133
- Cancel_Shutdown procedure
 - Operator.Cancel_Shutdown **SMU-61**
- Capability_Error exception
 - System.Capability_Error **PT-164**
 - Unchecked_Conversion generic function PT-209
 - Unchecked_Conversion.Target generic formal type PT-211
 - Unchecked_Conversion.Unchecked_Conversion function PT-212, PT-213
 - Unchecked_Conversions.Convert_From_Byte_String function PT-232, PT-233
 - Unchecked_Conversions.Target generic formal type PT-235
 - Unchecked_Conversions.Unchecked_Conversion_Package
 - generic package PT-225
 - Unchecked_Conversions.Unchecked_Conversion_Package.Convert
 function PT-226, PT-227
 - Unchecked_Conversions.Unchecked_Conversion_Package.Target
 generic formal type PT-230
- Capacity_Error
 - Io_Exceptions.Use_Error exception DIO-37, TIO-163
- capitalize, *see* case; Upper_Case
- Capitalize function
 - String_Utilities.Capitalize **ST-70**
- Capitalize procedure
 - Editor.Char.Capitalize **EI-12**
 - Editor.Line.Capitalize **EI-32**
 - Editor.Region.Capitalize **EI-46**
 - Editor.Word.Capitalize **EI-70**
 - String_Utilities.Capitalize **ST-71**
- Caption suboption
 - printing bitmapped images SMU-115
- car, *see* First

Cardinality function	
Concurrent_Map_Generic.Cardinality	PT-10
Map_Generic.Cardinality	PT-68
String_Map_Generic.Cardinality	ST-26
caret (^)	
context character	QR-4, RS-23, RS-26, RS-27
metacharacter	EI-56
special character	PM-131
wildcard character	LM-258, LM-261, LM-270, LM-273, LM-276, QR-7, RS-53
case	
capitalize	
Editor.Char.Capitalize procedure	EI-12
Editor.Line.Capitalize procedure	EI-32
Editor.Word.Capitalize procedure	EI-70
String_Uilities.Capitalize function	ST-70
String_Uilities.Capitalize procedure	ST-71
conversion of strings	
String_Map_Generic generic package	ST-25
String_Uilities package	ST-69
ignore	
String_Map_Generic.Ignore_Case generic formal object	ST-32
lowercase	
Editor.Char.Lower_Case procedure	EI-14
Editor.Line.Lower_Case procedure	EI-34
Editor.Region.Lower_Case procedure	EI-48
Editor.Word.Lower_Case procedure	EI-71
Io.Lower_Case constant	TIO-57
String_Uilities.Lower_Case function	ST-78
String_Uilities.Lower_Case procedure	ST-79
uppercase	
Editor.Char.Upper_Case procedure	EI-15
Editor.Line.Upper_Case procedure	EI-35
Editor.Region.Upper_Case procedure	EI-49
Editor.Word.Upper_Case procedure	EI-72
Io.Upper_Case constant	TIO-104
String_Uilities.Upper_Case function	ST-89
String_Uilities.Upper_Case procedure	ST-90
[Catch] key	
Debug.Catch procedure	DEB-71
Catch procedure	
Debug.Catch	DEB-71
Context procedure	DEB-77
exception information requests	DEB-50
interaction with flags	DEB-51
matching requests	DEB-51
Option type	DEB-120
removing catch and propagate requests	DEB-51
specificity of requests	DEB-50
catch requests	
defined	DEB-49
removing	DEB-51
setting	DEB-51
catching	
defined	DEB-49
exceptions	DEB-49
category	

- Debug.Task_Category type DEB-162
- CDB, *see* compatibility database
- Cdb option
 - Archive.Restore procedure LM-132
 - Archive.Save procedure LM-129
 - converting secondary subsystems LM-155
 - other related options LM-152
 - propagating incremental changes LM-152
 - summarized LM-133
- Cdb_Maintenance package
 - !Tools.Compatibility'Spec_View.Units.Cdb_Maintenance
specification RS-416
- CDF
 - debuggers
 - package Debug_Tools DEB-178
 - using with subsystems PM-111
- cdr, *see* Rest
- Ce (core editor) jobs
 - defined SMU-157
- Ce enumeration
 - Scheduler.Job_Kind type SMU-187
- Center procedure
 - Editor.Line.Center EI-31, **EI-32**
- Centered enumeration
 - Table_Formatter.Adjust type ST-93
- change name
 - Library.Rename procedure LM-350
- Change procedure
 - Activity.Change PM-85, **PM-142**
 - Remote_Passwords.Change **SJM-285**
 - encrypting passwords SJM-278
 - Remote_Passwords.Add procedure SJM-282
 - Remote_Passwords.Show_Encryption procedure SJM-296
 - Switches.Change **LM-430**
 - changing values of switches LM-414
 - Insert procedure LM-444
 - Set procedure LM-447
- change schedule
 - password SMU-54
- change session switches
 - Switches.Edit_Session_Attributes procedure LM-442
- Change_Boot_Microcode procedure
 - !Commands.System_Maintenance'Spec_View.Units.Change_Boot_Microcode
specification RS-273
- Change_Identity procedure
 - Program.Change_Identity **SJM-233**
 - access control LM-65, LM-68
 - changing access-control identity of jobs SJM-232
 - Condition subtype SJM-235
 - job identities SJM-17
- Change_Limit subtype

Compilation.Change_Limit	LM-218
All_Worlds constant	LM-216
Current_Directory constant	LM-221
Limit parameter	LM-208
Same_Directories constant	LM-247
Same_World constant	LM-248
Same_Worlds constant	LM-249
Change_Password procedure	
Operator.Change_Password	SJM-106, SMU-62
Create_User procedure	SMU-68
encrypting passwords	SJM-279
minimum password length	SMU-54
Operator package	SMU-49
Remote_Passwords.Update procedure	SJM-298
username and password	SJM-2
Changed_Objects option	
Archive.Restore procedure	LM-130
summarized	LM-133
changes	
incremental	LM-152
interactive	SMU-333
unit state	LM-13, LM-21, LM-33
changing	
access-control identity of jobs	SJM-232
archive server identities	LM-147
format of message prefixes	RS-62
job response profiles	SJM-25
key bindings	SJM-7
links	LM-375
target keys	LM-45, LM-213
values of switches	LM-414
workspace	SJM-13
Char package	
Editor.Char	EI-5, EI-11
Char_At function	
Bounded_String.Char_At	ST-4
String_Table.Char_At	ST-51
Unbounded_String.Char_At	ST-106
Window_Io.Char_At	DIO-106
Character type	
Standard.Character	PT-161
Character_Bits_Range subtype	
System_Uilities.Character_Bits_Range	SMU-238
terminal ports	SMU-227
Terminal.Character_Bits_Range	SMU-338
Character_Set type	
Window_Io.Character_Set	DIO-105
Character_Size function	
System_Uilities.Character_Size	SMU-239
terminal ports	SMU-226
characteristics	
breakpoint characteristics	DEB-43
customizing	SJM-12

job	SJM-15
program-specific	SJM-12
response	RS-55, RS-59, SJM-20, SJM-21, SJM-25, SJM-114
session-specific	SJM-11
characters	
attributes	DIO-102
case conversion	
Bounded_String.Char_At function	ST-4
Editor.Char.Capitalize procedure	EI-12
Editor.Char.Lower_Case procedure	EI-14
Editor.Char.Upper_Case procedure	EI-15
Unbounded_String.Char_At function	ST-106
character pairs ([] and ())	PM-131
context	DEB-14, DEB-20, QR-4, RS-14, RS-23, RS-49
deletion	
Editor.Char.Delete_Backward procedure	EI-12
Editor.Char.Delete_Forward procedure	EI-12
Editor.Char.Delete_Next procedure	EI-13
Editor.Char.Delete_Previous procedure	EI-13
Editor.Char.Delete_Spaces procedure	EI-13
deletion of	
Window_Io.Delete procedure	DIO-114
editing operations	
Editor.Char package	EI-11
extraction of	
Bounded_String.Extract function	ST-8
Unbounded_String.Extract function	ST-111
force from buffer to file	
Io.Flush procedure	TIO-39
insert	
Editor.Char.Insert_Character procedure	EI-13
pattern-matching	QR-7, RS-52
read	
System_Uilities.Input_Count function	SMU-261
read current line except terminator	
Io.Get_Line function	TIO-50
read from file	
Io.Get procedure	TIO-41
Text_Io.Get procedure	TIO-181
receive Xon/Xoff characters	
System_Uilities.Receive_Xon_Xoff_Characters function	SMU-285
set receive Xon/Xoff characters	
Terminal.Set_Receive_Xon_Xoff_Characters procedure	SMU-359
set Xon/Xoff characters	
Terminal.Set_Xon_Xoff_Characters procedure	SMU-363
sets	DIO-80, DIO-82
Window_Io.Graphics constant	DIO-137
Window_Io.Plain constant	DIO-157
size	
Terminal.Set_Character_Size procedure	SMU-342
special	PM-127, RS-34
strip leading	
String_Uilities.Strip function	ST-86
String_Uilities.Strip_Leading function	ST-87
strip trailing	
String_Uilities.Strip function	ST-86
String_Uilities.Strip_Trailing function	ST-88
substitution	LM-142, QR-5, RS-14, RS-32
transpose	

Editor.Char.Transpose procedure	EI-15
wildcard	LM-136, LM-142, LM-258, QR-5, QR-7, RS-14, RS-29, RS-53
write to current error file (message window)	
Io.Echo procedure	TIO-26
write to file	
Io.Put procedure	TIO-72
Io.Text_Io.Put procedure	TIO-198
written	
System_Uilities.Output_Count function	SMU-276
Xon/Xoff	
System_Uilities.Xon_Xoff_Characters function	SMU-311
Chatty suboption	
printing bitmapped images	SMU-115
printing plain text from PostScript printers	SMU-113
printing PostScript programs	SMU-113
Check function	
Access_List_Tools.Check	LM-95
Check package	PM-1, PM-177
!Tools.Compatibility'Spec_View.Units.Check	
specification	RS-418
check syntax	
Common.Format procedure	EST-88
Check_And_Correct_Users procedure	
!Commands.System_Maintenance'Spec_View.Units.Check_And_Correct_Users	
specification	RS-273
Check_Compatibility library switch	
R1000_Cg.Check_Compatibility	
described	LM-417
Check_Compatibility session switch	
Command_Cg.Check_Compatibility	
described	LM-52, SJM-334
Check_Consistency procedure	
Cmvc_Maintenance.Check_Consistency	PM-50, PM-340
consistency checking and Format switches	LM-155
Check_In procedure	
Cmvc.Check_In	PM-26, PM-29, PM-216
Cmvc.Check_Out procedure	PM-218
Cmvc.Make_Controlled procedure	PM-264
Check_Out procedure	
Cmvc.Check_Out	PM-26, PM-29, PM-39, PM-41, PM-42, PM-218
Cmvc.Make_Controlled procedure	PM-264
Check_Out_Error	
Io_Exceptions.Use_Error exception	DIO-37, TIO-163
Check_Universe_Acls procedure	
!Commands.System_Maintenance'Spec_View.Units.Check_Universe_Acls	
specification	RS-274
Check_Validity procedure	
Access_List_Tools.Check_Validity	LM-97
Checked_In	
argument for 'If conditional attribute	QR-9, RS-48
Checked_Out	

- argument for 'If conditional attribute QR-9, RS-48
- checkin PM-6, PM-26, PM-202, PM-216, PM-317
- checking
 - consistency of CMVC database LM-155
 - port settings SMU-333
- checkout PM-6, PM-25 – 26, PM-202, PM-218, PM-310, PM-312, PM-315 – 317
 - canceling PM-27
 - retrieving latest generation PM-41
- Child procedure
 - Common.Object.Child **EST-102**, PM-137
 - Ada images EST-4, EST-16
 - command images EST-50
 - commands from package Common for debugger DEB-64
 - commands from package Common for editing searchlists SJM-307
 - commands from package Common for Jobs procedure display SJM-362
 - commands from package Common for use in help windows SJM-361
 - described DEB-5
 - editing libraries with LM-299
 - editing links with LM-377
 - editing switches with LM-424
 - help EST-126
 - menu images EST-135
 - text images EST-142
 - windows images EST-158
 - xref images EST-163
 - Editor.Window.Child **EI-64**
- child subsystem PM-16
- children PM-16
- Children function
 - Cmvc_Hierarchy.Children **PM-332**
- Chop suboption
 - printing plain text from PostScript printers SMU-113
- Ci package
 - !Tools.Ci!Spec_View.Units.Ci
 - specification RS-412
- circuit board
 - System_Uilities.Get_Board_Info function SMU-252
- circular importing PM-53, PM-79
- class
 - access
 - Access_List_Tools.Access_Class subtype LM-90
 - all
 - Queue.All_Classes constant SMU-121
 - condition
 - Daemon.Condition_Class type SMU-11
 - create
 - Queue.Create procedure SMU-126
 - defined SJM-33
 - destroy
 - Queue.Destroy procedure SMU-129
 - Simple_Status.Condition_Class type PT-130
- Class enumeration

Library.Field type	LM-333
Class_Error	
Io_Exceptions.Use_Error exception	DIO-37, TIO-163
Class_Name subtype	
Queue.Class_Name	SMU-125
classes	
defined	LM-1, SMU-110
job	SJM-17
object	QR-9, RS-41
printer	SMU-110
<i>see also specific class</i>	
Classes procedure	
Queue.Classes	SMU-124
Clear procedure	
Editor.Screen.Clear	EI-51, EI-52
Redraw procedure	EI-54
<i>see also Make_Empty</i>	
Clear_Stepping procedure	
Debug.Clear_Stepping	DEB-75
Context procedure	DEB-77
controlling program execution	DEB-9
Run procedure	DEB-139
Clear_Underlining procedure	
Common.Clear_Underlining	EST-64
Ada images	EST-10
Ada.Get_Errors procedure	EST-28
command images	EST-47
client view	PM-10
clients	PM-51, SMU-3, SMU-4
Actions	SMU-4, SMU-22
Ada	SMU-12, SMU-15, SMU-22, SMU-30
Daily	SMU-4, SMU-6, SMU-17, SMU-44
DDB	SMU-13, SMU-15, SMU-22
defined	SMU-3
Directory	SMU-12, SMU-15, SMU-22, SMU-30
Disk	SMU-4, SMU-15, SMU-22, SMU-26, SMU-34
Error_Log	SMU-4
File	SMU-12, SMU-15, SMU-22, SMU-30
major	
Daemon.Major_Clients constant	SMU-22
object managers as	SMU-5
Snapshot	SMU-4, SMU-22, SMU-26
Weekly	SMU-4, SMU-5
when last run	
Daemon.Last_Run function	SMU-20
when next run	
Daemon.Next_Scheduled function	SMU-23
Clock function	
Calendar.Clock	PT-6
Close procedure	
Direct_Io.Close	DIO-8
Io.Close	TIO-14
Polymorphic_Sequential_Io.Close	DIO-41

Sequential_Io.Close	DIO-62
Text_Io.Close	TIO-166
Window_Io.Close	DIO-107
Window_Io.Raw.Close	DIO-172
Work_Order.Close	PM-366
closed private part	PM-11, PM-57, PM-87, PM-89, PM-113
Closed_Private_Part library switch	
Semantics.Closed_Private_Part	
described	LM-417
CMVC	PM-3
access control	LM-146, SMU-50
access rights	LM-68
controlling binary objects	PM-25
controlling objects	PM-25
defined	PM-1
editing controlled objects	PM-26
managing CMVC information interactively	PM-188
overview	PM-3
<i>see also</i> access control	
CMVC database	PM-6, PM-9, PM-25, PM-188, PM-212, PM-216, PM-232, PM-244, PM-285, PM-321, PM-340, PM-350
copying	LM-153
CMVC operations	
session switches for	SJM-332
Cmvc package	
!Commands.Cmvc	PM-1, PM-185
specification	RS-100
Cmvc_Access	
argument for 'C (class) attribute (file subclasses)	QR-11, RS-43
Cmvc_Access_Control package	
!Commands.Cmvc_Access_Control	PM-1 (insert)
access-control groups	SMU-50
specification	RS-123
Cmvc_Break_Long_Lines session switch	
Session.Cmvc_Break_Long_Lines	PM-362
described	SJM-335
Cmvc_Capitalize session switch	
Session.Cmvc_Capitalize	PM-362
described	SJM-335
Cmvc_Comment_Extent session switch	PM-362
Session.Cmvc_Comment_Extent	
described	SJM-335
Cmvc_Configuration_Extent session switch	
Session.Cmvc_Configuration_Extent	PM-362
described	SJM-335
Cmvc_Database	
argument for 'C (class) attribute (file subclasses)	QR-11, RS-43
Cmvc_Field_Extent session switch	
Session.Cmvc_Field_Extent	PM-362
described	SJM-335
Cmvc_Hierarchy package	

!Commands.Cmvc_Hierarchy	PM-2, PM-325
specification	RS-133
Cmvc_Indentation session switch	
Session.Cmvc_Indentation	PM-362
described	SJM-335
Cmvc_Line_Length session switch	
Session.Cmvc_Line_Length	PM-362
described	SJM-335
Cmvc_Maintenance package	
!Commands.Cmvc_Maintenance	PM-2, PM-339
specification	RS-135
Cmvc_Shorten_Name session switch	
Session.Cmvc_Shorten_Name	PM-362
described	SJM-335
Cmvc_Shorten_Unit_State session switch	
Session.Cmvc_Shorten_Unit_State	PM-363
described	SJM-336
Cmvc_Show_Add_Date session switch	
Session.Cmvc_Show_Add_Date	PM-363
described	SJM-336
Cmvc_Show_Add_Time session switch	
Session.Cmvc_Show_Add_Time	PM-363
described	SJM-336
Cmvc_Show_All_Default_Lists session switch	
Session.Cmvc_Show_All_Default_Lists	PM-363
described	SJM-336
Cmvc_Show_All_Default_Orders session switch	
Session.Cmvc_Show_All_Default_Orders	PM-363
described	SJM-336
Cmvc_Show_Deleted_Objects session switch	
Session.Cmvc_Show_Deleted_Objects	PM-363
described	SJM-336
Cmvc_Show_Deleted_Versions session switch	
Session.Cmvc_Show_Deleted_Versions	PM-363
described	SJM-336
Cmvc_Show_Display_Position session switch	
Session.Cmvc_Show_Display_Position	PM-363
described	SJM-336
Cmvc_Show_Edit_Info session switch	
Session.Cmvc_Show_Edit_Info	PM-363
described	SJM-336
Cmvc_Show_Field_Default session switch	
Session.Cmvc_Show_Field_Default	PM-363
described	SJM-337
Cmvc_Show_Field_Max_Index session switch	
Session.Cmvc_Show_Field_Max_Index	PM-363
described	SJM-337
Cmvc_Show_Field_Type session switch	
Session.Cmvc_Show_Field_Type	PM-363
described	SJM-337

Cmvc_Show_Frozen session switch	
Session.Cmvc_Show_Frozen	PM-364
described	SJM-337
Cmvc_Show_Hidden_Fields session switch	
Session.Cmvc_Show_Hidden_Fields	PM-364
described	SJM-337
Cmvc_Show_Retention session switch	
Session.Cmvc_Show_Retention	PM-364
described	SJM-337
Cmvc_Show_Size session switch	
Session.Cmvc_Show_Size	
described	SJM-337
Cmvc_Show_Unit_State session switch	
Session.Cmvc_Show_Unit_State	PM-364
described	SJM-337
Cmvc_Show_Users session switch	
Session.Cmvc_Show_Users	PM-364
described	SJM-337
Cmvc_Show_Version_Number session switch	
Session.Cmvc_Show_Version_Number	PM-364
described	SJM-338
Cmvc_Uppercase session switch	
Session.Cmvc_Uppercase	PM-364
described	SJM-338
Cmvc_Version_Extent session switch	
Session.Cmvc_Version_Extent	PM-364
described	SJM-338
code	
Compilation.Make renamed procedure	LM-236
source	SMU-114
[Code (All Worlds)] key	
!Commands.Compilation_Make procedure	LM-236
[Code (This World)] key	
!Commands.Compilation_Make procedure	LM-236
Code format (Debug.Memory_Display)	DEB-112
code objects	
Compilation.Promote procedure	LM-242
Code option	
Archive.Restore procedure	LM-131
summarized	LM-133
[Code Unit] key	
Ada.Code_Unit procedure	EST-20
code view	PM-16, PM-30, PM-102, PM-262, PM-348
copying in multihost development	PM-104
Code_Database	
argument for 'C (class) attribute (file subclasses)	QR-11, RS-43
Code_Segment object manager	SMU-5, SMU-60
described	SMU-5
Code_Segment_Object_Editor package	

!Tools.Code_Segment_Object_Editor specification	RS-415
Code_Unit procedure	
Ada.Code_Unit	EST-20
promoting units	LM-21
summarized	LM-31, LM-37
Coded	
argument for 'S (compilation state) attribute	QR-9, RS-44
Coded enumeration	
Compilation.Unit_State type	LM-254
coded main programs	
defined	LM-54, LM-214
shared resources and	LM-59
coded state	EST-5, LM-17
defined	LM-13
incremental compilation	EST-8
coded units	
conditions and restrictions on	LM-18
coding	
declare blocks	LM-41
units	LM-18, LM-20
Col function	
Io.Col	TIO-15
Text_Io.Col	TIO-167
collating sequence	
Table_Sort_Generic.<" generic formal function	PT-170
Collect procedure	
Daemon.Collect	SMU-9
collection	
defined	SMU-230
disk	SMU-4
Collection_Priority subtype	
Daemon.Collection_Priority	SMU-10
collections, <i>see</i> Allows_Deallocation; Unchecked_Deallocation	
column	DIO-79
current number	
Io.Col function	TIO-15
Text_Io.Col function	TIO-167
entries	
Table_Formatter.Adjust type	ST-93
fill	
Editor.Set.Fill_Column procedure	EI-61
formatting	
Table_Formatter package	ST-91
number	TIO-7
What.Line procedure	SJM-371
number of	
Table_Formatter.Number_Of_Columns generic formal object	ST-99
set number	
Io.Set_Col procedure	TIO-85
Text_Io.Set_Col procedure	TIO-203

Column_Error	
Io_Exceptions.Layout_Error exception	DIO-33, TIO-159
Column_Number subtype	
Window_Io.Column_Number	DIO-108
combinations, key	SJM-10
combined	
subsystems	PM-79, PM-97, PM-117, PM-187
views	PM-53, PM-79, PM-113, PM-116, PM-187
Combined_Subsystem	
argument for 'C (class) attribute (library subclasses)	QR-10, RS-42
Combined_Subsystem enumeration	
Cmvc.System_Object_Enum type	PM-324
Combined_View	
argument for 'C (class) attribute (library subclasses)	QR-10, RS-42
combining	
options and special values	RS-60
comma (,)	
set notation	PM-133, QR-6
command behavior	SJM-20
command images	EST-1, EST-45
commands from package Common	EST-47
designation	EST-46
executing command windows	EST-46
histories	EST-46
key concepts	EST-46
library switches	EST-47
structure	EST-45
unit states	EST-46
versions	EST-46
command input	
specifying	RS-51
Window_Io.Raw.Key_String type	DIO-182
command names	
determining how they are being resolved	SJM-307
resolving without searchlists	SJM-304
command output	
designating	DEB-17
redirecting	RS-62
Command package	
!Commands.Command	EST-53
specification	RS-138
Command procedure	
What.Command	SJM-364
commands from package Common for use in help windows	SJM-361
command scripts	
executing procedures as in	LM-56
command windows	
coding declare blocks in	LM-41
debugger command window	DEB-7
entering commands in	DEB-7

executing	EST-46
getting help on	EST-125
session switches for compiling declare blocks in	SJM-333
<i>see also</i> Create_Command	
commands	
bound to keys, using	DEB-7
compilation	LM-207
debugger commands	DEB-6
entering in command window	DEB-7
Environment	SJM-118
executing	LM-68
for promoting across libraries	LM-27
for promoting across subsystems	LM-28
from package Cmv, grouped by topic	PM-186
from package Common	PM-135
from package Common for debugger	DEB-5, DEB-64
from package Common for editing libraries	LM-298
from package Common for editing links	LM-377
from package Common for editing searchlists	SJM-307
from package Common for editing switches	LM-424
from package Common for Jobs procedure display	SJM-362
from package Common for use in help windows	SJM-361
from package Switches	LM-412
referencing objects in	DEB-8
specifying response characteristics to	SJM-21
task control commands	DEB-39
user-defined	SJM-118
using from package Links	LM-373
using from package Search_List	SJM-305
using in package Job	SJM-34
with Response parameter	SJM-21
<i>see also</i> procedures; <i>specific function or procedure</i>	
comment	PM-15, PM-405
displaying	DEB-63
Editor.Char.Tab_To_Comment procedure	EI-15
Editor.Region.Comment procedure	EI-46
Editor.Region.Uncomment procedure	EI-49
Comment procedure	
Debug.Comment	DEB-76
Editor.Region.Comment	EI-46
Comment_Column library switch	
Editor.Char.Tab_To_Comment procedure	EI-15
Format.Comment_Column	
described	LM-417
commit	PM-135
[Commit] key	
Common.Commit procedure	EST-65
Commit procedure	
Common.Commit	EST-59, EST-65 , PM-27, PM-66, PM-135
Ada images	EST-10
command images	EST-47
commands from package Common for editing searchlists	SJM-307
editing links with	LM-377
editing switches with	LM-424
saving session switch files	SJM-329
saving switch files	DEB-57, LM-414

text images	EST-140
windows images	EST-156
Commit_Disk enumeration	
Daemon.Log_Threshold type	SMU-21
committing images	EST-59
Ada images	EST-8
text	EST-139
Window Directory	EST-155
windows images	EST-155
Common package	
!Commands.Common	EST-3, EST-61
commands from for debugger	DEB-5, DEB-64
commands from for editing libraries	LM-298
commands from for editing links	LM-377
commands from for editing searchlists	SJM-307
commands from for editing switches	LM-424
commands from for Jobs procedure display	SJM-362
commands from for use in help windows	SJM-361
managing objects in libraries	LM-6
specification	RS-139
Compact_Library procedure	
Library.Compact_Library	LM-305
compaction	
access list	SMU-6
Daemon.Get_Access_List_Compaction function	SMU-12
Daemon.Set_Access_List_Compaction procedure	SMU-30
compare, <i>see</i> Equal	
Compare procedure	
File_Uilities.Compare	LM-261
key concepts for package File_Uilities	LM-257
literal string matching	LM-257
pattern matching	LM-258
comparison	
equal	
Io.= function	TIO-9
Simple_Status.Equal function	PT-135
String_Table.Equal function	ST-53
String_Uilities.Equal function	ST-72
greater than	
Calendar.> function	PT-8
Io.> function	TIO-11
String_Uilities.Greater_Than function	ST-73
greater than/equal to	
Calendar.>= function	PT-8
less than	
Calendar.< function	PT-8
Io.< function	TIO-10
String_Uilities.Less_Than function	ST-75
Table_Sort_Generic."<" generic formal function	PT-170
less than/equal to	
Calendar.<= function	PT-8
of strings	
String_Uilities package	ST-69
compatibility	PM-88
between spec views and load views in subsystems	LM-52

with previous releases of Environment	LM-50
compatibility database (CDB)	PM-105, PM-108, PM-344, PM-346,
.	PM-351, PM-354, PM-356, PM-358
defined	LM-151
Compatibility_Database	
argument for 'C (class) attribute (file subclasses)	QR-11, RS-43
compatible	PM-1, PM-11
Compatible enumeration	
Check.Status	PM-179
compatible target key, defined	LM-46, LM-213
compilation	LM-2
access rights	LM-68
incremental	EST-7
coded units	EST-8
installed units	EST-7
multiple subsystems	PM-51
overview of R1000 compilation model	LM-12
review of traditional models	LM-11
setting for	LM-14
switches that control	LM-214
tailoring setting	LM-39
using library switches to control	LM-46
using sessions switches to control	LM-39
using worlds and views to control	LM-41
compilation commands	
controlling extent of	LM-207
<i>see also</i> Promote procedure	
compilation context	LM-42
default	LM-43
defined	LM-42
expanding	LM-44
restricting	LM-44
compilation limits, defined	LM-23, LM-35
compilation order	
demoting and	LM-32
promoting and	LM-19
Compilation package	
!Commands.Compilation	EST-6, LM-203
key concepts for	LM-203
resources in	LM-203
specification	RS-142
switches that control compilation	LM-214
compilation states, <i>see</i> unit states	
compilation units, <i>see</i> Ada compilation units; units	
Compilation_Unit	
argument for 'C (class) attribute (Ada subclasses)	QR-10, RS-42
Compilation_Units package	
!Tools.Lm.Compilation_Units	
specification	RS-485
compile	
Ada.Code_Unit procedure	EST-20

Ada.Install_Unit procedure	EST-31
Common.Promote procedure	EST-91
Compilation.Make renamed procedure	LM-236
Compilation.Promote procedure	LM-242
Compile procedure	
Compilation.Compile	LM-220
compiled objects	
copying	LM-150
compiler listings	LM-47
compiler optimizations	LM-49
compiling	
declare blocks	SJM-333
main programs	LM-53
programs	LM-11
<i>see also</i> promoting	
complete, <i>see</i> Done	
[Complete] key	
Common.Complete procedure	EST-67
Complete procedure	
Common.Complete	EST-67 , PM-192
Ada images	EST-10
command images	EST-47
editing libraries with	LM-298
Redo procedure	EST-49
components	
defined	SJM-302
name	RS-18
name components	DEB-17
of session response profiles	SJM-134
profile	SJM-135
response profile	SJM-115
searchlist	SJM-302
setting	SJM-133
specifying	SJM-131
Composite_Name subtype	
Switches.Composite_Name	LM-431
concepts, <i>see</i> key concepts	
concurrency	DIO-5, TIO-5
Concurrent_Map_Generic generic package	
!Tools.Concurrent_Map_Generic	PT-9
specification	RS-420
condition	
Log.Put_Condition procedure	SJM-79
Simple_Status.Create_Condition procedure	PT-132
Simple_Status.Create_Condition_Name function	PT-133
condition handling	
Simple_Status package	PT-127
Condition subtype	
Program.Condition	SJM-235
Condition type	

Simple_Status.Condition	PT-127, PT-129
specifying components	SJM-131
Condition_Class type	
Daemon.Condition_Class	SMU-11
Log_Threshold type	SMU-21
Set_Log_Threshold procedure	SMU-33
Simple_Status.Condition_Class	PT-130
Condition_Name type	
Simple_Status.Condition_Name	PT-131
Configuration	
argument for 'C (class) attribute (file subclasses)	QR-11, RS-43
configuration	PM-3, PM-9, PM-30, PM-406
defined	PM-7
releasing configurations	PM-30
System_Uilities.System_Boot_Configuration function	SMU-295
configuration images	PM-188, PM-189
Configuration library switch	
Parser.Configuration	
described	LM-418
configuration management	PM-3, PM-9
defined	PM-1
configuration object	PM-32, PM-212
building a view from	PM-50
deleting	PM-49
Configuration object manager	SMU-5, SMU-60
described	SMU-5
configuring	
ports	SMU-331
RS232 ports	SMU-335
system ports	SMU-333
Connect procedure	
Job.Connect	SJM-37
Job.Disconnect procedure	SJM-40
Job.Interrupt procedure	SJM-45
placing jobs in background	SJM-35
relationship between job classes and kinds	SJM-19
connected jobs, <i>see</i> attached jobs	
cons, <i>see</i> Make	
consistency	
checking CMVC database	LM-155
ensuring throughout projects	LM-410
in imports	PM-78
semantic	LM-14, LM-21, LM-34
consistency checking	
Daemon.Get_Consistency_Checking function	SMU-13
Daemon.Set_Consistency_Checking procedure	SMU-32
Consistent_Breaking library switch	
Format.Consistent_Breaking	
described	LM-418
Console_Print enumeration	

Daemon.Log_Threshold type	SMU-21
constant Errors	
Profile.Errors	
Log.Copy procedure	SJM-65
constant Full	
Profile.Full	
Log.Copy procedure	SJM-65
constant Quiet	
Profile.Quiet	
Log.Copy procedure	SJM-65
constant Summary	
Profile.Summary	
Log.Copy procedure	SJM-65
constant Terse	
Profile.Terse	
Log.Copy procedure	SJM-66
Constraint_Error exception	
Bounded_String package	ST-1
Append procedure	ST-3
Char_At function	ST-4
Copy procedure	ST-5
Delete procedure	ST-7
Extract function	ST-8
Insert procedure	ST-13
Move procedure	ST-16
Replace procedure	ST-18
Set_Length procedure	ST-19
Value function	ST-22
Concurrent_Map_Generic generic package	PT-9
Cardinality function	PT-10
Copy procedure	PT-11
Define procedure	PT-12
Eval function	PT-15
Find procedure	PT-17
Init procedure	PT-19
Is_Empty function	PT-22
Make_Empty procedure	PT-25
Undefine procedure	PT-33
Debug package	DEB-90
List_Generic generic package	PT-49
First function	PT-52
Rest function	PT-63
Set_First procedure	PT-64
Set_Rest procedure	PT-65
Map_Generic generic package	PT-67
Cardinality function	PT-68
Copy procedure	PT-69
Define procedure	PT-70
Eval function	PT-73
Find procedure	PT-75
Init procedure	PT-77
Is_Empty function	PT-80
Make_Empty procedure	PT-83
Undefine procedure	PT-91
Queue_Generic generic package	PT-95
Delete procedure	PT-98

First function	PT-101
Set_Generic generic package	PT-111
Stack_Generic generic package	
Next procedure	PT-153
Value function	PT-159
Standard.Constraint_Error	PT-161
String_Map_Generic generic package	ST-25
Cardinality function	ST-26
Copy procedure	ST-27
Define procedure	ST-28
Eval function	ST-30
Find procedure	ST-31
Init procedure	ST-33
Is_Empty function	ST-36
Make_Empty procedure	ST-39
Undefine procedure	ST-46
String_Table package	ST-49
Char_At function	ST-51
Length function	ST-60
System_Uilities package	
Job_Name function	SMU-266
Time_Uilities package	PT-175
Value function	PT-205
Unbounded_String package	ST-103
Char_At function	ST-106
Delete procedure	ST-110
Extract function	ST-111
Unchecked_Conversion generic function	
Unchecked_Conversion function	PT-213
Unchecked_Conversions package	
Convert_From_Byte_String function	PT-233
Unchecked_Conversions.Unchecked_Conversion_Package generic package	
Convert function	PT-227
constructs	
Ada	
response to specific	LM-47
task	DEB-28
within Ada units, referencing	DEB-25
contents	
Time_Uilities.Image_Contents type	PT-192
Contents function	
Cmvc_Hierarchy.Contents	PM-333
context	DEB-21, RS-20
compilation	LM-42
control	DEB-21
Debug.Context procedure	DEB-77
current	RS-20
defined	DEB-13, DEB-21, LM-4, LM-15, LM-41, LM-288, RS-14, RS-20
evaluation	DEB-21, DEB-46
Debug.Catch procedure	DEB-73
Debug.Context procedure	DEB-78
Debug.Forget procedure	DEB-99
Debug.Propagate procedure	DEB-129
name resolution and	LM-288
setting	DEB-63
context characters	QR-4, RS-23
debugger	DEB-20, QR-4

- defined DEB-14, RS-14, RS-23
- for use in debugger RS-49
- general DEB-19
- see also* special characters
- Context procedure
 - Debug.Context **DEB-77**
 - Context_Type procedure DEB-81
 - contexts DEB-21
 - displaying and modifying program data DEB-46
 - Library.Context **LM-306**
 - name resolution and context LM-288
- Context_List
 - argument for 'C (class) attribute (Ada subclasses) QR-10, RS-42
- Context_Name subtype
 - Library.Context_Name **LM-308**
- Context_Type type
 - Debug.Context_Type **DEB-81**
- Contexts enumeration
 - Debug.State_Type type DEB-153
- Continue procedure
 - Text.Continue **EST-147**
 - Block procedure EST-146
- control
 - access SMU-6, SMU-50
 - System_Uilities.Flow_Control function SMU-250
 - System_Uilities.Receive_Flow_Control function SMU-283
 - Terminal.Set_Flow_Control procedure SMU-347
 - Terminal.Set_Receive_Flow_Control procedure SMU-356
- control characters, insert
 - Editor.Char.Quote procedure EI-12, EI-14
- control context DEB-77
 - defined DEB-21
- Control enumeration
 - Debug.Context_Type type DEB-81
- Control format (Debug.Memory_Display) DEB-111
- [Control][G] key combination
 - Job.Interrupt
 - commands from package Common DEB-5
 - job kinds SMU-157
- Controlled
 - argument for 'If conditional attribute QR-9, RS-48
- controlled PM-6
- controlled objects
 - accessing concurrently PM-43
 - copying LM-152
 - deleting PM-35
 - editing PM-26
 - library-management operations PM-35
 - moving PM-35
 - withdrawing PM-35
- controlling

extent of compilation commands	LM-207
library displays	LM-296
printers	SJM-333
program execution	DEB-9
tasks	DEB-63
textual presentation of libraries	LM-298
<i>see also</i> access control	
[Control][Promote] key combination	
Command.Spawn	
job kinds	SMU-157
conventions, parameter-value	QR-1, RS-13
conversion	
between different data types	
Unchecked_Conversion generic function	PT-209
Unchecked_Conversion.Unchecked_Conversion function	PT-212
Unchecked_Conversions package	PT-219
Unchecked_Conversions.Unchecked_Conversion_Package generic package	PT-225
Unchecked_Conversions.Unchecked_Conversion_Package.Convert function	PT-226
from byte string	
Unchecked_Conversions.Convert_From_Byte_String function	PT-232
Unchecked_Conversions.Convert_From_Byte_String generic function	PT-231
from text to Ada object	
Compilation.Parse procedure	LM-240
numeric	
Debug.Convert procedure	DEB-82
of strings, case	
String_Uilities package	ST-69
to byte string	
Unchecked_Conversions.Convert_To_Byte_String function	PT-238
Unchecked_Conversions.Convert_To_Byte_String generic function	PT-237
<i>see also Image and Value functions for particular types</i>	
Convert function	
Io.Convert	TIO-16, TIO-17
Time_Uilities.Convert	PT-178
Unchecked_Conversions.Unchecked_Conversion_Package.Convert	PT-226
Window_Io.Raw.Convert	DIO-174, DIO-175
Convert procedure	
Debug.Convert	DEB-82
Io.Convert	TIO-18
Profile.Convert	SJM-142
converting between profile representations	SJM-138
Profile.Image function	SJM-162
Value function	SJM-223
Convert_From_Byte_String function	
Unchecked_Conversions.Convert_From_Byte_String	PT-232
Convert_To_Byte_String function	PT-238
Source generic formal type	PT-240
Target generic formal type	PT-235
Convert_From_Byte_String generic function	
Unchecked_Conversions.Convert_From_Byte_String	PT-231
Convert_Mailboxes procedure	
!Commands.Convert_Mailboxes	
specification	RS-146
Convert_Old_Subsystem procedure	
Cmvc_Maintenance.Convert_Old_Subsystem	PM-342

Convert_Time function	
Time_Uilities.Convert_Time	PT-179
Convert_To_Byte_String function	
Unchecked_Conversions.Convert_To_Byte_String	PT-238
Source generic formal type	PT-240
Target generic formal type	PT-235
Convert_To_Byte_String generic function	
Unchecked_Conversions.Convert_To_Byte_String	PT-237
Convert_From_Byte_String function	PT-232
Convert_Tokens procedure	
!Commands.System_Maintenance'Spec_View.Units.Convert_Tokens specification	RS-274
converting	
between profile representations	SJM-138
secondary subsystems	LM-154
Copy procedure	
Archive.Copy	LM-132, LM-163 , PM-103, PM-109
access control	LM-146
access requirements	LM-145
Archive package	LM-127
changing archive server identities	LM-147
CMVC access control	LM-146
Cmvc_Maintenance.Make_Primary procedure	PM-351
Cmvc_Maintenance.Make_Secondary procedure	PM-354
Cmvc_Maintenance.Update_Cdb procedure	PM-358
copying	LM-8
copying or restoring objects under different names	LM-140
defined	LM-7
described	LM-127
identities	LM-145
overriding access requirements	LM-147
overview of	LM-128
restricted naming expressions	RS-51
specifying destination names	LM-139
summary of options	LM-133
transferring data between R1000s	LM-142
User and Password options	LM-148
using to reorganize objects	LM-141
Archive.Save	
specifying source objects for	LM-135
Bounded_String.Copy	ST-5
Cmvc.Copy	PM-222
Common.Object.Copy	EST-104
Ada images	EST-16
editing libraries with	LM-299
editing links with	LM-378
editing switches with	LM-424
text images	EST-142
Concurrent_Map_Generic.Copy	PT-11
Editor.Line.Copy	EI-31, EI-32
Editor.Region.Copy	EI-46
Editor.Window.Copy	EI-65
Library.Copy	LM-309 , PM-23, PM-43, PM-93
managing objects in libraries	LM-6
Links.Copy	LM-382
copying links	LM-374

Log.Copy	SJM-65
Log.Filter procedure	SJM-67
Log.Filter_Errors procedure	SJM-70
Log.Summarize procedure	SJM-102
Map_Generic.Copy	PT-69
Queue_Generic.Copy	PT-97
Set_Generic.Copy	PT-113
Stack_Generic.Copy	PT-144
String_Map_Generic.Copy	ST-27
Unbounded_String.Copy	ST-107
copy then delete, <i>see</i> Move	
Copy_Top procedure	
Editor.Hold_Stack.Copy_Top	EI-21
Editor.Mark.Copy_Top	EI-4, EI-41
Editor.Screen.Copy_Top	EI-7, EI-51, EI-52
copying	
applications	LM-155
Archive package	LM-132
CMVC database	LM-153
compiled objects	LM-150
controlled objects	LM-152
Library package	LM-8
Library.Move renamed procedure	LM-344
links	LM-374
objects	LM-139, LM-141, LM-143
core editor (Ce) job kind	
described	SJM-18
relationship between job classes and kinds	SJM-19
core editor (Ce) jobs	
defined	SMU-157
count	
Direct_Io.Positive_Count subtype	DIO-23
input	
System_Uilities.Input_Count function	SMU-261
Io.Positive_Count subtype	TIO-71
output	
System_Uilities.Output_Count function	SMU-276
page	
System_Uilities.Get_Page_Counts procedure	SMU-254
retention	LM-9, LM-289
set retention	
Library.Set_Retention_Count procedure	LM-355
Text_Io.Positive_Count subtype	TIO-197
Time_Uilities.Day_Count type	PT-182
Window_Io.Positive_Count subtype	DIO-160
<i>see also</i> Cardinality	
Count subtype	
Io.Count	TIO-7, TIO-19
Window_Io.Count	DIO-109
Count type	
Direct_Io.Count	DIO-9
Text_Io.Count	TIO-165, TIO-168
counts	
trip count	DEB-42

Cpu	
Scheduler.Get_Cpu_Priority function	SMU-173
Scheduler.Get_Cpu_Time_Used function	SMU-174
Cpu function	
System_Uilities.Cpu	SMU-240
jobs	SMU-225
CPU scheduling	SMU-158
parameters	SMU-195
CPU time	
System_Uilities.Elapsed function	SMU-247
Cpu_Priority subtype	
Scheduler.Cpu_Priority	SMU-165
crash	
Operator.Explain_Crash procedure	SMU-83
create	
new joined objects	PM-42
path	PM-47
spec view	PM-58
subpath	PM-37
Create (C) access right	
CMVC access control	LM-147
described	LM-65
[Create Ada] key	
Common.Object.Insert procedure	EST-108
<i>see also</i> insertion points	
[Create Body] key	
Ada.Create_Body procedure	EST-22
[Create Command] key	
Common.Create_Command procedure	EST-68
Create constant	
Access_List.Create	LM-73
Access_List_Tools.Create	LM-99
[Create Directory] key	
Library.Create_Directory	LM-315
create entry, <i>see</i> Define	
create one, <i>see</i> Allocate	
[Create Private Part] key	
Ada.Create_Private procedure	EST-24
Create procedure	
Activity.Create	PM-66, PM-82, PM-144
Direct_Io.Create	DIO-10
Form function	DIO-17
Io.Create	TIO-20
Form function	TIO-40
Library.Create	LM-313
Create_Directory renamed procedure	LM-315
Create_Unit renamed procedure	LM-317
Create_World renamed procedure	LM-319
model worlds	LM-288
Polymorphic_Sequential_Io.Create	DIO-42
Form function	DIO-48

Queue.Create	SMU-126
Default procedure	SMU-127
printer classes	SMU-110
Register procedure	SMU-149
Remote_Passwords.Create	SJM-287
creating remote-passwords files	SJM-278
Sequential_Io.Create	DIO-63
Form function	DIO-70
Switches.Create	LM-432
creating session switch files	DEB-56, SJM-328
creating switch files	LM-412
Define procedure	LM-435
Text.Create	EST-148 , PM-71, PM-72
creating remote-passwords files	SJM-278
Image_Kind type	EST-150
Text_Io.Create	TIO-169
Form function	TIO-180
Window_Io.Create	DIO-110
Form function	DIO-124
Work_Order.Create	PM-367
create space for, <i>see</i> Allocate	
[Create Text] key	
Text.Create procedure	EST-148
[Create World] key	
Library.Create_World	LM-319
Create_Body procedure	
Ada.Create_Body	EST-22
partially complete units	LM-16
Create_Command procedure	
Common.Create_Command	EST-45, EST-68 , PM-136
Ada images	EST-10
command images	EST-48
commands from package Common for debugger	DEB-64
commands from package Common for editing searchlists	SJM-307
commands from package Common for Jobs procedure display	SJM-362
commands from package Common for use in help windows	SJM-361
described	DEB-5
editing libraries with	LM-298
editing links with	LM-377
editing switches with	LM-424
help	EST-126
menu images	EST-133
text images	EST-141
windows images	EST-156
xref images	EST-161
Create_Condition procedure	
Simple_Status.Create_Condition	PT-132
Create_Condition_Name function	
Simple_Status.Create_Condition_Name	PT-133
Create_Directory renamed procedure	
Library.Create_Directory	LM-315
Create_Empty_Note_Window procedure	
Cmvc.Create_Empty_Note_Window	PM-232
Cmvc.Append_Notes procedure	PM-210
Cmvc.Put_Notes procedure	PM-292

Create_Field procedure	
Work_Order.Create_Field	PM-369
Create_Group procedure	
Operator.Create_Group	SMU-64
Create_Internal_Links library switch	
Directory.Create_Internal_Links	
described	LM-52, LM-418
grave	RS-28
'L (link) attribute	RS-46
restricting compilation context	LM-44
Create_Job procedure	
Program.Create_Job	SJM-236
access control	LM-65, LM-68
Condition subtype	SJM-235
Current function	SJM-240, SJM-241
job page limit	LM-39
jobs	SMU-225
Program.Run procedure	SJM-243
Program.Wait_For procedure	SJM-250
Run_Job procedure	SJM-244, SJM-245, SJM-247
Standard_Input, Standard_Output, and Standard_Error	SJM-231
Started_Successfully function	SJM-249
starting jobs programmatically	SJM-230
Create_List procedure	
Work_Order.Create_List	PM-371
Create_Private procedure	
Ada.Create_Private	EST-24
Create_Session procedure	
Operator.Create_Session	SJM-108, SMU-66
Operator package	SMU-49
Create_Subprogram_Specs library switch	
Directory.Create_Subprogram_Specs	
described	LM-52, LM-418
installing units	LM-17
maintaining semantic consistency from source state	LM-22
Create_Time enumeration	
Library.Field type	LM-333
Create_Unit renamed procedure	
Library.Create_Unit	LM-317
Create_User procedure	
Operator.Create_User	SMU-68
minimum password length	SMU-54
sessions	SMU-224
users	SMU-223
Create_Venture procedure	
Work_Order.Create_Venture	PM-372
Create_World renamed procedure	
Library.Create_World	LM-319
disk volumes	LM-2
model worlds	LM-288
predefined sets of links	LM-372

creating	
breakpoints	DEB-41, DEB-63
directories	
Library.Create procedure	LM-313
Library.Create_Directory renamed procedure	LM-315
libraries	
Library.Create procedure	LM-313
Library.Create_Directory renamed procedure	LM-315
Library.Create_World renamed procedure	LM-319
remote-passwords files	SJM-278
searchlists	SJM-305
session switch files	SJM-328
switch files	DEB-56
units	
Library.Create_Unit renamed procedure	LM-317
worlds	
Library.Create procedure	LM-313
Library.Create_World renamed procedure	LM-319
Creation_Mode type	
Activity.Creation_Mode	PM-146
Creator enumeration	
Library.Field type	LM-333
cross-debugger, defined	DEB-2
cross-development	
CDF debuggers	DEB-2
using CDFs with subsystems	PM-111
current activity, defined	RS-47
current context	RS-20
defined	RS-20
current cursor position	DIO-79, DIO-81
Current function	
Program.Current	SJM-240
current index	
Direct_Io.End_Of_File function	DIO-14
current job	
running sets of procedures as part of	SJM-229
current library	RS-21
defined	LM-4, LM-288, RS-20
current macro	EI-37
Current procedure	
Activity.Current	PM-67, PM-147
Current renamed function	
Terminal.Current	SMU-339
current task	
Debug.Display procedure	DEB-86
current window	
defined	RS-20, RS-24
current world	
defined	RS-25
Current_Debugger procedure	

Debug.Current_Debugger	DEB-83
debugger window	DEB-5
Current_Directory constant	
Compilation.Current_Directory	LM-221
Current_Error	
commands without Response parameter	SJM-22
destinations for job output	SJM-29
directing job reports	SJM-29
directing log messages	SJM-30
redirecting command output	RS-62
setting	SJM-32
specifying	SJM-31
Standard_Input, Standard_Output, and Standard_Error	SJM-231
terminating jobs	SJM-35
tracking job output	SJM-31
versus Standard_Error	SJM-32
Current_Error function	
Io.Current_Error	TIO-22
Current_Input	
Standard_Input, Standard_Output, and Standard_Error	SJM-231
terminating jobs	SJM-35
Current_Input function	
Io.Current_Input	TIO-23
Text_Io.Current_Input	TIO-171
Current_Output	
checking current port settings	SMU-333
commands without Response parameter	SJM-22
destinations for job output	SJM-29
directing job reports	SJM-29
directing log messages	SJM-30
redirecting command output	RS-62
setting	SJM-32
setting Current_Error	SJM-32
specifying	SJM-31
Standard_Input, Standard_Output, and Standard_Error	SJM-231
system default profile	SJM-23
terminating jobs	SJM-35
tracking job output	SJM-31
versus Standard_Output	SJM-32
Current_Output constant	
File_Uilities.Current_Output	LM-264
Current_Output function	
Io.Current_Output	TIO-24
Text_Io.Current_Output	TIO-172
<CURSOR>	
described	DEB-15
special name for designated objects	DEB-8, EST-58, EST-131, EST-155, PM-128, QR-3, RS-16
cursor	
current position	DIO-79, DIO-81
movement	DIO-80, EI-2, EI-17
Editor.Cursor.Backward procedure	EI-18
Editor.Cursor.Down procedure	EI-18
Editor.Cursor.Forward procedure	EI-18

Editor.Cursor.Left procedure	EI-18
Editor.Cursor.Next procedure	EI-19
Editor.Cursor.Previous procedure	EI-19
Editor.Cursor.Right procedure	EI-19
Editor.Cursor.Up procedure	EI-20
moving	
Window_Io.Move_Cursor procedure	DIO-148
planar movement	EI-2
positioning	
Window_Io.Position_Cursor procedure	DIO-158
relative movement	EI-2, EI-3
reporting	
Window_Io.Report_Cursor procedure	DIO-163
stream operations	EI-3
cursor designation	EST-57
Ada images	EST-4
Cursor package	
Editor.Cursor	EI-17
Cursor_Bottom_Offset session switch	
Session.Cursor_Bottom_Offset	
described	SJM-338
Cursor_Left_Offset session switch	
Session.Cursor_Left_Offset	
described	SJM-338
Cursor_Right_Offset session switch	
Session.Cursor_Right_Offset	
described	SJM-338
Cursor_Top_Offset session switch	
Session.Cursor_Top_Offset	
described	SJM-338
Cursor_Transpose_Moves session switch	
Session.Cursor_Transpose_Moves	
described	SJM-339
Editor.Char.Transpose procedure	EI-15
Editor.Line.Transpose procedure	EI-34
Editor.Window.Transpose procedure	EI-68
Editor.Word.Transpose procedure	EI-71
customizing	
accounts	SJM-4
characteristics	SJM-12
session behavior	EI-7
SMU and	SMU-2
workspace	SJM-4

D

daemon	SMU-3
Actions client	SMU-4
Daily client	SMU-4
Disk client	SMU-4
Error_Log client	SMU-4
Snapshot client	SMU-4
system	SMU-3, SMU-7
system daemon clients	SMU-4

Weekly client	SMU-4, SMU-5
when last run	
Daemon.Last_Run function	SMU-20
when next run	
Daemon.Next_Scheduled function	SMU-23
Daemon package	
!Commands.Daemon	SMU-3
key concepts for	SMU-4
machine initialization	SMU-2
procedures requiring operator capability	SMU-52
resources in	SMU-3
SMU versus SMG	SMU-1
specification	RS-147
Daemon_Wsl scheduler parameter	
memory scheduling	SMU-163
dailies, <i>see</i> System_Backup package	
Daily client	SMU-4, SMU-17, SMU-44
Disk client	SMU-4
Error_Log client	SMU-4
object managers	
Ada	SMU-5
Directory	SMU-5
File	SMU-5
reclaiming access-control groups	SMU-6
daily message	
defined	SMU-45
What.Message procedure	SJM-376
data	
conversion between different types	
Unchecked_Conversion generic function	PT-209
Unchecked_Conversion.Unchecked_Conversion function	PT-212
Unchecked_Conversions package	PT-219
Unchecked_Conversions.Unchecked_Conversion_Package generic package	PT-225
Unchecked_Conversions.Unchecked_Conversion_Package.Convert function	PT-226
conversion from byte string	
Unchecked_Conversions.Convert_From_Byte_String function	PT-232
Unchecked_Conversions.Convert_From_Byte_String generic function	PT-231
conversion to byte string	
Unchecked_Conversions.Convert_To_Byte_String function	PT-238
Unchecked_Conversions.Convert_To_Byte_String generic function	PT-237
defined	SMU-210
program data	DEB-45
transferring between R1000s	LM-142
transferring between systems by tape	SMU-314
data bits	SMU-336
Data format (Debug.Memory_Display)	DEB-112
data values, referencing	DEB-32
data-transmission rate	SMU-335
Data_Error exception	
Direct_Io generic package	
Read procedure	DIO-24
Io package	
Get procedure	TIO-46, TIO-48, TIO-49

Io.Enumeration_Io generic package	
Get procedure	TIO-113, TIO-114
Io.Fixed_Io generic package	
Get procedure	TIO-124, TIO-125
Io.Float_Io generic package	
Get procedure	TIO-136, TIO-137
Io.Integer_Io generic package	
Get procedure	TIO-147, TIO-148
Io_Exceptions.Data_Error	DIO-30, TIO-156
Polymorphic_Sequential_Io package	DIO-39
Polymorphic_Sequential_Io.Operations package	
Element_Type generic formal type	DIO-56
Read procedure	DIO-57
Write procedure	DIO-58
Sequential_Io package	
Element_Type generic formal type	DIO-66
Read procedure	DIO-76
Text_Io.Enumeration_Io generic package	
Get procedure	TIO-221, TIO-222
Text_Io.Fixed_Io generic package	
Get procedure	TIO-232, TIO-233
Text_Io.Float_Io generic package	
Get procedure	TIO-244, TIO-245
Text_Io.Integer_Io generic package	
Get procedure	TIO-255, TIO-256
database, <i>see</i> CMVC database	
DATE	
changing format of message prefixes	RS-62
date	
What.Time procedure	SJM-381
Date enumeration	
Profile.Log_Prefix type	SJM-169
date formats	
Operator.Set_System_Time procedure	SMU-100
Date suboption	
printing plain text from PostScript printers	SMU-113
printing PostScript programs	SMU-113
Date_Format type	
Time_Uilities.Date_Format	PT-180
Date_Only enumeration	
Time_Uilities.Image_Contents type	PT-192
Day constant	
Time_Uilities.Day	PT-181
Day function	
Calendar.Day	PT-6
Day_Count type	
Time_Uilities.Day_Count	PT-182
Day_Duration subtype	
Calendar.Day_Duration	PT-6
Day_Month_Year enumeration	
Time_Uilities.Date_Format type	PT-180
Day_Number subtype	

Calendar.Day_Number	PT-6
Day_Of_Week function	
Time_Uilities.Day_Of_Week	PT-183
Days subtype	
Operator.Days	SMU-71
Days type	
Time_Uilities.Days	PT-184
DDB	
client	SMU-13, SMU-15, SMU-22
object manager	SMU-5, SMU-60
DDB object manager	SMU-5
described	SMU-5
deadline interval, defined	SMU-54
deallocation	
Allows_Deallocation generic function	PT-1
Allows_Deallocation.Allows_Deallocation function	PT-2
Unchecked_Deallocation generic procedure	PT-241
Unchecked_Deallocation.Unchecked_Deallocation procedure	PT-246
debug messages (???)	
filtering messages	RS-59, RS-61
Debug package	
!Commands.Debug	DEB-63
commands from package Common for debugger	DEB-64
debugger interactions with editor	DEB-4
entering debugger commands in command windows	DEB-6, DEB-7
resources in	DEB-63
specification	RS-151
Debug procedure	
Command.Debug	EST-54
debugging programs using debugger	DEB-2
Debug_Addresses session switch	
Session.Debug_Addresses	DEB-58
described	SJM-339
Debug_Break_At_Creation session switch	
Session.Debug_Break_At_Creation	DEB-58
described	SJM-339
Debug_Declaration_Display session switch	
Session.Debug_Declaration_Display	DEB-58
described	SJM-339
Debug_Delete_Temporary_Breaks session switch	
Session.Debug_Delete_Temporary_Breaks	DEB-58
described	SJM-339
Debug_Display_Count session switch	
Session.Debug_Display_Count	DEB-59
described	SJM-339
Debug_Display_Creation session switch	
Session.Debug_Display_Creation	DEB-59
described	SJM-339
Debug_Display_Level session switch	
Session.Debug_Display_Level	DEB-59

described	SJM-339
Debug_Echo_Commands session switch	
Session.Debug_Echo_Commands	DEB-59
described	SJM-340
Debug_Element_Count session switch	
Session.Debug_Element_Count	DEB-59
described	SJM-340
Debug_First_Element session switch	
Session.Debug_First_Element	DEB-59
described	SJM-340
Debug_Freeze_Tasks session switch	
Session.Debug_Freeze_Tasks	DEB-59
described	SJM-340
Debug_History_Count session switch	
Session.Debug_History_Count	DEB-59
described	SJM-340
Debug_History_Entries session switch	
Session.Debug_History_Entries	DEB-60
described	SJM-340
Debug_History_Start session switch	
Session.Debug_History_Start	DEB-60
described	SJM-340
Debug_Include_Packages session switch	
Session.Debug_Include_Packages	DEB-60
described	SJM-341
Debug_Interpret_Control_Words session switch	
Session.Debug_Interpret_Control_Words	DEB-60
described	SJM-341
Debug_Kill_Old_Jobs session switch	
Session.Debug_Kill_Old_Jobs	DEB-60
described	SJM-341
Debug_Machine_Level session switch	
Session.Debug_Machine_Level	DEB-60
described	SJM-341
Debug_Maintenance package	
!Commands.Debug_Maintenance	DEB-173
debugger interactions with editor	DEB-4
specification	RS-159
Debug_Memory_Count session switch	
Session.Debug_Memory_Count	DEB-60
described	SJM-341
Debug_Msg enumeration	
Profile.Msg_Kind type	SJM-172
Debug_No_History_Timestamps session switch	
Session.Debug_No_History_Timestamps	DEB-60
described	SJM-341
Debug_Off procedure	
Debug.Debug_Off	DEB-84
Command.Debug procedure	EST-54
Debug_Require_Debug_Off session switch	DEB-61
Debug_Require_Debug_Off session switch, described	SJM-342

Debug_Tools.Debug_Off	DEB-182
Debug.Debug_Off procedure	DEB-84
Debug_On procedure	DEB-183
Debug_On procedure	
Debug_Tools.Debug_On	DEB-183
Command.Debug	EST-54
Debug_Off procedure	DEB-182
Debug_Optimize_Generic_History session switch	
Session.Debug_Optimize_Generic_History	DEB-61
described	SJM-341
Debug_Permanent_Breakpoints session switch	
Session.Debug_Permanent_Breakpoints	DEB-61
described	SJM-341
Debug_Pointer_Level session switch	
Session.Debug_Pointer_Level	DEB-61
described	SJM-342
Debug_Put_Locals session switch	
Session.Debug_Put_Locals	DEB-61
described	SJM-342
Debug_Qualify_Stack_Names session switch	
Session.Debug_Qualify_Stack_Names	DEB-61
described	SJM-342
Debug_Require_Debug_Off session switch	
Session.Debug_Require_Debug_Off	DEB-61
described	SJM-342
Debug_Save_Exceptions session switch	
Session.Debug_Save_Exceptions	DEB-61
described	SJM-342
Debug_Show_Location session switch	
Session.Debug_Show_Location	DEB-62
described	SJM-342
Debug_Stack_Count session switch	
Session.Debug_Stack_Count	DEB-62
described	SJM-342
Debug_Stack_Start session switch	
Session.Debug_Stack_Start	DEB-62
described	SJM-342
Debug_Timestamps session switch	
Session.Debug_Timestamps	DEB-62
described	SJM-343
Debug_Tools package	
!Tools.Debug_Tools	DEB-177
debugger interactions with editor	DEB-4
programmatic access to debugger facilities	DEB-11
resources in	DEB-177
specification	RS-423
use with CDF debuggers	DEB-178
debugger	
commands from package Common for	DEB-64
context characters for use in	RS-49
cross-debugger	DEB-2
cross-development facility debuggers	DEB-2

current	
Debug.Current_Debugger procedure	DEB-83
debugging programs using	DEB-2
displaying state	DEB-63
interactions with editor	DEB-4
monitoring jobs in	DEB-3, DEB-53
overview	DEB-1
referencing objects in	DEB-13
starting	DEB-11
debugger command window, defined	DEB-7
debugger commands, entering	DEB-6
debugger context characters	QR-4, RS-49
described	DEB-20
pathnames qualified by	DEB-20
debugger facilities	
programmatic access to	DEB-11
showing	
Debug.Show procedure	DEB-143
summary of	DEB-1
debugger images	EST-1
debugger job, described	DEB-3
debugger operations, session switches for	DEB-58, SJM-332
debugger window	DEB-4
defined	DEB-4
writing message to	
Debug.Comment procedure	DEB-76
Debug_Tools.Message procedure	DEB-190
[Debugger Window] key	
Debug.Current_Debugger procedure	DEB-83
debugger window	DEB-5
Debugger_Initialization procedure	
Debug.Debugger_Initialization	DEB-11
displaying special variables	DEB-46
Debug.Put procedure	DEB-132
Debug_Tools.Register generic procedure	DEB-191
debugging	
allowing to run	
Debug.Release procedure	DEB-136
assigning nickname	
Debug.Set_Task_Name procedure	DEB-141
Debug_Tools.Set_Task_Name procedure	DEB-203
assigning synonym	
Debug.Set_Task_Name procedure	DEB-141
Debug_Tools.Set_Task_Name procedure	DEB-203
canceling breakpoint	
Debug.Forget procedure	DEB-98
Debug.Remove procedure	DEB-137
canceling stopping on breakpoint	
Debug.Propagate procedure	DEB-127
changing value of object	
Debug.Modify procedure	DEB-113
clear option flag	
Debug.Disable renamed procedure	DEB-85

collecting history	
Debug.Take_History procedure	DEB-159
creating breakpoints	
Debug.Break procedure	DEB-67
current debugger	
Debug.Current_Debugger procedure	DEB-83
defining debugger state	
Debug.State_Type type	DEB-153
defining event class	
Debug.Trace_Event type	DEB-170
defining events to stop task	
Debug.Stop_Event type	DEB-157
displaying absolute memory	
Debug.Memory_Display procedure	DEB-111
displaying an object	
Debug.Put procedure	DEB-131
displaying code segment address	
Debug.Location_To_Address procedure	DEB-109
displaying current location	
Debug_Tools.Ada_Location function	DEB-179
displaying information about debugger facilities	
Debug.Show procedure	DEB-143
displaying source	
Debug.Source procedure	DEB-148
displaying stack	
Debug.Stack procedure	DEB-150
displaying task history	
Debug.History_Display procedure	DEB-101
displaying task information	
Debug.Information procedure	DEB-105
displaying tasks	
Debug.Task_Display procedure	DEB-163
exception location	
Debug_Tools.Get_Raise_Location function	DEB-187
exception name	
Debug_Tools.Get_Exception_Name function	DEB-185
exceptions	
Debug.Exception_Name subtype	DEB-90
Debug.Exception_To_Name procedure	DEB-93
flags	
Debug.Flag procedure	DEB-96
Debug.Numeric type	DEB-116
Debug.Option type	DEB-118
Debug.Set_Value procedure	DEB-142
get nickname	
Debug_Tools.Get_Task_Name function	DEB-189
get synonym	
Debug_Tools.Get_Task_Name function	DEB-189
is program being debugged	
Debug_Tools.Debugging function	DEB-184
killing job being debugged	
Debug.Kill procedure	DEB-108
numeric conversion	
Debug.Convert procedure	DEB-82
pathnames	
Debug.Path_Name subtype	DEB-121
programmatic breakpoint	
Debug_Tools.User_Break procedure	DEB-207
programs using debugger	DEB-2

quiet startup	
Debug.Reset_Defaults procedure	DEB-138
reactivate breakpoint	
Debug.Activate procedure	DEB-65
remove stepping	
Debug.Clear_Stepping procedure	DEB-75
resuming execution	
Debug.Execute procedure	DEB-94
Debug.Xecute procedure	DEB-172
sending trace output to file	
Debug.Trace_To_File procedure	DEB-171
set option flag	
Debug.Enable procedure	DEB-89
setting context	
Debug.Context procedure	DEB-77
setting exception breakpoint	
Debug.Catch procedure	DEB-71
setting trace	
Debug.Trace procedure	DEB-167
show source	
Debug.Display procedure	DEB-86
show source location	
Debug.Address_To_Location procedure	DEB-66
special type displays	
Debug_Tools.Register generic procedure	DEB-191
starting	
Debug_Tools.Debug_On procedure	DEB-183
stepping	DEB-139
Debug.Run procedure	DEB-139
stopping	
Debug.Debug_Off procedure	DEB-84
Debug_Tools.Debug_Off procedure	DEB-182
stopping special display	
Debug_Tools.Un_Register generic procedure	DEB-205
stopping task execution	
Debug.Hold procedure	DEB-104
Debug.Stop procedure	DEB-155
substituting your own data display routine	
Debug_Tools.Register generic procedure	DEB-191
task category	
Debug.Task_Category type	DEB-162
task names	
Debug.Task_Name subtype	DEB-166
writing message to debugger window	
Debug.Comment procedure	DEB-76
Debug_Tools.Message procedure	DEB-190
Debugging function	
Debug_Tools.Debugging	DEB-184
decimal point	
after	
Io.Fixed_Io.Default_Aft constant	TIO-120
Io.Float_Io.Default_Aft constant	TIO-132
Text_Io.Fixed_Io.Default_Aft constant	TIO-228
Text_Io.Float_Io.Default_Aft constant	TIO-240
before	
Io.Fixed_Io.Default_Fore constant	TIO-122
Io.Float_Io.Default_Fore constant	TIO-134
Text_Io.Fixed_Io.Default_Fore constant	TIO-230

Text_Io.Float_Io.Default_Fore constant	TIO-242
Declaration enumeration	
Library.Field type	LM-333
declaration number	PM-105
[declaration] prompt	
partially complete units	LM-16, LM-17
Declaration_Display enumeration	
Debug.Option type	DEB-118
Declaration_List	
argument for 'C (class) attribute (Ada subclasses)	QR-10, RS-42
declarations	
referencing	DEB-25
task declaration	DEB-14
Declarations package	
!Tools.Lm.Declarations	
specification	RS-488
declare blocks	
coding in command windows	LM-41
session switches for compiling in command windows	SJM-333
Def procedure	
Cmvc.Def	PM-192, PM-234
<DEFAULT>	
described	SJM-116
special value for specifying profiles	DIO-6, PM-128, QR-14, RS-56, TIO-6
default	
activity	PM-65
adding	
Access_List.Add_Default procedure	LM-72
getting	
Access_List_Tools.Get_Default function	LM-105
Access_List_Tools.Get_Default procedure	LM-107
Profile.Get_Default function	SJM-159
including	
Profile.Include_In_Default procedure	SJM-165
removing	
Access_List.Remove_Default procedure	LM-82
resetting	
Debug.Reset_Defaults procedure	DEB-138
Search_List.Reset_To_System_Default procedure	SJM-320
response profile	DIO-6, PM-128, TIO-6
retention count	
Library.Default_Keep_Versions constant	LM-323
Library.Set_Retention_Count procedure	LM-355
setting	
Access_List.Set_Default procedure	LM-85
Access_List_Tools.Set_Default procedure	LM-123
Profile.Set_Default procedure	SJM-194
Profile.Set_Default_Activity procedure	SJM-196
Profile.Set_Default_Filter procedure	SJM-197, SJM-199
Profile.Set_Default_Log_File procedure	SJM-200
Profile.Set_Default_Prefixes procedure	SJM-202
Profile.Set_Default_Reaction procedure	SJM-203
Profile.Set_Default_Remote_Passwords procedure	SJM-204

Reference Summary (RS)

Profile.Set_Default_Remote_Sessions procedure	SJM-205
Profile.Set_Default_Response procedure	SJM-206
Profile.Set_Default_Width procedure	SJM-208
storage	
Unbounded_String.Default_Maximum_Length generic formal object	ST-109
system	SJM-306
version	
Library.Default procedure	LM-321
Library.Default_Keep_Versions constant	LM-323
Wsl limits	
Scheduler.Use_Default_Wsl_Limits procedure	SMU-206
default ACL, defined	LM-2, LM-7, LM-66
default compilation context	LM-43
default format options, specifying	SMU-116
default formatting	
for ASCII devices	SMU-117
for PostScript devices	SMU-117
Default function	
Work_Order.Default	PM-373
default job behavior, determining	SJM-331
default level of detail in library images	LM-292
defined	LM-292
default level of elision in library images	
setting up	LM-296, LM-297
default login procedures	SJM-5
defined	SJM-5
default objects, special names for	QR-3, RS-17
Default procedure	
Library.Default	LM-321
deleted versions and retention count	LM-289
Queue.Default	SMU-127
Search_Lists.Default	
systemwide default searchlists	SJM-12
default profile, system	SJM-22, SJM-23, SJM-115
default remote-passwords file	
overriding	SJM-280
setting	SJM-279
default response characteristics, profiles and	SJM-22
default searchlists, systemwide	SJM-12
default session, defined	SJM-4
default version	EST-58
defined	LM-289, RS-40
Default_Acl option	
Archive.Restore procedure	LM-131, LM-132
CMVC access control	LM-147
summarized	LM-133
Default_Activity function	
Profile.Default_Activity	SJM-143
Profile.Activity function	SJM-139

Default_Aft constant	
Io.Fixed_Io.Default_Aft	TIO-120
Io.Float_Io.Default_Aft	TIO-132
Text_Io.Fixed_Io.Default_Aft	TIO-228
Text_Io.Float_Io.Default_Aft	TIO-240
Default_Base constant	
Io.Integer_Io.Default_Base	TIO-144
Text_Io.Integer_Io.Default_Base	TIO-252
Default_Display procedure	
Access_List.Default_Display	LM-74
ACLs	LM-67
Default_Exp constant	
Io.Fixed_Io.Default_Exp	TIO-121
Io.Float_Io.Default_Exp	TIO-133
Text_Io.Fixed_Io.Default_Exp	TIO-229
Text_Io.Float_Io.Default_Exp	TIO-241
Default_File constant	
Switches.Default_File	LM-434
Default_Filter constant	
Profile.Default_Filter	SJM-144
Default_Font function	
Window_Io.Default_Font	DIO-111
Default_Fore constant	
Io.Fixed_Io.Default_Fore	TIO-122
Io.Float_Io.Default_Fore	TIO-134
Text_Io.Fixed_Io.Default_Fore	TIO-230
Text_Io.Float_Io.Default_Fore	TIO-242
Default_Job_Page_Limit session switch	
described	SJM-343
Session.Default_Job_Page_Limit	
job page limit	LM-40
System_Uilities.Get_Page_Counts procedure	SMU-254
System_Uilities.Set_Page_Limit procedure	SMU-291
Default_Keep_Versions constant	
Library.Default_Keep_Versions	LM-323
Default_List function	
Work_Order.Default_List	PM-375
Default_Log_File constant	
Profile.Default_Log_File	SJM-145
Default_Maximum_Length generic formal object	
Unbounded_String.Default_Maximum_Length	ST-109
Default_Prefixes constant	
Profile.Default_Prefixes	SJM-146
Default_Profile function	
Profile.Default_Profile	SJM-147
obtaining profiles	SJM-135
specifying predefined profiles	SJM-132
Default_Reaction constant	
Profile.Default_Reaction	SJM-148
Default_Remote_Passwords function	
Profile.Default_Remote_Passwords	SJM-149

Profile.Remote_Passwords function	SJM-185
Remote_Passwords.Get_Default function	SJM-292
Default_Remote_Sessions function	
Profile.Default_Remote_Sessions	SJM-150
Profile.Remote_Sessions function	SJM-187
Default_Setting constant	
Io.Enumeration_Io.Default_Setting	TIO-110
Text_Io.Enumeration_Io.Default_Setting	TIO-218
Default_Venture function	
Work_Order.Default_Venture	PM-377
Default_Venture session switch	
Cmvc.Default_Venture	PM-364
described	SJM-343
Work_Order.Set_Default_Venture procedure	PM-394
Default_Width constant	
Io.Enumeration_Io.Default_Width	TIO-111
Io.Integer_Io.Default_Width	TIO-145
Profile.Default_Width	SJM-151
Text_Io.Enumeration_Io.Default_Width	TIO-219
Text_Io.Integer_Io.Default_Width	TIO-253
Define procedure	
Concurrent_Map_Generic.Define	PT-12
Editor.Key.Define	EI-28
Map_Generic.Define	PT-70
String_Map_Generic.Define	ST-28
Switches.Define	LM-435
Create procedure	LM-432
creating switch files	LM-412
[Definition] key	
automatic source display	DEB-8
Common.Definition procedure	EST-71
[Definition In Place] key	
Common.Definition procedure	EST-71
Definition procedure	
Common.Definition	EI-6, EST-9, EST-71 , PM-136, PM-192
Ada images	EST-11
command images	EST-48
commands from package Common for debugger	DEB-64
commands from package Common for editing searchlists	SJM-307
commands from package Common for use in help windows	SJM-361
described	DEB-5
editing libraries with	LM-298
editing links with	LM-377
editing switches with	LM-424
help	EST-126
menu images	EST-133
underlined errors	LM-40
windows images	EST-157
xref images	EST-162
definitions	
static definitions	DEB-32
Xref flag	LM-454
delaying in wait service execution message (Debug.Task_Display)	DEB-163

delete	
configuration object	PM-49
objects	PM-35
view	PM-48
delete, <i>see</i> Cancel	
Delete (D) access right	
described	LM-65
Delete constant	
Access_List.Delete	LM-75
Access_List_Tools.Delete	LM-100
delete old versions	
Library.Expunge procedure	LM-331
delete print request	
Queue.Cancel procedure	SJM-252, SMU-123
Delete procedure	
Bounded_String.Delete	ST-7
Common.Object.Delete	EST-105 , PM-35, PM-137
Ada images	EST-16
commands from package Common for editing searchlists	SJM-307
commands from package Common for Jobs procedure display	SJM-362
editing libraries with	LM-299
editing links with	LM-378
editing searchlists	SJM-306
editing switches with	LM-424
text images	EST-142
windows images	EST-158
Compilation.Delete	LM-206, LM-222 , PM-48
Destroy procedure	LM-230
using	LM-206
Direct_Io.Delete	DIO-12
Editor.Line.Delete	EI-31, EI-32
Editor.Region.Delete	EI-5, EI-46
Editor.Window.Delete	EI-64, EI-65
Editor.Word.Delete	EI-69, EI-70
Io.Delete	TIO-25
Library.Delete	PM-48, PM-49
deleted objects	LM-290
Links.Delete	LM-384
removing links	LM-376
Polymorphic_Sequential_Io.Delete	DIO-44
Queue_Generic.Delete	PT-98
Remote_Passwords.Delete	SJM-289
Search_List.Delete	SJM-312
creating searchlists	SJM-305
editing searchlists	SJM-306
Search_List.Set_Up procedure	SJM-323
Sequential_Io.Delete	DIO-65
Set_Generic.Delete	PT-114
Text_Io.Delete	TIO-173
Unbounded_String.Delete	ST-110
Window_Io.Delete	DIO-113 , DIO-114
Delete renamed procedure	
Library.Delete	LM-324
Destroy renamed procedure	LM-326
Delete_Backward procedure	

Editor.Char.Delete_Backward	EI-12
Editor.Line.Delete_Backward	EI-33
Editor.Word.Delete_Backward	EI-70
Delete_Blank_Line procedure	
Ada.Delete_Blank_Line	EST-26
Delete_Field procedure	
Work_Order.Delete_Field	PM-379
Delete_Forward procedure	
Editor.Char.Delete_Forward	EI-12
Editor.Line.Delete_Forward	EI-33
Editor.Word.Delete_Forward	EI-70
Delete_Group procedure	
Operator.Delete_Group	SMU-72
Create_Group procedure	SMU-64
Operator group	SMU-51
Delete_Lines procedure	
Window_Io.Delete_Lines	DIO-115
Delete_Next procedure	
Editor.Char.Delete_Next	EI-13
Delete_Previous procedure	
Editor.Char.Delete_Previous	EI-13
Delete_Spaces procedure	
Editor.Char.Delete_Spaces	EI-12, EI-13
Delete_Temporary_Breaks enumeration	
Debug.Option type	DEB-119
Delete_Temporary_Breaks option flag	
breakpoint type	DEB-43
Delete_Top procedure	
Editor.Hold_Stack.Delete_Top	EI-21, EI-22
Editor.Mark.Delete_Top	EI-4, EI-41, EI-42
Editor.Screen.Delete_Top	EI-7, EI-51, EI-52
Delete_Unreferenced_Leading_Generations procedure	
Cmvc_Maintenance.Delete_Unreferenced_Leading_Generations	PM-343
Delete_User procedure	
Operator.Delete_User	SMU-74
Delete_Group procedure	SMU-72
Operator group	SMU-51
username groups	SMU-50
deleted, defined	LM-289
deleted objects	LM-290
defined	LM-290
pathnames of	QR-2
referring to	PM-133
specifying	RS-37
deleted versions, retention count and	LM-289
deleting	
Ada compilation units	LM-217, LM-230
Compilation.Delete procedure	LM-222
defined	LM-206
Library package	LM-9

delta	
System.Fine_Delta constant	PT-165
Delta1 option, summarized	LM-133
Delta1_Code_View_Compatibility library switch	
R1000_Cg.Delta1_Code_View_Compatibility	
compatibility with previous releases of Environment	LM-51
described	LM-418
Retain_Delta1_Compatibility library switch	LM-51
demote	
Ada.Source_Unit procedure	EST-42
defined	LM-21
[Demote] key	
Common.Demote procedure	EST-76
Demote procedure	
Common.Demote	EST-76 , PM-192
Ada images	EST-13
command images	EST-48
demoting units	LM-33
editing libraries with	LM-298
menu images	EST-133
Redo procedure	EST-49
relative state changes	LM-33
summarized	LM-37
text images	EST-141
windows images	EST-157
xref images	EST-162
Compilation.Demote	LM-224
Ada images	EST-5
Ada.Source_Unit procedure	EST-42
additional automatic	LM-38
demoting across libraries	LM-37
demoting across subsystems	LM-37
demoting multiple Ada units	LM-35
Limit parameter	LM-35
summarized	LM-37
using	LM-205
Editor.Window.Demote	EI-63, EI-64, EI-65
Promote procedure	EI-67
demoting	LM-13
across libraries	LM-37
across subsystems	LM-37
Ada units	LM-31, LM-68
compilation order and	LM-32
defined	LM-13, LM-31
multiple Ada units	LM-35
objects	
Compilation.Demote procedure	LM-224
demoting objects	
Compilation.Delete procedure	LM-222
demotion	
automatic	LM-38
effects of	PM-90
permitting	PM-42
dependencies between Ada units	
explicit	LM-20

implicit	LM-19
Dependents package	
!Commands.Dependents	
specification	RS-160
Dependents procedure	
Compilation.Dependents	LM-227
compilation order and demoting	LM-32
Delete procedure	LM-222
Demote procedure	LM-224
Links.Dependents	LM-386
removing links	LM-376
Dependents_Delta0_Compatibility session switch	
Session.Dependents_Delta0_Compatibility	
described	SJM-343
Dependents_In_Order_Pathnames session switch	
Session.Dependents_In_Order_Pathnames	
described	SJM-343
Dependents_Show_Library session switch	
Session.Dependents_Show_Library	
described	SJM-343
Dependents_Show_Unit_State session switch	
Session.Dependents_Show_Unit_State	
described	SJM-344
deposit, <i>see</i> Modify	
Des	
encrypting passwords	SJM-279
descriptor, job	
Scheduler.Get_Job_Descriptor function	SMU-177
Scheduler.Job_Descriptor type	SMU-183
Scheduler.Traverse_Job_Descriptors generic procedure	SMU-204
design changes	PM-89
designate, defined	DEB-8, DEB-13, RS-14
designated objects	
special names for	DEB-15, QR-3, RS-16
designating	
command output	DEB-17
locations	DEB-16
variables	DEB-16
designation	DEB-14, EST-57, QR-2, RS-14
Ada images	EST-3
command images	EST-46
defined	DEB-13, DEB-14, RS-14
menu images	EST-130
text images	EST-137, EST-138
Window Directory	EST-154
xref images	EST-160
<i>see also</i> selection	
Designation type	
Window_Io.Designation	DIO-116
Designation_Off procedure	
Editor.Set.Designation_Off	EI-4, EI-59, EI-60

- destination
 - defined RS-14, RS-32
 - for job output SJM-29
- destination names, specifying LM-139, RS-32
- Destroy procedure
 - Compilation.Destroy LM-206, **LM-230**, PM-48
 - Atomic_Destroy procedure LM-217
 - Delete procedure LM-222
 - using LM-206
 - Library.Destroy PM-48
 - Queue.Destroy **SMU-129**
- Destroy renamed procedure
 - Library.Destroy **LM-326**
 - Delete renamed procedure LM-324
- Destroy_Cdb procedure
 - Cmvc_Maintenance.Destroy_Cdb PM-109, **PM-344**
- Destroy_Library procedure
 - !Commands.System_Maintenance'Spec_View.Units.Destroy_Library
specification RS-275
- Destroy_Subsystem procedure
 - Cmvc.Destroy_Subsystem **PM-236**
- Destroy_System procedure
 - Cmvc.Destroy_System **PM-237**
- Destroy_User procedure
 - !Commands.System_Maintenance'Spec_View.Units.Destroy_User
specification RS-275
- Destroy_View procedure
 - Cmvc.Destroy_View PM-33, PM-48, PM-50, **PM-238**
 - Cmvc.Build procedure PM-212
- destroying
 - Ada compilation units LM-230
 - defined LM-9, LM-206
 - Compilation.Atomic_Destroy procedure LM-217
 - see also* Delete_Group; Delete_User
- detach, *see* Disconnect
- Detach_On_Disconnect function
 - System_Uilities.Detach_On_Disconnect **SMU-241**
- Detached enumeration
 - Scheduler.Job_Kind type SMU-187
- detached job kind
 - described SJM-18
 - relationship between job classes and kinds SJM-19
- detached jobs, defined SJM-34, SMU-157
- detail, level of in library images LM-292, LM-293, LM-297
- determining
 - default job behavior SJM-331
 - group space SMU-7
 - how command names are being resolved SJM-307
 - target keys for worlds or views LM-213

when to use remote-passwords files	SJM-276
Developer (D) access right	
CMVC access control	LM-146
development	
applications using multiple hosts	PM-101
applications using multiple subsystems	PM-51
copying views among hosts	PM-103, PM-109
making design changes	PM-89
making implementation changes	PM-86
managing CMVC information interactively	PM-188
managing views	PM-48
moving a primary subsystem to another host	PM-108
multiple-host development	LM-149
propagating changes across hosts	PM-105
setting up multiple paths	PM-47
setting up primary and secondary subsystems	PM-103
setting up subsystems	PM-96
testing an application	PM-85
using CDFs with subsystems	PM-111
with joined objects	PM-38
<i>see also</i> subsystem	
development path	PM-8, PM-33, PM-111, PM-268
device	DIO-2, TIO-2
add	
Queue.Add procedure	SMU-118
ASCII	SMU-111, SMU-117
associate with class	
Queue.Register procedure	SMU-149
class	
Queue.All_Classes constant	SMU-121
class name	
Queue.Class_Name subtype	SMU-125
defined	SMU-110
disable	
Queue.Disable procedure	SMU-131
dissociate from class	
Queue.Unregister procedure	SMU-154
enable	
Queue.Enable procedure	SMU-134
PostScript	SMU-112, SMU-117
remote	LM-144
remove from print spooler	
Queue.Remove procedure	SMU-151
spooler	
Queue.All_Spooler_Devices constant	SMU-122
tape	SMU-228
terminal	SMU-223, SMU-228
Device parameter	
Archive.Restore procedure	LM-129
Archive.Save procedure	LM-128
restoring from remote devices	LM-144
saving onto remote devices	LM-144
Device_Data_Error	
Io_Exceptions.Device_Error exception	DIO-31, TIO-157
Device_Error exception	
Io_Exceptions.Device_Error	DIO-31, TIO-157

Device_Independent_Io package	
!Io.Device_Independent_Io specification	RS-326
Devices procedure	
Queue.Devices	SMU-130
diagnosis	
Operator.Internal_System_Diagnosis procedure	SMU-93
Diana_Edit procedure	
Ada.Diana_Edit	EST-27
Diana_Object_Editor package	
!Tools.Diana_Object_Editor specification	RS-425
Diana_Tree package	
!Commands.Diana_Tree specification	RS-177
Dictionary	
argument for 'C (class) attribute (file subclasses)	QR-11, RS-43
difference	
Calendar.- function	PT-8
Difference procedure	
File_Uilities.Difference	LM-265
Merge procedure	LM-278
Strip procedure	LM-284
Different_Objects option	
Archive.Restore procedure	LM-130
summarized	LM-133
Differential enumeration	
Activity.Creation_Mode	PM-146
Activity.Display procedure	PM-148
digits	
Editor.Set.Argument_Digit procedure	EI-60
System.Max_Digits constant	PT-165
Direct_Io generic package	DIO-7
!Io.Direct_Io specification	RS-329
directing	
job reports	SJM-29
log messages	SJM-30
<DIRECTORIES>	
promoting across libraries	LM-27
special value for Limit parameter	LM-208, LM-218, LM-221, LM-247, LM-325, LM-327
directories	LM-3
access rights	LM-66
Directory	
argument for 'C (class) attribute (library subclasses)	QR-10, RS-42
client	SMU-12, SMU-15, SMU-22, SMU-30
object manager	SMU-60
directory	
create	

Library.Create procedure	LM-313
Library.Create_Directory renamed procedure	LM-315
current	
Compilation.Current_Directory constant	LM-221
same	
Compilation.Same_Directories constant	LM-247
<i>see also</i> library	
Directory enumeration	
Library.Kind type	LM-340
directory error, <i>see</i> Nonexistent_Directory_Error	
directory name	PM-127
Directory object manager	SMU-5
described	SMU-5
reclaiming access-control groups	SMU-6
Directory procedure	
Editor.Window.Directory	EI-6, EI-63, EI-66
Window Directory	EST-153
Directory switches	LM-416
Directory_Tools package	
!Tools.Directory_Tools specification	RS-426
Disable procedure	
Job.Disable	SJM-38
job states	SJM-20, SMU-158
Job.Enable procedure	SJM-42
Job.Kill procedure	SJM-46
stopping	SJM-35
Text.Block procedure	EST-146
What.Users procedure	SJM-369, SJM-383
Queue.Disable	SMU-131
Scheduler.Disable	SMU-166
job states	SMU-158
key concepts for Scheduler package	SMU-156
What.Users procedure	SJM-369, SJM-383
Disable renamed procedure	
Debug.Disable	DEB-85
Option type	DEB-118
options, numeric flags, and string flags	DEB-10
Disable_Deallocation pragma	
Enable_Deallocation library switch	LM-50
Unchecked_Deallocation generic procedure	PT-241
Unchecked_Deallocation.Unchecked_Deallocation procedure	PT-247
Disable_Terminal procedure	
Operator.Disable_Terminal	SMU-76
enabling and disabling port login	SMU-334
disabled	
System_Uilities.Login_Disabled function	SMU-271
Terminal.Set_Login_Disabled procedure	SMU-352
Disabled enumeration	
Scheduler.Job_State type	SMU-189
Disabled function	
System_Uilities.Disabled	

terminal ports	SMU-227
disabled job, defined	SJM-35
Disabled job state, described	SJM-19, SMU-157, SMU-158
disabling, port login	SMU-334
disconnect	
System_Uilities.Logoff_On_Disconnect function	SMU-272
Terminal.Set_Disconnect_On_Disconnect procedure	SMU-344
Terminal.Set_Disconnect_On_Failed_Login procedure	SMU-345
Terminal.Set_Disconnect_On_Logoff procedure	SMU-346
Terminal.Set_Logoff_On_Disconnect procedure	SMU-353
disconnect behavior, port	SMU-334
Disconnect procedure	
Job.Disconnect	SJM-40
Job.Connect procedure	SJM-37
Job.Interrupt procedure	SJM-45
placing jobs in background	SJM-34
Window_Io.Raw.Disconnect	DIO-176
Disconnect_On_Disconnect function	
System_Uilities.Disconnect_On_Disconnect	SMU-242
setting port disconnect behavior	SMU-334
terminal ports	SMU-227
Disconnect_On_Failed_Login function	
System_Uilities.Disconnect_On_Failed_Login	SMU-243
setting port disconnect behavior	SMU-335
terminal ports	SMU-227
Disconnect_On_Logoff function	
System_Uilities.Disconnect_On_Logoff	SMU-244
terminal ports	SMU-227
disconnected jobs, <i>see</i> detached jobs	
disjoint properties, specifying	RS-39
disk	
bad blocks	
System_Uilities.All_Bad_Blocks constant	SMU-233
System_Uilities.Bad_Block_Kinds type	SMU-234
System_Uilities.Bad_Block_List function	SMU-235
System_Uilities.Block_List type	SMU-236
System_Uilities.Manufacturers_Bad_Blocks constant	SMU-273
collection	SMU-4
priority	SMU-10
start	SMU-9
drive	
Daemon.Volume subtype	SMU-43
retargeted blocks	
System_Uilities.Retargeted_Blocks constant	SMU-286
scheduling	
parameters	SMU-195, SMU-198
space	
Library.Space procedure	LM-358
volume	
Library.Nil constant	LM-348
Library.Volume subtype	LM-368
wait load	
Scheduler.Get_Disk_Wait_Load procedure	SMU-175

Disk client	SMU-4, SMU-15, SMU-22, SMU-26, SMU-34
defined	SMU-4
disk scheduling	SMU-164
disk volumes	LM-2
disk wait load, defined	SMU-164
disk-collection thresholds, defined	SMU-4
Disk_Daemon package	
!Tools.Disk_Daemon	
Disk client	SMU-4
specification	RS-457
Disk_Space package	
!Commands.Disk_Space	
specification	RS-178
Disk_Space procedure	
Operator.Disk_Space	SJM-110, SMU-78
Disk_Waits function	
Scheduler.Disk_Waits	SMU-167
Job_Descriptor type	SMU-183
display	
Library.Ada_List renamed procedure	LM-302
Library.File_List renamed procedure	LM-336
Library.List procedure	LM-342
<i>see also</i> Default_Font; displaying; displays; Show	
display defining occurrences	
Common.Definition procedure	EST-71
Xref.Uses procedure	LM-462
display errors, <i>see</i> Filter_Errors	
display image, <i>see</i> Designation; Font	
display other part of Ada unit	
Ada.Other_Part procedure	EST-36
display pathname	
What.Object procedure	SJM-377
Display procedure	
Access_List.Display	LM-76
ACLs	LM-64
Activity.Display	PM-148
Debug.Display	DEB-86
Context procedure	DEB-77
Debug_Declaration_Display session switch	DEB-58
Debug_Declaration_Display session switch, described	SJM-339
Debug_Display_Count session switch	DEB-59
Debug_Display_Count session switch, described	SJM-339
designating command output	DEB-17
displaying and modifying program data	DEB-45, DEB-46
locations for breakpoints	DEB-42
Numeric type	DEB-116
Option type	DEB-118
Library.Display	LM-328
Links.Display	LM-390
Edit procedure	LM-392

- restricted naming expressions RS-51
- viewing links LM-373
- Queue.Display **SJM-253, SMU-133**
- Queue package SMU-109
- Scheduler.Display **SMU-168**
- background job streams SMU-161
- key concepts for Scheduler package SMU-156
- Set procedure SMU-192
- Search_List.Display **SJM-314**
- viewing searchlists SJM-305
- Switches.Display **LM-437**
- listing switches LM-413
- Table_Formatter.Display ST-91, **ST-94**
- Work_Order.Display **PM-380**
- display summary, *see* Summarize
- display, default
 - Access_List.Default_Display procedure LM-74
- display/write, *see* Put_Condition; Put_Job_Messages; Put_Line; Put_System_Messages
- Display_Cdb procedure
 - Cmvc_Maintenance.Display_Cdb PM-105, **PM-346**
- Display_Code_View procedure
 - Cmvc_Maintenance.Display_Code_View **PM-348**
- Display_Count enumeration
 - Debug.Numeric type DEB-116
- Display_Creation enumeration
 - Debug.Option type DEB-119
- Display_Group procedure
 - Operator.Display_Group **SJM-111, SMU-79**
 - Add_To_Group procedure SMU-58
 - Remove_From_Group procedure SMU-96
- Display_Large_Error_Logs procedure
 - !Tools.System_Availability'Spec_View.Units.Reports.Display_Large_Error_Logs
specification RS-650
- Display_Level enumeration
 - Debug.Numeric type DEB-116
- Display_Libraries procedure
 - Search_List.Display_Libraries **SJM-316**
 - determining how command names are being resolved SJM-307
 - Search_List.Display procedure SJM-314
- Display_List procedure
 - Work_Order.Display_List **PM-381**
- Display_Message function
 - Simple_Status.Display_Message **PT-134**
 - Program.Condition subtype SJM-235
 - Program.Started_Successfully function SJM-249
- Display_Queue procedure
 - Abbreviations.Display_Queue
 - Queue package SMU-109
- Display_Switches procedure
 - !Commands.System_Maintenance'Spec_View.Units.Display_Switches
specification RS-276

Display_Tape procedure	
Tape.Display_Tape	SMU-315
displaying contents of non-ANSI tapes	SMU-314
Display_Venture procedure	
Work_Order.Display_Venture	PM-382
displaying	
Ada program units	DEB-63
call stacks	DEB-10
comments	DEB-63
contents of non-ANSI tapes	SMU-314
debugger state	DEB-63
history	
Debug.History_Display procedure	DEB-101
machine values	DEB-63
memory	
Debug.Memory_Display procedure	DEB-111
program data	DEB-45
program state	DEB-63
qualified names in stacks	DEB-10
special variables	DEB-46
task status	DEB-37, DEB-63
tasks	
Debug.Task_Display procedure	DEB-163
variables	DEB-45
<i>see also</i> display	
displays	
I/O window display	SJM-331
Jobs procedure display	SJM-362
library	LM-296, SJM-330
menu	SJM-330
screen display	SJM-330
source display	DEB-8
special type displays	DEB-46
<i>see also</i> display; displaying	
Dissociate procedure	
Switches.Dissociate	LM-439
Associate procedure	LM-427
dissociating library switch files	LM-414, LM-415
Distort suboption	
printing bitmapped images	SMU-115
distributing objects onto multiple R1000s	LM-143
Do_Step procedure	
!Commands.Do_Step	
specification	RS-181
Document_Database	
argument for 'C (class) attribute (file subclasses)	QR-11, RS-43
documentation set, introduction to	RS-1
DOD-STD-2167/2167A terms	RS-710
Does procedure	
What.Does	SJM-365
commands from package Common for use in help windows	SJM-361
Editor.Key package	EI-27
Editor.Key.Define procedure	EI-28

obtaining help on session switches	DEB-57, SJM-329
dollar sign (\$)	
context character	QR-4, RS-23, RS-25, RS-27
metacharacter	EI-56
searchlist component	SJM-302
special character	PM-131
wildcard character	LM-258, LM-261, LM-270, LM-273, LM-276, QR-7, RS-53
dollar sign, double (\$\$)	
context character	QR-4, RS-23, RS-25, RS-27
special character	PM-132
Dollar_Msg enumeration	
Profile.Msg_Kind type	SJM-172
domain type	PT-9, PT-67, ST-25
Domain_Type generic formal type	
Concurrent_Map_Generic.Domain_Type	PT-13
Map_Generic.Domain_Type	PT-71
Donate_Tokens procedure	
!Commands.System_Maintenance'Spec_View.Units.Donate_Tokens specification	RS-277
Done function	
Concurrent_Map_Generic.Done	PT-14
Init procedure	PT-19
Iterator type	PT-24
Next procedure	PT-28
List_Generic.Done	PT-50
Init procedure	PT-54
Iterator type	PT-57
Next procedure	PT-61
Map_Generic.Done	PT-72
Init procedure	PT-77
Iterator type	PT-82
Next procedure	PT-86
Queue_Generic.Done	PT-99
Init procedure	PT-102
Iterator type	PT-106
Next procedure	PT-108
Set_Generic.Done	PT-115
Init procedure	PT-117
Iterator type	PT-121
Next procedure	PT-123
Stack_Generic.Done	PT-145
Init procedure	PT-149
Iterator type	PT-151
Next procedure	PT-153
String_Map_Generic.Done	ST-29
Init procedure	ST-33
Iterator type	ST-38
Next procedure	ST-42
String_Table.Done	ST-52
Init procedure	ST-56
Iterator type	ST-59
Next procedure	ST-62
System_Uilities.Done	SMU-245
Init procedure	SMU-259
Job_Iterator type	SMU-265
Session_Iterator type	SMU-289

Terminal_Iterator type	SMU-301
double dollar sign (\$\$)	
context character	QR-4, RS-23, RS-25, RS-27
special character	PM-132
double exclamation mark (!!)	
context character	QR-4, RS-23, RS-24
double question mark (??)	
recursive operation	LM-291
wildcard character	PM-129, QR-5, RS-29, RS-31
set notation	LM-136
Down procedure	
Editor.Cursor.Down	EI-17, EI-18
Editor.Image.Down	EI-25
Window_Scroll_Overlap session switch, described	SJM-359
Editor.Screen.Down	EI-53
drives, <i>see</i> disk; tape	
dump memory	
Debug.Memory_Display procedure	DEB-111
Dump procedure	
Editor.Screen.Dump	EI-51, EI-53
Screen_Dump_File session switch, described	SJM-355
File_Uilities.Dump	LM-268
duplicate, <i>see</i> Copy	
duration	
Calendar.Day_Duration subtype	PT-6
Duration type	
Standard.Duration	PT-161
Calendar.Time_Error exception	PT-7
Image function	PT-190
Interval type	PT-193
Time_Uilities.Duration	
Daemon.Schedule procedure	SMU-28
Duration_Until function	
Time_Uilities.Duration_Until	PT-185
Duration_Until_Next function	
Time_Uilities.Duration_Until_Next	PT-186
Daemon.Schedule procedure	SMU-28
Dx,Dy suboption	
printing bitmapped images	SMU-115
DY_MON_YR	
changing format of message prefixes	RS-62
Dy_Mon_Yr enumeration	
Profile.Log_Prefix type	SJM-169
dynamic objects, referencing	DEB-30

E

Echo procedure	
Io.Echo	TIO-26 – 29, TIO-31

Echo_Commands enumeration	
Debug.Option type	DEB-119
Echo_Line procedure	
Io.Echo_Line	TIO-32
[Edit] key	
Common.Edit procedure	EST-78, PM-136
Edit procedure	
Activity.Edit	PM-135, PM-150
Cmvc.Edit	PM-40, PM-241
Common.Edit	EST-9, EST-78 , PM-26, PM-27, PM-136
absolute state changes	LM-33
Activity.Change procedure	PM-142
Activity.Visit procedure	PM-174
Ada images	EST-13
changing source names	LM-375
changing values of switches	LM-414
command images	EST-48
commands from package Common for editing searchlists	SJM-307
demoting units	LM-33
editing libraries with	LM-298
editing links with	LM-377
editing searchlists	SJM-306
editing switch files	DEB-56, LM-424, SJM-328
menu images	EST-134
Redo procedure	EST-49
setting default remote-passwords file	SJM-279
summarized	LM-37
text images	EST-141
windows images	EST-157
Links.Edit	LM-392
viewing links	LM-373
Visit procedure	LM-407
Switches.Edit	LM-440
creating switch files	LM-413
Display procedure	LM-437
Edit_Session_Attributes procedure	LM-442
getting help on switches	LM-415
listing switches	LM-414
opening switch files for editing	LM-413
Visit procedure	LM-451
Work_Order.Edit	PM-383
edit session switches	
Switches.Edit procedure	LM-440
Switches.Edit_Session_Attributes procedure	LM-442
Edit_List procedure	
Work_Order.Edit_List	PM-384
Edit_Session_Attributes procedure	
Switches.Edit_Session_Attributes	LM-442
creating switch files	DEB-56, LM-413, SJM-328
Define procedure	LM-435
Display procedure	LM-437
Edit procedure	LM-440
editing switch files	DEB-56, SJM-328
getting help on switches	LM-415
listing switches	LM-414
obtaining help on switches	DEB-57, SJM-329

opening switch files for editing	LM-413
setting default remote-passwords file	SJM-279
Edit_Venture procedure	
Work_Order.Edit_Venture	PM-385
editing operations	EI-4
activities	PM-135, PM-150
bell	
Editor.Alert procedure	EI-10
case changing	
Editor.Char package	EI-11
characters	
Editor.Char package	EI-11
controlled objects	PM-26
cursor movement	
Editor.Cursor package	EI-17
do nothing	
Editor.Noop procedure	EI-10
edit text	EI-5
editor parameters	
Editor.Set package	EI-59
find images	
Editor.Image package	EI-25
hold stack	EI-5
Editor.Hold_Stack package	EI-21
insert lines	
Editor.Line package	EI-31
join lines	
Editor.Line package	EI-31
key bindings	
Editor.Key package	EI-27
keyboard macros	
Editor.Macro package	EI-37
keymap procedures	SJM-9
libraries	LM-298
lines and tabs	EI-5
links	LM-374
Editor.Char package	EI-11
Editor.Line package	EI-31
log off	
Editor.Quit procedure	EI-10
marks	
Editor.Mark package	EI-41
opening switch files for	LM-413
remote-passwords files	SJM-278
retrieve text	EI-5
Editor.Hold_Stack package	EI-21
screen management	
Editor.Screen package	EI-51
scroll images	
Editor.Image package	EI-25
search and replace	
Editor.Search package	EI-55
searchlists	SJM-306, SJM-307
select text	EI-6
Editor.Region package	EI-45
session switches for	SJM-331
State.Exports file	PM-58
switch files	DEB-56, LM-424, SJM-328

tabs	
Editor.Char package	EI-11
Editor.Set package	EI-59
ventures	PM-385, PM-417
window management	
Editor.Window package	EI-63
words	
Editor.Word package	EI-69
work orders	PM-403
work-order list	PM-384
editor, debugger interactions with	DEB-4
editor locks, ACLs and	LM-67
Editor package	
!Commands.Editor	EI-4, EI-9
specification	RS-183
Work_Order.Editor	PM-403
editor windows	
Window_Io package	DIO-79
EEDB (Environment Elaborator Database) interpreter	
Operator.Internal_System_Diagnosis procedure	SMU-93
Effort_Only option	
Archive.Restore procedure	LM-130
Archive.Save procedure	LM-129
summarized	LM-133
Effort_Only parameter	
controlling extent of compilation commands	LM-207
Elab_Order_Listing library switch	
R1000_Cg.Elabor_Order_Listing	
described	LM-47, LM-418
Elab_Order_Listing session switch	
Command_Cg.Elabor_Order_Listing	
described	SJM-344
elaboration order	
example of Ada-program semantics	LM-54
main-program semantics	LM-54
elapsed duration	
Time_Uilities.Duration_Until function	PT-185
Time_Uilities.Duration_Until_Next function	PT-186
Elapsed function	
System_Uilities.Elapsed	SMU-247
jobs	SMU-225
Element generic formal type	
List_Generic.Element	PT-51
Queue_Generic.Element	PT-100
Set_Generic.Element	PT-116
Stack_Generic.Element	PT-146
Table_Sort_Generic.Element	PT-171
Element_Array generic formal type	
Table_Sort_Generic.Element_Array	PT-172
Element_Cache	
argument for 'C (class) attribute (file subclasses)	QR-11, RS-43

Element_Count enumeration	
Debug.Numeric type	DEB-116
Element_Type generic formal type	
Direct_Io.Element_Type	DIO-13
Polymorphic_Sequential_Io.Operations.Element_Type	DIO-56
Sequential_Io.Element_Type	DIO-66
elements	DIO-7, PM-44
Elide procedure	
Common.Elide	EST-81 , PM-193
commands from package Common for Jobs procedure display	SJM-362
editing libraries with	LM-298
editing links with	LM-377
editing switches with	LM-424
levels of elision	LM-295
menu images	EST-134
structure of library images	LM-292
xref images	EST-162
Common.Object.Elide	PM-137
elision	
defined	LM-292
levels of	LM-295, LM-297
menu images	EST-131
xref images	EST-160
empty	
Concurrent_Map_Generic.Is_Empty function	PT-22
Concurrent_Map_Generic.Make_Empty procedure	PT-25
List_Generic.Is_Empty function	PT-56
Map_Generic.Is_Empty function	PT-80
Map_Generic.Make_Empty procedure	PT-83
Queue_Generic.Is_Empty function	PT-105
Queue_Generic.Make_Empty procedure	PT-107
Set_Generic.Is_Empty function	PT-119
Set_Generic.Make_Empty procedure	PT-122
Stack_Generic.Make_Empty procedure	PT-152
String_Map_Generic.Is_Empty function	ST-36
String_Map_Generic.Make_Empty procedure	ST-39
<i>see also</i> Is_Nil; Nil; Underflow	
Empty function	
Stack_Generic.Empty	PT-147
Empty_Stack constant	
Stack_Generic.Empty_Stack	PT-148
Make_Empty procedure	PT-152
emulator, terminal	SMU-228
Enable procedure	
Debug.Enable	DEB-89
Option type	DEB-118
options, numeric flags, and string flags	DEB-10
Job.Enable	SJM-42
Job.Disable procedure	SJM-38
stopping jobs	SJM-35
Queue.Enable	SMU-134
Remove procedure	SMU-151
Scheduler.Enable	SMU-170
Disable procedure	SMU-166
key concepts for Scheduler package	SMU-156

Enable_Deallocation library switch	
R1000_Cg.Enable_Deallocation	
compiler optimization	LM-49
described	LM-418
Unchecked_Deallocation generic procedure	PT-241
Enable_Deallocation pragma	
Enable_Deallocation library switch	LM-50
Unchecked_Deallocation generic procedure	PT-241, PT-242
Unchecked_Deallocation.Unchecked_Deallocation procedure	PT-247
Enable_Deallocation session switch	
Command_Cg.Enable_Deallocation	
described	SJM-344
Enable_Privileges option	
overriding access requirements	LM-147
summarized	LM-133
Enable_Privileges procedure	
Operator.Enable_Privileges	SMU-80
access control	LM-66
overriding access requirements	LM-147
Privileged group	SMU-51
Program.Change_Identity procedure	SJM-233
Enable_Terminal procedure	
Operator.Enable_Terminal	SMU-81
enabling and disabling port login	SMU-334
System_Uilities.Enabled function	SMU-248
System_Uilities.Login_Disabled function	SMU-271
Terminal.Set_Login_Disabled procedure	SMU-352
Enabled function	
Scheduler.Enabled	SMU-171
System_Uilities.Enabled	SMU-248
terminal ports	SMU-227
enabling port login	SMU-334
enclosing	
library	PM-131
object	PM-131
world	PM-132
[Enclosing] key	
Common.Enclosing procedure	EST-83
[Enclosing In Place] key	
Common.Enclosing procedure	EST-83
[Enclosing Library] key	
Common.Enclosing procedure	EST-83
Enclosing procedure	
Common.Enclosing	EST-83
Ada images	EST-14
command images	EST-48
commands from package Common for debugger	DEB-64
described	DEB-5
editing libraries with	LM-298
editing links with	LM-377
editing switches with	LM-424
text images	EST-141

Reference Summary (RS)

xref images	EST-163
Enclosing_Subsystem procedure	
Activity.Enclosing_Subsystem	PM-151
Enclosing_View procedure	
Activity.Enclosing_View	PM-152
Enclosing_World procedure	
Library.Enclosing_World	LM-329
name resolution	LM-288
encrypting passwords	SJM-278
Encryption_Method parameter	
encrypting passwords	SJM-278
Encryption_Method type	
Remote_Passwords.Encryption_Method	SJM-291
end, <i>see</i> Quit	
[End of Input] key	
Text.End_Of_Input procedure	EST-149
end-of-file terminator	DIO-6, TIO-5
End_Error exception	
Direct_Io generic package	
Read procedure	DIO-24
Io package	
Get procedure	TIO-41 – 49
Get_Line procedure	TIO-50, TIO-52
Set_Col procedure	TIO-86
Set_Line procedure	TIO-92
Skip_Line procedure	TIO-97
Skip_Page procedure	TIO-98
Io.Enumeration_Io generic package	
Get procedure	TIO-113
Io.Fixed_Io generic package	
Get procedure	TIO-124
Io.Float_Io generic package	
Get procedure	TIO-136
Io.Integer_Io generic package	
Get procedure	TIO-147
Io_Exceptions package	
Text.End_Of_Input procedure	EST-149
Io_Exceptions.End_Error	DIO-32, TIO-158
Polymorphic_Sequential_Io.Operations package	
Read procedure	DIO-57
Sequential_Io package	
Read procedure	DIO-76
Text_Io package	
Get procedure	TIO-181, TIO-182
Get_Line procedure	TIO-184
Set_Col procedure	TIO-204
Set_Line procedure	TIO-207
Skip_Line procedure	TIO-211
Skip_Page procedure	TIO-212
Text_Io.Enumeration_Io generic package	
Get procedure	TIO-221
Text_Io.Fixed_Io generic package	
Get procedure	TIO-232
Text_Io.Float_Io generic package	

Get procedure	TIO-244
Text_Io.Integer_Io generic package	
Get procedure	TIO-255
End_Of procedure	
Editor.Image.End_Of	EI-25, EI-26
Editor.Line.End_Of	EI-31, EI-33
Editor.Region.End_Of	EI-46
Editor.Window.End_Of	EI-64, EI-66
Editor.Word.End_Of	EI-71
End_Of_File function	
Direct_Io.End_Of_File	DIO-14
Io.End_Of_File	TIO-33
Polymorphic_Sequential_Io.End_Of_File	DIO-45
Sequential_Io.End_Of_File	DIO-67
Text_Io.End_Of_File	TIO-174
Window_Io.End_Of_File	DIO-118
End_Of_Input procedure	
Text.End_Of_Input	EST-149
End_Of_Line function	
Io.End_Of_Line	TIO-34
Text_Io.End_Of_Line	TIO-175
Window_Io.End_Of_Line	DIO-119
End_Of_Page function	
Io.End_Of_Page	TIO-35
Text_Io.End_Of_Page	TIO-176
End_Rendezvous enumeration	
Debug.Stop_Event type	DEB-157
enter	
Common.Commit procedure	EST-65
[Enter] key	
Common.Commit procedure	EST-65
Enter Session Name: prompt	
sessions	SJM-4
entering	
commands in command window	DEB-7
cross-library link	
Links.Add procedure	LM-379
debugger commands	DEB-6
entries, column	
Table_Formatter.Adjust type	ST-93
Enum generic formal type	
Io.Enumeration_Io.Enum	TIO-112
Get procedure	TIO-113, TIO-114
Text_Io.Enumeration_Io.Enum	TIO-220
Get procedure	TIO-221, TIO-222
enumeration literals	
Io.Lower_Case constant	TIO-57
Io.Type_Set subtype	TIO-102
Io.Upper_Case constant	TIO-104
Text_Io.Type_Set type	TIO-215
enumeration value	
read from file	

Io.Enumeration_Io.Get procedure	TIO-113
Text_Io.Enumeration_Io.Get procedure	TIO-221
read from string	
Io.Enumeration_Io.Get procedure	TIO-114
Text_Io.Enumeration_Io.Get procedure	TIO-222
write to file	
Io.Enumeration_Io.Put procedure	TIO-115
Text_Io.Enumeration_Io.Put procedure	TIO-223
write to string	
Io.Enumeration_Io.Put procedure	TIO-117
Text_Io.Enumeration_Io.Put procedure	TIO-225
Enumeration_Io generic package	
Io.Enumeration_Io	TIO-109
Text_Io.Enumeration_Io	TIO-217
enumerations	
Activity.Creation_Mode	
Differential	PM-146, PM-148
Exact_Copy	PM-146, PM-148
Value_Copy	PM-146, PM-148
Check.Status	
Compatible	PM-179
Error	PM-179
Incompatible	PM-179
Cmvc.System_Object_Enum	
Combined_Subsystem	PM-324
Spec_Load_Subsystem	PM-324
System	PM-324
Compilation.Promote_Scope	
All_Parts enumeration	LM-245
Load_Views enumeration	LM-246
Single_Unit enumeration	LM-245
Subunits_Too enumeration	LM-245
Unit_Only enumeration	LM-245
Compilation.Unit_State	
Archived enumeration	LM-254
Coded enumeration	LM-254
Installed enumeration	LM-255
Source enumeration	LM-255
Daemon.Condition_Class	
Fatal enumeration	SMU-11
Normal enumeration	SMU-11
Problem enumeration	SMU-11
Warning enumeration	SMU-11
Daemon.Log_Threshold	
Commit_Disk enumeration	SMU-21
Console_Print enumeration	SMU-21
Log_To_Disk enumeration	SMU-21
Debug.Context_Type	
Control enumeration	DEB-81
Evaluation enumeration	DEB-81
Debug.Information_Type	
Exceptions enumeration	DEB-107
Rendezvous enumeration	DEB-107
Space enumeration	DEB-107
Debug.Numeric	
Display_Count enumeration	DEB-116
Display_Level enumeration	DEB-116
Element_Count enumeration	DEB-116

First_Element enumeration	DEB-116
History_Count enumeration	DEB-116
History_Entries enumeration	DEB-117
History_Start enumeration	DEB-117
Memory_Count enumeration	DEB-117
Pointer_Level	DEB-117
Stack_Count enumeration	DEB-117
Stack_Start enumeration	DEB-117
Debug.Option	
Addresses enumeration	DEB-118
Break_At_Creation enumeration	DEB-118
Declaration_Display enumeration	DEB-118
Delete_Temporary_Breaks enumeration	DEB-119
Display_Creation enumeration	DEB-119
Echo_Commands enumeration	DEB-119
Freeze_Tasks enumeration	DEB-119
Include_Packages enumeration	DEB-119
Interpret_Control_Words enumeration	DEB-119
Kill_Old_Jobs enumeration	DEB-119
Machine_Level enumeration	DEB-119
No_History_Timestamps enumeration	DEB-119
Optimize_Generic_History enumeration	DEB-119
Permanent_Breakpoints enumeration	DEB-119
Put_Locals enumeration	DEB-120
Qualify_Stack_Names enumeration	DEB-120
Require_Debug_Off enumeration	DEB-120
Save_Exceptions enumeration	DEB-120
Show_Location enumeration	DEB-120
Timestamps enumeration	DEB-120
Debug.State_Type	
All_State enumeration	DEB-153
Breakpoints enumeration	DEB-153
Contexts enumeration	DEB-153
Exceptions enumeration	DEB-153
Flags enumeration	DEB-153
Histories enumeration	DEB-153
Libraries enumeration	DEB-153
Special_Types enumeration	DEB-153
Steps enumeration	DEB-153
Stops_And_Holds enumeration	DEB-154
Traces enumeration	DEB-154
Debug.Stop_Event	
About_To_Return enumeration	DEB-157
Begin_Rendezvous enumeration	DEB-157
End_Rendezvous enumeration	DEB-157
Local_Statement enumeration	DEB-157
Machine_Instruction enumeration	DEB-157
Procedure_Entry enumeration	DEB-157
Returned enumeration	DEB-158
Statement enumeration	DEB-158
Debug.Task_Category	
All_Tasks enumeration	DEB-162
Blocked enumeration	DEB-162
Held enumeration	DEB-162
Not_Running enumeration	DEB-162
Running enumeration	DEB-162
Stopped enumeration	DEB-162
Debug.Trace_Event	
All_Events enumeration	DEB-170

Call enumeration	DEB-170
Exception_Raised enumeration	DEB-170
Machine_Instruction enumeration	DEB-170
Propagate_Exception enumeration	DEB-170
Rendezvous enumeration	DEB-170
Statement enumeration	DEB-170
Library.Field	
Class enumeration	LM-333
Create_Time enumeration	LM-333
Creator enumeration	LM-333
Declaration enumeration	LM-333
Frozen enumeration	LM-333
Object enumeration	LM-333
Read_Time enumeration	LM-333
Reader enumeration	LM-333
Retain enumeration	LM-333
Size enumeration	LM-334
Status enumeration	LM-334
Subclass enumeration	LM-334
Update_Time enumeration	LM-334
Updater enumeration	LM-334
Version enumeration	LM-334
Library.Kind	
Directory enumeration	LM-340
Subpackage enumeration	LM-340
World enumeration	LM-340
Profile.Error_Reaction	
Persevere enumeration	SJM-154
Propagate enumeration	SJM-154
Quit enumeration	SJM-154
Raise_Error enumeration	SJM-154
Profile.Log_Output_File	
Use_Error enumeration	SJM-168
Use_Output enumeration	SJM-168, SJM-200, SJM-212
Use_Standard_Error enumeration	SJM-168, SJM-200, SJM-212
Use_Standard_Output enumeration	SJM-168, SJM-200, SJM-212
Profile.Log_Prefix	
Date enumeration	SJM-169
Dy_Mon_Yr enumeration	SJM-169
Hr_Mn enumeration	SJM-169
Hr_Mn_Sc enumeration	SJM-169
Mn_Dy_Yr enumeration	SJM-169
Nil enumeration	SJM-169
Symbols enumeration	SJM-169
Time enumeration	SJM-169
Yr_Mn_Dy enumeration	SJM-169
Profile.Msg_Kind	
At_Msg enumeration	SJM-172
Auxiliary_Msg enumeration	SJM-172
Debug_Msg enumeration	SJM-172
Dollar_Msg enumeration	SJM-172
Error_Msg enumeration	SJM-172
Exception_Msg enumeration	SJM-172
Negative_Msg enumeration	SJM-173
Note_Msg enumeration	SJM-173
Position_Msg enumeration	SJM-173
Positive_Msg enumeration	SJM-173
Sharp_Msg enumeration	SJM-173
Warning_Msg enumeration	SJM-173

Scheduler.Job_Kind	
Attached enumeration	SMU-187
Ce enumeration	SMU-187
Detached enumeration	SMU-187
Oe enumeration	SMU-187
Server enumeration	SMU-187
Terminated enumeration	SMU-188
Scheduler.Job_State	
Disabled enumeration	SMU-189
Idle enumeration	SMU-189
Queued enumeration	SMU-189
Run enumeration	SMU-189
Wait enumeration	SMU-189
Simple_Status.Condition_Class	
Fatal enumeration	PT-130
Normal enumeration	PT-130
Problem enumeration	PT-130
Warning enumeration	PT-130
System_Backup.Kind	
Full enumeration	SMU-219
Primary enumeration	SMU-219
Secondary enumeration	SMU-219
System_Uilities.Parity_Kind	
Even enumeration	SMU-280
None enumeration	SMU-280
Odd enumeration	SMU-280
Table_Formatter.Adjust	
Centered enumeration	ST-93
Left enumeration	ST-93
Right enumeration	ST-93
Text.Image_Kind	
File enumeration	EST-150
Input_Output enumeration	EST-150
Time_Uilities.Date_Format	
Ada enumeration	PT-180
Day_Month_Year enumeration	PT-180
Expanded enumeration	PT-180
Month_Day_Year enumeration	PT-180
Year_Month_Day enumeration	PT-180
Time_Uilities.Image_Contents	
Both enumeration	PT-192
Date_Only enumeration	PT-192
Time_Only enumeration	PT-192
Time_Uilities.Time_Format	
Ada enumeration	PT-204
Expanded enumeration	PT-204
Military enumeration	PT-204
Short enumeration	PT-204
Window_Io.Designation	
Prompt enumeration	DIO-116
Protected enumeration	DIO-116
Text enumeration	DIO-116
Window_Io.File_Mode	
In_File enumeration	DIO-120
Out_File enumeration	DIO-120
Work_Order.Venture_Policy_Switch	
Allow_Edit_Of_Work_Orders	PM-370, PM-400
Journal_Comment_Lines	PM-400
Require_Comment_Lines	PM-400

Reference Summary (RS)

Require_Comments_At_Check_In	PM-400
Require_Current_Work_Order	PM-401
Environment, name resolution and	RS-21
Environment commands, response profiles and	SJM-118
Environment Elaborator Database (EEDB)	SMU-93
Environment objects, referencing	RS-14
Environment output window	
Message.Send procedure	SMU-46
Message.Send_All procedure	SMU-47
Environment-defined response profiles	SJM-115
Environment_Wsl scheduler parameter	
memory scheduling	SMU-163
EOF, <i>see</i> End_Error; End_Of_File	
EOL, <i>see</i> End_Of_Line	
Epilog suboption	
printing bitmapped images	SMU-115
equal	
Io.= function	TIO-9
Equal function	
File_Uilities.Equal	LM-270
key concepts for package File_Uilities	LM-257
literal string matching	LM-257
pattern matching	LM-258
Simple_Status.Equal	PT-135
String_Table.Equal	ST-53
String_Uilities.Equal	ST-72
error	
Access_List_Tools.Access_Tools_Error exception	LM-91
Calendar.Time_Error exception	PT-7
Io.Current_Error function	TIO-22
Io.Note_Error generic formal procedure	TIO-106
Io.Pop_Error procedure	TIO-68
Io.Reset_Error procedure	TIO-81
Io.Set_Error procedure	TIO-87
Io.Standard_Error function	TIO-99
Io_Exceptions.Data_Error exception	
Input_Syntax_Error	DIO-30, TIO-156
Input_Value_Error	DIO-30, TIO-156
Output_Type_Error	DIO-30, TIO-156
Output_Value_Error	DIO-30, TIO-156
Io_Exceptions.Device_Error exception	
Device_Data_Error	DIO-31, TIO-157
Illegal_Heap_Access_Error	DIO-31, TIO-157
Illegal_Reference_Error	DIO-31, TIO-157
Page_Nonexistent_Error	DIO-31, TIO-157
Write_To_Read_Only_Page_Error	DIO-31, TIO-157
Io_Exceptions.Layout_Error exception	
Column_Error	DIO-33, TIO-159
Illegal_Position_Error	DIO-33, TIO-159
Item_Length_Error	DIO-33, TIO-159
Io_Exceptions.Mode_Error exception	
Illegal_Operation_On_Infile	DIO-34, TIO-160

Illegal_Operation_On_Outfile	DIO-34, TIO-160
Io_Exceptions.Name_Error exception	
Ambiguous_Name_Error	DIO-35, TIO-161
Illformed_Name_Error	DIO-35, TIO-161
Nonexistent_Directory_Error	DIO-35, TIO-161
Nonexistent_Object_Error	DIO-35, TIO-161
Nonexistent_Version_Error	DIO-35, TIO-161
Io_Exceptions.Status_Error exception	
Already_Open_Error	DIO-36, TIO-162
Not_Open_Error	DIO-36, TIO-162
Io_Exceptions.Use_Error exception	
Access_Error	DIO-37, TIO-163
Capacity_Error	DIO-37, TIO-163
Check_Out_Error	DIO-37, TIO-163
Class_Error	DIO-37, TIO-163
Frozen_Error	DIO-37, TIO-163
Line_Page_Length_Error	DIO-37, TIO-163
Lock_Error	DIO-37, TIO-163
Reset_Error	DIO-37, TIO-163
Unsupported_Error	DIO-37, TIO-163
Log.Filter_Errors renamed procedure	SJM-70
Log.Pop_Error renamed procedure	SJM-76
Standard.Constraint_Error exception	PT-161
Standard.Numeric_Error exception	PT-161
Standard.Program_Error exception	PT-161
Standard.Storage_Error exception	PT-161
Standard.Tasking_Error exception	PT-161
System.Assertion_Error exception	PT-164
System.Capability_Error exception	PT-164
System.Tape_Error exception	PT-167
<i>see also</i> Bell; Constraint_Error exception; errors; Numeric_Error exception;	
Storage_Error exception; Unknown_Key	
error condition, severity	
Simple_Status.Condition_Class type	PT-130
Error enumeration	
Check.Status	PM-179
Error exception	
Profile.Error	SJM-152
Error_Reaction type	SJM-154
Tape.Error	SMU-318
error file	DIO-3
current	
Io.Current_Error function	TIO-22
Io.Pop_Error procedure	TIO-68
Io.Reset_Error procedure	TIO-81
Io.Set_Error procedure	TIO-87
Log.Pop_Error renamed procedure	SJM-76
Log.Reset_Error renamed procedure	SJM-93
Log.Set_Error renamed procedure	SJM-98
standard	TIO-3
Io.Standard_Error function	TIO-99
Error function	
Simple_Status.Error	PT-136
Condition subtype	SJM-235
error log	
stable-storage	SMU-5

error message	
Simple_Status.Message function	PT-140
error message handling	
Simple_Status package	PT-127
error messages (***)	
filtering messages	RS-59, RS-61
error name	
Simple_Status.Name function	PT-141
Error option	
Standard_Input, Standard_Output, and Standard_Error	SJM-231
error reaction response characteristic	DIO-6, PM-128, TIO-6
described	SJM-20, SJM-115
setting	RS-60, SJM-25
Error renamed exception	
Library.Error	LM-330
error reporting	LM-40
error severity	
Simple_Status.Severity function	PT-142
Error_Log client	SMU-4
Error_Logs file	
operator capability	SMU-52
Error_Msg enumeration	
Profile.Msg_Kind type	SJM-172
Error_Name function	
System_Uilities.Error_Name	SMU-249
names	SMU-230
sessions	SMU-224
Error_Reaction type	
Profile.Error_Reaction	SJM-154
Profile.Reaction function	SJM-184
Profile.Set_Default_Reaction procedure	SJM-203
Profile.Set_Reaction procedure	SJM-215
Reaction session switch, described	SJM-354
Error_Summary procedure	
!Tools.System_Availability'Spec_View.Units.Reports.Error_Summary specification	RS-650
Error_Summary_Server procedure	
!Tools.System_Availability'Spec_View.Units.Reports.Error_Summary_Server specification	RS-651
Error_Type function	
Simple_Status.Error_Type	PT-138
<ERRORS>	
described	SJM-117
special value for filtering messages	QR-14
special value for special-purpose response profiles	RS-58
errors	
minor	LM-48
reacting to	RS-59
underlined	LM-40
<i>see also</i> error	

Errors constant	
Profile.Errors	SJM-153
Escape session switch	
Telnet.Escape	
described	SJM-344
Escape_On_Break session switch	
Telnet.Escape_On_Break	
described	SJM-344
Eval function	
Concurrent_Map_Generic.Eval	PT-15
Map_Generic.Eval	PT-73
String_Map_Generic.Eval	ST-30
evaluation context	
Debug.Context procedure	DEB-78
defined	DEB-21, DEB-46
Evaluation enumeration	
Debug.Context_Type type	DEB-81
Even enumeration	
System_Uilities.Parity_Kind type	SMU-280
event	
Debug.Stop_Event type	DEB-157
Debug.Trace_Event type	DEB-170
Exact_Copy enumeration	
Activity.Creation_Mode	PM-146
Activity.Display procedure	PM-148
examine, <i>see</i> Put	
Examine_Labels procedure	
Tape.Examine_Labels	SMU-319
processing ANSI-labeled tapes	SMU-314
exception information requests	DEB-49
exception messages (%%%)	
filtering messages	RS-59, RS-61
exception trapping	DEB-49
defined	DEB-49
Exception_Msg enumeration	
Profile.Msg_Kind type	SJM-172
Exception_Name subtype	
Debug.Exception_Name	DEB-90
Exception_Raised enumeration	
Debug.Trace_Event type	DEB-170
Exception_To_Name procedure	
Debug.Exception_To_Name	DEB-93
Debug_Tools.Get_Exception_Name function	DEB-185
Debug_Tools.Get_Raise_Location function	DEB-187
example of use	DEB-186, DEB-188
exceptions	DIO-6, TIO-6
Access_List_Tools package	
Access_Tools_Error exception	LM-91
Calendar package	

Time_Error exception	PT-7
catching	DEB-49
Concurrent_Map_Generic generic package	
Multiply_Defined exception	PT-27
Undefined exception	PT-34
Debug package	
Constraint_Error exception	DEB-90
Numeric_Error exception	DEB-90
Program_Error exception	DEB-90
Storage_Error exception	DEB-90
Tasking_Error exception	DEB-90
handling	DEB-63
inevitable	LM-48
Io_Exceptions package	
Data_Error exception	DIO-30, TIO-156
Device_Error exception	DIO-31, TIO-157
End_Error exception	DIO-32, EST-149, TIO-158
Layout_Error exception	DIO-33, TIO-159
Mode_Error exception	DIO-34, TIO-160
Name_Error exception	DIO-35, TIO-161
Status_Error exception	DIO-36, TIO-162
Use_Error exception	DIO-37, TIO-163
Library package	
Error renamed exception	LM-330
location	
Debug_Tools.Get_Raise_Location function	DEB-187
Map_Generic generic package	
Multiply_Defined exception	PT-85
Undefined exception	PT-92
name	
Debug_Tools.Get_Exception_Name function	DEB-185
package Profile	
Error exception	SJM-152
raise	
Profile.Raise_Exception renamed function	SJM-182
Stack_Generic generic package	
Underflow exception	PT-158
Standard package	
Constraint_Error exception	PT-161
Numeric_Error exception	PT-161
Program_Error exception	PT-161
Storage_Error exception	PT-161
Tasking_Error exception	PT-161
String_Map_Generic generic package	
Multiply_Defined exception	ST-41
Undefined exception	ST-47
String_Table package	
Table_Full exception	ST-65
System package	
Assertion_Error exception	PT-164
Capability_Error exception	PT-164
Tape_Error exception	PT-167
Tape package	
Error exception	SMU-318
Window_Io.Raw package	
Unknown_Key exception	DIO-187
<i>see also specific exception</i>	
Exceptions enumeration	
Debug.Information_Type type	DEB-107

- Debug.State_Type type DEB-153
- exchange, *see* Replace
- exclamation mark (!)
 - context character QR-4, RS-23, RS-24
 - pathnames for library objects LM-3
 - root world LM-3
 - special character PM-131
- excluding properties RS-39
- Executable_Code
 - argument for 'C (class) attribute (file subclasses) QR-11, RS-43
- [Execute] key
 - controlling program execution DEB-9
- Execute procedure
 - Debug.Execute **DEB-94**
 - Context procedure DEB-77
 - controlling program execution DEB-9
 - Hold procedure DEB-104
 - task control commands DEB-39, DEB-40
 - task states DEB-39
 - Debug_Tools.Execute
 - programmatic access to debugger facilities DEB-11
 - Editor.Macro.Execute EI-7, EI-37, **EI-38**
 - building macros SJM-8
- executing
 - commands LM-68
 - main programs LM-53
 - procedures LM-55
- execution
 - access rights LM-68
 - program execution DEB-9
 - setup for compiling multiple subsystems PM-51
 - state messages DEB-163
 - using Main pragma in subsystems LM-60
- execution rights, defined LM-68
- Existing_Objects option
 - Archive.Restore procedure LM-130
 - summarized LM-133
- Expand procedure
 - Common.Expand **EST-85**, PM-190, PM-193
 - commands from package Common for Jobs procedure display SJM-362
 - editing libraries with LM-298
 - editing links with LM-377
 - editing switches with LM-424
 - levels of elision LM-295
 - menu images EST-134
 - setting up default level of elision LM-296
 - structure of library images LM-292
 - What.Jobs procedure SJM-368
 - xref images EST-163
 - Common.Object.Expand PM-137
 - Editor.Window.Expand EI-64, **EI-66**
- expand window size
 - Editor.Window.Expand procedure EI-66

Editor.Window.Join procedure	EI-66
Expand_Activity procedure	
Cmvc_Hierarchy.Expand_Activity	PM-334
Expanded enumeration	
Time_Uilities.Date_Format type	PT-180
Time_Uilities.Time_Format type	PT-204
expanded generation image	PM-29
Expanded parameter	
saving macros	SJM-9
expanding	
compilation context	LM-44
library display	LM-295
expansion	
menu images	EST-131
xref images	EST-160
expired passwords	SMU-56
[Explain] key	
Common.Explain procedure	EST-87
Explain procedure	
Common.Explain	EST-87 , PM-192
Ada images	EST-14
command images	EST-48
commands from package Common for use in help windows	SJM-361
editing libraries with	LM-298
editing links with	LM-377
editing switches with	LM-424
getting help on switches	LM-415
help	EST-126
miscellaneous level of detail	LM-293
obtaining help on switches	DEB-57, SJM-329
removing links	LM-376
standard level of detail	LM-293
structure of library images	LM-292
What.Jobs procedure	SJM-368
xref images	EST-163
Common.Object.Explain	PM-137
Explain_Crash procedure	
Operator.Explain_Crash	SMU-83
explicit dependencies between Ada units, described	LM-20
explicitly held tasks, defined	DEB-40
explicitly stopped tasks, defined	DEB-39, DEB-40
exponent	
Io.Fixed_Io.Default_Exp constant	TIO-121
Io.Float_Io.Default_Exp constant	TIO-133
Text_Io.Fixed_Io.Default_Exp constant	TIO-229
Text_Io.Float_Io.Default_Exp constant	TIO-241
export restriction files	PM-22, PM-247
creating	PM-70
name resolution	PM-72
export restrictions	PM-56, PM-69

exports	PM-10, PM-51, PM-275
changing private parts	PM-87
defined	LM-28, PM-54
[expression] prompt	
partially complete units	LM-16, LM-17
expressions	
naming	LM-137, QR-7, RS-51
regular	RS-52
expunge, defined	LM-9, LM-206, LM-289
Expunge procedure	
Library.Expunge	LM-331
ACLs	LM-67
Delete renamed procedure	LM-324
Links.Expunge	LM-393
removing links	LM-376
Expunge_Database procedure	
Cmvc_Maintenance.Expunge_Database	PM-50, PM-350
Cmvc.Make_Uncontrolled procedure	PM-285
External	
argument for 'L (link) attribute	QR-9, RS-46
External constant	
Links.External	LM-394
external links, defined	LM-371
Extract function	
Bounded_String.Extract	ST-8
Unbounded_String.Extract	ST-111

F

facilities	
debugger	DEB-1, DEB-11
history	DEB-54
tracing	DEB-53
Faint character attribute	DIO-102
Fancy option	
PostScript printing	SMU-116
printing Ada source code	SMU-114
Fatal enumeration	
Daemon.Condition_Class type	SMU-11
Simple_Status.Condition_Class type	PT-130
fetch part of, <i>see</i> Extract	
Field subtype	
Io.Field	TIO-36
Echo procedure	TIO-28
Io.Integer_Io generic package	TIO-143
Put procedure	TIO-74
Text_Io.Field	TIO-177
Text_Io.Integer_Io generic package	TIO-251
Field type	
Library.Field	LM-333

Field_List type	
Table_Formatter.Field_List	ST-95
fields	
Library.All_Fields constant	LM-304
Fields type	
Library.Fields	LM-335
FIFO	
Queue_Generic generic package	PT-95
Queue_Generic.Queue type	PT-109
File	
argument for 'C (class) attribute (object classes)	QR-9, RS-41
client	SMU-12, SMU-15, SMU-22, SMU-30
object manager	SMU-60
file	DIO-1, TIO-1
access classes	
Access_List.Read constant	LM-80
Access_List.Write constant	LM-87
Access_List_Tools.Read constant	LM-119
Access_List_Tools.Write constant	LM-125
access rights	LM-65
append	
File_Uilities.Append procedure	LM-260
association	
Direct_Io.Close procedure	DIO-8
Io.Close procedure	TIO-14
Polymorphic_Sequential_Io.Close procedure	DIO-41
Sequential_Io.Close procedure	DIO-62
Text_Io.Close procedure	TIO-166
Window_Io.Close procedure	DIO-107
comparison	LM-7
File_Uilities.Compare procedure	LM-261
compilation	
Compilation.Compile procedure	LM-220
create binary	
Direct_Io.Create procedure	DIO-10
Polymorphic_Sequential_Io.Create procedure	DIO-42
Sequential_Io.Create procedure	DIO-63
create text	
Io.Create procedure	TIO-20
Text.Create procedure	EST-148
Text_Io.Create procedure	TIO-169
current default error	
Io.Current_Error function	TIO-22
current default input	
Io.Current_Input function	TIO-23
Text_Io.Current_Input function	TIO-171
current default output	
Io.Current_Output function	TIO-24
Text_Io.Current_Output function	TIO-172
current output	
File_Uilities.Current_Output constant	LM-264
default	
Switches.Default_File constant	LM-434
delete	
Direct_Io.Delete procedure	DIO-12
Io.Delete procedure	TIO-25

Polymorphic_Sequential_Io.Delete procedure	DIO-44
Sequential_Io.Delete procedure	DIO-65
Text_Io.Delete procedure	TIO-173
difference	
File_Uilities.Difference procedure	LM-265
end of	
Direct_Io.End_Of_File function	DIO-14
Io.End_Of_File function	TIO-33
Polymorphic_Sequential_Io.End_Of_File function	DIO-45
Sequential_Io.End_Of_File function	DIO-67
Text_Io.End_Of_File function	TIO-174
Window_Io.End_Of_File function	DIO-118
force characters to	
Io.Flush procedure	TIO-39
handle	DIO-4, DIO-79, TIO-4
get, <i>see</i> open	
Io package	TIO-7
Io.File_Type type	TIO-38
hexadecimal dump	
File_Uilities.Dump procedure	LM-268
identical	
File_Uilities.Equal function	LM-270
in	
Io.In_File constant	TIO-53
index	
Direct_Io package	DIO-7
indirect	LM-137, LM-138, PM-132, PM-133, QR-6, RS-14, RS-34, RS-35
length	
Direct_Io.Size function	DIO-27
log	LM-40, SJM-30
merging	LM-7
name	DIO-5, TIO-4
Direct_Io.Name function	DIO-21
Io.Name function	TIO-59
Polymorphic_Sequential_Io.Name function	DIO-51
Sequential_Io.Name function	DIO-73
System_Uilities.Error_Name function	SMU-249
System_Uilities.Input_Name function	SMU-262
System_Uilities.Output_Name function	SMU-277
Text_Io.Name function	TIO-189
null filename	
Direct_Io.Create procedure	DIO-10
organization	DIO-7
out	
Io.Out_File constant	TIO-65
overwrite capacity	
Direct_Io.Write procedure	DIO-28
pointer	
Direct_Io.Set_Index procedure	DIO-26
position	
Direct_Io.Set_Index procedure	DIO-26
processing multiple files	
Io.Wildcard_Iterator generic procedure	TIO-105
read, <i>see also</i> Get; Get_Line	
read Boolean value from	
Io.Get procedure	TIO-49
read character from	
Io.Get procedure	TIO-41
Text_Io.Get procedure	TIO-181

read enumeration value from		
Io.Enumeration_Io.Get procedure		TIO-113
Text_Io.Enumeration_Io.Get procedure		TIO-221
read fixed-point value from		
Io.Fixed_Io.Get procedure		TIO-123
Text_Io.Fixed_Io.Get procedure		TIO-231
read floating-point value from		
Io.Float_Io.Get procedure		TIO-135
Io.Get procedure		TIO-47
Text_Io.Float_Io.Get procedure		TIO-243
read integer value from		
Io.Get procedure		TIO-45
Io.Integer_Io.Get procedure		TIO-146
Text_Io.Integer_Io.Get procedure		TIO-254
read line from		
Io.Get procedure		TIO-43
read remaining characters except terminator		
Io.Get_Line function		TIO-50
read string from		
Io.Get procedure		TIO-42
Text_Io.Get procedure		TIO-182
read string from single line except terminator		
Io.Get_Line procedure		TIO-51
Text_Io.Get_Line procedure		TIO-183
read, with different types of data		
Polymorphic_Sequential_Io package		DIO-39
read-only access		
Direct_Io.File_Mode type		DIO-15
Io.File_Mode subtype		TIO-37
Polymorphic_Sequential_Io.File_Mode type		DIO-46
Sequential_Io.File_Mode type		DIO-68
Text_Io.File_Mode type		TIO-178
read/write access		
Direct_Io.File_Mode type		DIO-15
remote-information		RS-63
remote-passwords		LM-148, SJM-275, SJM-276
safe type		DIO-4
Direct_Io package		DIO-7
Polymorphic_Sequential_Io package		DIO-39
Sequential_Io package		DIO-61
size		
Direct_Io.End_Of_File function		DIO-14
Direct_Io.Size function		DIO-27
stack		TIO-8
Io package		TIO-7
Io.Pop_Error procedure		TIO-68
Io.Pop_Input procedure		TIO-69
Io.Pop_Output procedure		TIO-70
Io.Reset_Error procedure		TIO-81
Io.Reset_Input procedure		TIO-82
Io.Reset_Output procedure		TIO-83
Io.Set_Error procedure		TIO-87
Io.Set_Input procedure		TIO-89
Io.Set_Output procedure		TIO-94
standard error		TIO-7
Io.Standard_Error function		TIO-99
System_Uilities.Error_Name function		SMU-249
standard input		TIO-3, TIO-7
Io.Standard_Input function		TIO-100

System_Uilities.Input_Name function	SMU-262
Text_Io.Standard_Input function	TIO-213
standard output	TIO-3, TIO-7
Io.Standard_Output function	TIO-101
System_Uilities.Output_Name function	SMU-277
Text_Io.Standard_Output function	TIO-214
storage	DIO-2, TIO-2
subclasses, arguments for	QR-II, RS-43
switch	DEB-55 – 57, LM-410, LM-412, LM-414, SJM-327, SJM-328
temporary	
Direct_Io.Create procedure	DIO-10
Polymorphic_Sequential_Io.Create procedure	DIO-42
Sequential_Io.Create procedure	DIO-63
text	LM-212, TIO-7
trace	
Debug.Trace_To_File procedure	DEB-171
transfers, switches for	LM-416
wildcards	
Io.Wildcard_Iterator generic procedure	TIO-105
write, <i>see also</i> Put, Put_Line	
write Boolean value to	
Io.Put procedure	TIO-78
write character to	
Io.Put procedure	TIO-72
Io.Text_Io.Put procedure	TIO-198
write enumeration value to	
Io.Enumeration_Io.Put procedure	TIO-115
Text_Io.Enumeration_Io.Put procedure	TIO-223
write fixed-point value to	
Io.Fixed_Io.Put procedure	TIO-127
Text_Io.Fixed_Io.Put procedure	TIO-235
write floating-point value to	
Io.Float_Io.Put procedure	TIO-139
Io.Put procedure	TIO-76
Text_Io.Float_Io.Put procedure	TIO-247
write integer value to	
Io.Integer_Io.Put procedure	TIO-150
Io.Put procedure	TIO-74
Text_Io.Integer_Io.Put procedure	TIO-258
write string to	
Io.Put procedure	TIO-73
Text_Io.Put procedure	TIO-199
write string to/advance line	
Io.Put_Line procedure	TIO-79
Text_Io.Put_Line procedure	TIO-200
write, with different types of data	
Polymorphic_Sequential_Io package	DIO-39
write-only access	
Direct_Io.File_Mode type	DIO-15
Io.File_Mode subtype	TIO-37
Polymorphic_Sequential_Io.File_Mode type	DIO-46
Sequential_Io.File_Mode type	DIO-68
Text_Io.File_Mode type	TIO-178
<i>see also</i> object; <i>specific file</i>	
File enumeration	
Text.Image_Kind type	EST-150
File object manager	SMU-5
described	SMU-5

reclaiming access-control groups	SMU-6
File_List renamed procedure	
Library.File_List	LM-336
File_Mode subtype	
Io.File_Mode	TIO-37
File_Mode type	
Direct_Io.File_Mode	DIO-15
Polymorphic_Sequential_Io.File_Mode	DIO-46
Sequential_Io.File_Mode	DIO-68
Text_Io.File_Mode	TIO-178
Window_Io.File_Mode	DIO-120
File_Name subtype	
Switches.File_Name	LM-443
File_Transfer package	
!Tools.Networking.File_Transfer specification	RS-533
File_Type type	
Direct_Io.File_Type	DIO-7, DIO-16
Io.File_Type	TIO-7, TIO-38
Convert function	TIO-16, TIO-17
Polymorphic_Sequential_Io.File_Type	DIO-39, DIO-47
Sequential_Io.File_Type	DIO-61, DIO-69
Text_Io.File_Type	TIO-165, TIO-179
Io.Convert function	TIO-16
Io.Convert procedure	TIO-18
Window_Io.File_Type	DIO-79, DIO-121
File_Uilities package	
!Commands.File_Uilities	LM-257 , PM-45
described	LM-7
key concepts for	LM-257
resources in	LM-257
specification	RS-189
Filename suboption	
printing plain text from PostScript printers	SMU-113
printing PostScript programs	SMU-113
fill mode	EI-5, EI-59
Editor.Set.Fill_Mode procedure	EI-61
Fill procedure	
Editor.Region.Fill	EI-47
Editor.Set.Fill_Column procedure	EI-61
fill string	
Bounded_String.Set_Length procedure	ST-19
Unbounded_String.Set_Length procedure	ST-122
Fill_Column procedure	
Editor.Set.Fill_Column	EI-59, EI-61
Fill_Mode procedure	EI-61
Image_Fill_Column session switch, described	SJM-345
Fill_Mode procedure	
Editor.Set.Fill_Mode	EI-5, EI-59, EI-61
Image_Fill_Mode session switch, described	SJM-345
filter	
log	SJM-30

Log.Filter procedure	SJM-67
messages	QR-14, RS-59, RS-61
Profile.Default_Filter constant	SJM-144
Profile.Filter function	SJM-155
Profile.Log_Filter type	SJM-167
Profile.Set_Default_Filter procedure	SJM-197, SJM-199
Profile.Set_Filter procedure	SJM-209, SJM-211
Filter function	
Profile.Filter	SJM-155
Profile.Includes function	SJM-164
Filter procedure	
Log.Filter	SJM-67
Log.Copy procedure	SJM-65
Log.Filter_Errors procedure	SJM-70
Log.Summarize procedure	SJM-102
Filter_Errors renamed procedure	
Log.Filter_Errors	SJM-70
Log.Copy procedure	SJM-65
Log.Filter procedure	SJM-67
Log.Summarize procedure	SJM-102
Find function	
String_Table.Find	ST-54
Nil function	ST-63
Find procedure	
Concurrent_Map_Generic.Find	PT-16
Editor.Image.Find	EI-25, EI-26
File_Uilities.Find	LM-273
key concepts for package File_Uilities	LM-257
literal string matching	LM-257
Map_Generic.Find	PT-74
String_Map_Generic.Find	ST-31
<i>see also</i> Locate; Reverse_Locate	
find value, <i>see</i> Eval	
Find_Block procedure	
!Commands.System_Maintenance'Spec_View.Units.Find_Block specification	RS-277
Find_Null_Acls procedure	
!Commands.System_Maintenance'Spec_View.Units.Find_Null_Acls specification	RS-278
Fine_Delta constant	
System.Fine_Delta	PT-165
Finish procedure	
Editor.Macro.Finish	EI-7, EI-37, EI-38
Editor.Region.Finish	EI-45, EI-47
finished, <i>see</i> Done	
first	
List_Generic.Set_First procedure	PT-64
First function	
List_Generic.First	PT-52
Queue_Generic.First	PT-101
Delete procedure	PT-98
First_Child procedure	

Common.Object.First_Child	EST-106 , PM-137
Ada images	EST-16
command images	EST-50
commands from package Common for debugger	DEB-64
commands from package Common for editing searchlists	SJM-307
commands from package Common for Jobs procedure display	SJM-362
commands from package Common for use in help windows	SJM-361
described	DEB-5
editing libraries with	LM-299
editing links with	LM-378
editing switches with	LM-424
help	EST-126
menu images	EST-135
text images	EST-142
windows images	EST-158
xref images	EST-163
First_Element enumeration	
Debug.Numeric type	DEB-116
fixed-point type, <i>see</i> Num	
fixed-point value	
read from file	
Io.Fixed_Io.Get procedure	TIO-123
Text_Io.Fixed_Io.Get procedure	TIO-231
read from string	
Io.Fixed_Io.Get procedure	TIO-125
Text_Io.Fixed_Io.Get procedure	TIO-233
write to file	
Io.Fixed_Io.Put procedure	TIO-127
Text_Io.Fixed_Io.Put procedure	TIO-235
write to string	
Io.Fixed_Io.Put procedure	TIO-129
Text_Io.Fixed_Io.Put procedure	TIO-237
Fixed_Io generic package	
Io.Fixed_Io	TIO-119
Text_Io.Fixed_Io	TIO-227
flag definitions	
Xref report	LM-454
Flag procedure	
Debug.Flag	DEB-96
options, numeric flags, and string flags	DEB-10
State_Type type	DEB-153
Flag_Errors debugger flag	DEB-96
Flag_Inevitable_Exceptions library switch	
Semantics.Flag_Inevitable_Exceptions	
described	LM-49, LM-419
flags	
clear option	
Debug.Disable renamed procedure	DEB-85
interaction with	DEB-51
numeric	DEB-10
Debug.Numeric type	DEB-116
Debug.Set_Value procedure	DEB-142
options	
Debug.Option type	DEB-118
set option	

Debug.Enable procedure	DEB-89
setting	
Debug.Flag procedure	DEB-96
setting and resetting	DEB-63
string	DEB-10
<i>see also specific flag</i>	
Flags enumeration	
Debug.State_Type type	DEB-153
Flash_Screen session switch	
Session.Flash_Screen	
described	SJM-344
Float type	
Standard.Float	PT-161
Float_Io generic package	
Io.Float_Io	TIO-131
Text_Io.Float_Io	TIO-239
floating-point value	
read from file	
Io.Float_Io.Get procedure	TIO-135
Io.Get procedure	TIO-47
Text_Io.Float_Io.Get procedure	TIO-243
read from string	
Io.Float_Io.Get procedure	TIO-137
Text_Io.Float_Io.Get procedure	TIO-245
write to current error file (message window)	
Io.Echo procedure	TIO-29
write to file	
Io.Float_Io.Put procedure	TIO-139
Io.Put procedure	TIO-76
Text_Io.Float_Io.Put procedure	TIO-247
write to string	
Io.Float_Io.Put procedure	TIO-141
Text_Io.Float_Io.Put procedure	TIO-249
flow control	SMU-337
bytes	
Terminal.Set_Xon_Xoff_Bytes procedure	SMU-362
characters	
Terminal.Set_Xon_Xoff_Characters procedure	SMU-363
defined	SMU-337
hardware	SMU-337
receive	
System_Uilities.Receive_Flow_Control function	SMU-283
set	
Terminal.Set_Flow_Control procedure	SMU-347
set receive	
Terminal.Set_Receive_Flow_Control procedure	SMU-356
software	SMU-337
Flow suboption	
printing plain text from PostScript printers	SMU-113
printing PostScript programs	SMU-113
Flow_Control function	
System_Uilities.Flow_Control	SMU-250
terminal ports	SMU-226
Flush procedure	
Io.Flush	TIO-39

Convert function	TIO-17
Save procedure	TIO-84
Log.Flush	SJM-73
Focus procedure	
Editor.Window.Focus	EI-64, EI-66
font	DIO-80, DIO-82
declarations	DIO-82
default	
Window_Io.Default_Font function	DIO-111
Font suboption	
printing plain text from PostScript printers	SMU-113
printing PostScript programs	SMU-113
Font type	
Window_Io.Font	DIO-122
Font_At function	
Window_Io.Font_At	DIO-123
Footer parameter	
specifying default format options	SMU-116
Footer session switch	
Queue.Footer	
default formatting for ASCII devices	SMU-117
described	SJM-345
specifying default format options	SMU-116
For_Prefix parameter	
Archive.Restore procedure	LM-130
copying or restoring objects under original names	LM-139
specifying destination names	LM-139
using Archive.Copy or Restore procedure to reorganize objects	LM-141
Force_Logoff procedure	
Operator.Force_Logoff	SJM-112, SMU-84
What.Users procedure	SJM-382
foreground	
defined	SJM-34
<i>see also</i> Connect	
foreground budget	SMU-160
defined	SMU-159
foreground job class	
described	SJM-17
relationship between job classes and kinds	SJM-19
foreground jobs	SMU-156, SMU-159
defined	SMU-156
Foreground_Time_Limit scheduler parameter	
background job streams	SMU-161
CPU scheduling	SMU-159
job kinds	SMU-157
job states	SMU-158
[Forget] key	
Debug.Forget procedure	DEB-98
Forget procedure	
Debug.Forget	DEB-98
Catch procedure	DEB-71

- Context procedure DEB-77, DEB-78
- exception information requests DEB-50
- matching requests DEB-51
- Propagate procedure DEB-127
- removing catch and propagate requests DEB-51
- specificity of requests DEB-50
- fork, *see* Create_Job; Run_Job; Spawn
- form DIO-80, DIO-89
- Form function
 - Direct_Io.Form **DIO-17**
 - Io.Form **TIO-40**
 - Polymorphic_Sequential_Io.Form **DIO-48**
 - Sequential_Io.Form **DIO-70**
 - Text_Io.Form **TIO-180**
 - Window_Io.Form **DIO-124**
- format
 - Ada
 - Library.Ada_Format constant LM-301
 - of bitmapped images SMU-115
 - reformatting Ada units LM-349
 - terse
 - Library.Terse_Format constant LM-360
 - Time_Utilities.Date_Format type PT-180
 - Time_Utilities.Time_Format type PT-204
 - verbose
 - Library.Verbose_Format constant LM-365
 - [Format] key
 - Common.Format procedure EST-88
 - format of message prefixes, changing RS-62
- Format option
 - Archive.Restore procedure LM-129
 - Archive.Save procedure LM-128, LM-129
 - printing text with formatting SMU-112
 - printing using ASCII devices SMU-111
 - printing using PostScript devices SMU-112
 - summarized LM-133
- format options, default SMU-116
- Format procedure
 - Common.Format **EST-88**, PM-189
 - Ada images EST-14
 - command images EST-49
 - editing libraries with LM-298
 - partially complete units LM-16
- Format switches LM-155
- Format_Tape procedure
 - Tape.Format_Tape **SMU-321**
 - processing ANSI-labeled tapes SMU-314
- formatting
 - Ada units LM-415
 - default SMU-117
 - printing text with SMU-112
 - printing text without SMU-112
 - Table_Formatter package ST-91

forward	
deletion	
Editor.Char.Delete_Forward procedure	EI-12
Editor.Line.Delete_Forward procedure	EI-33
Editor.Word.Delete_Forward procedure	EI-70
movement	
Editor.Cursor.Next procedure	EI-19
Editor.Line.Next procedure	EI-34
Editor.Window.Next procedure	EI-67
Editor.Word.Next procedure	EI-71
search	EI-4
Editor.Search.Next procedure	EI-57
search and replace	EI-4
Editor.Search.Replace_Next procedure	EI-57
tab	
Editor.Char.Tab_Forward procedure	EI-14
Forward procedure	
Editor.Cursor.Forward	EI-17, EI-18
Found function	
File_Uilities.Found	LM-276
key concepts for package File_Uilities	LM-257
literal string matching	LM-257
frames	
defined	DEB-10, DEB-30
stack	DEB-10, DEB-31
Frames procedure	
Editor.Window.Frames	EI-63, EI-66
Window_Frames session switch, described	SJM-358
Free procedure	
Bounded_String.Free	ST-10
Move procedure	ST-16
List_Generic.Free	PT-53
Is_Empty function	PT-56
Unbounded_String.Free	ST-103, ST-112
Move procedure	ST-118
Freeze procedure	
Library.Freeze	LM-338
Unfreeze procedure	LM-363
Freeze_Tasks enumeration	
Debug.Option type	DEB-119
Freeze_Tasks option flag	DEB-40
breakpoints and tasks	DEB-42
interaction with flags	DEB-51
terminology	DEB-40
Frozen	
argument for 'If conditional attribute	QR-9, RS-48
frozen	PM-8
defined	LM-5
Frozen enumeration	
Library.Field type	LM-333
frozen window state	EI-63

Frozen_Error	
Io_Exceptions.Use_Error exception	DIO-37, TIO-163
FTP, interaction between library and session switches	LM-411
Ftp package	
!Commands.Ftp specification	RS-192
Ftp switches	LM-416
Ftp_Defs package	
!Tools.Networking.Ftp_Defs specification	RS-541
Ftp_Name_Map package	
!Tools.Networking.Ftp_Name_Map specification	RS-544
Ftp_Product package	
!Tools.Networking.Ftp_Product specification	RS-544
Ftp_Profile package	
!Tools.Networking.Ftp_Profile specification	RS-545
Ftp_Server package	
!Tools.Networking.Ftp_Server specification	RS-546
full backup, defined	SMU-210
Full constant	
Profile.Full	SJM-156
Full enumeration	
System_Backup.Kind type	SMU-219
Full generic formal function	
Log.Put_Line_Generic.Full Log.Put_Line_Generic.Simple generic formal function	SJM-91
full pathnames	DEB-121
full saves, <i>see</i> System_Backup package	
full-view release	PM-30
Full_Debugging library switch	
R1000_Cg.Full_Debugging compiler optimization described	LM-50 LM-419
Full_Debugging session switch	
Command_Cg.Full_Debugging described	LM-50, SJM-345
fully qualified pathnames	DEB-18, PM-131, RS-19
defined	DEB-13, DEB-18, LM-3, QR-2, RS-14, RS-19, RS-24
name resolution and	RS-21
function, session switches grouped by	DEB-57
function keys	EI-27
Function_Body	
argument for 'C (class) attribute (Ada subclasses)	QR-10, RS-42

Function_Instatiation	
argument for 'C (class) attribute (Ada subclasses)	QR-10, RS-42
Function_Rename	
argument for 'C (class) attribute (Ada subclasses)	QR-10, RS-42
Function_Spec	
argument for 'C (class) attribute (Ada subclasses)	QR-10, RS-42
functions, <i>see</i> commands <i>or</i> <i>specific function</i>	

G

gaining access	
to searchlists	SJM-307
to session switches	DEB-57, SJM-329
garbage collection, <i>see</i> disk collection	
Gateway package	
!Commands.Gateway	
specification	RS-200
Gateway_Class package	
!Commands.Gateway_Class	
specification	RS-202
general context characters	
described	DEB-19
pathnames qualified by	DEB-19
generation	PM-6, PM-9, PM-25, PM-26, PM-305, PM-310, PM-317, PM-319, PM-321, PM-323, PM-340
collecting and displaying information	PM-29
images	PM-188, PM-193
retrieving latest at checkout	PM-41
reverting to previous	PM-28
generic formals	DIO-94
generic instantiations, referencing	DEB-24
Generic_Function	
argument for 'C (class) attribute (Ada subclasses)	QR-10, RS-42
Generic_Package	
argument for 'C (class) attribute (Ada subclasses)	QR-10, RS-42
Generic_Parameter_List	
argument for 'C (class) attribute (Ada subclasses)	QR-10, RS-42
Generic_Procedure	
argument for 'C (class) attribute (Ada subclasses)	QR-10, RS-42
generics	
breakpoints and	DEB-42
naming locations in	DEB-29
referencing	DEB-24
Get function	
Access_List_Tools.Get	LM-101
Profile.Get	SJM-157
obtaining profiles	SJM-135
specifying predefined profiles	SJM-132
Scheduler.Get	SMU-172

Set procedure	SMU-192
Get procedure	
Access_List_Tools.Get	LM-103
Max_Acl_Length constant	LM-114
Io.Enumeration_Io.Get	TIO-113, TIO-114
Io.Fixed_Io.Get	TIO-123, TIO-125
Io.Float_Io.Get	TIO-135, TIO-137
Io.Get	TIO-41 – 49
Set_Col procedure	TIO-85
Io.Integer_Io.Get	TIO-146, TIO-148
Text_Io.Enumeration_Io.Get	TIO-221, TIO-222
Text_Io.Fixed_Io.Get	TIO-231, TIO-233
Text_Io.Float_Io.Get	TIO-243, TIO-245
Text_Io.Get	TIO-181, TIO-182
Set_Col procedure	TIO-203
Text_Io.Integer_Io.Get	TIO-254, TIO-256
Window_Io.Get	DIO-125, DIO-127
Window_Io.Raw.Get	DIO-177
<i>see also</i> Extract	
Get_Access_List_Compaction function	
Daemon.Get_Access_List_Compaction	SMU-12
Get_Archive_On_Shutdown function	
Operator.Get_Archive_On_Shutdown	SMU-85
Get_Board_Info function	
System_Uilities.Get_Board_Info	SMU-252
system hardware	SMU-229
Get_Cached_Resolution procedure	
Profile.Get_Cached_Resolution	SJM-158
Get_Consistency_Checking function	
Daemon.Get_Consistency_Checking	SMU-13
Get_Cpu_Priority function	
Scheduler.Get_Cpu_Priority	SMU-173
Job_Descriptor type	SMU-183
Get_Cpu_Time_Used function	
Scheduler.Get_Cpu_Time_Used	SMU-174
Get_Default function	
Access_List_Tools.Get_Default	LM-105
Profile.Get_Default	SJM-159
obtaining profiles	SJM-135
specifying predefined profiles	SJM-132
Remote_Passwords.Get_Default	SJM-292
Remote_Passwords.Set_Default procedure	SJM-294
Get_Default procedure	
Access_List_Tools.Get_Default	LM-107
Max_Acl_Length constant	LM-114
Get_Disk_Wait_Load procedure	
Scheduler.Get_Disk_Wait_Load	SMU-175
Set procedure	SMU-198
State procedure	SMU-203
Get_Errors procedure	
Ada.Get_Errors	EST-28
Get_Exception_Name function	

Debug_Tools.Get_Exception_Name	DEB-185
programmatic access to debugger facilities	DEB-11
Get_Job function	
System_Utilities.Get_Job	SMU-253
jobs	SMU-225
Get_Job_Attribute function	
Scheduler.Get_Job_Attribute	SMU-176
Get_Job_Descriptor function	
Scheduler.Get_Job_Descriptor	SMU-177
Get_Job_Kind function	
Scheduler.Get_Job_Kind	SMU-178
job kinds	SMU-157
Get_Job_State function	
Scheduler.Get_Job_State	SMU-179
job states	SMU-157
Job_Descriptor type	SMU-183
Get_Line function	
Io.Get_Line	TIO-50
Window_Io.Get_Line	DIO-131
Get_Line procedure	
Io.Get_Line	TIO-51
Set_Col procedure	TIO-85
Text_Io.Get_Line	TIO-183
Set_Col procedure	TIO-203
Window_Io.Get_Line	DIO-134
Line_Image function	DIO-144
Get_Log_Threshold function	
Daemon.Get_Log_Threshold	SMU-14
Get_Login_Limit function	
Operator.Get_Login_Limit	SMU-86
Get_Machine_Id function	
!Commands.System_Maintenance'Spec_View.Units.Get_Machine_Id specification	RS-278
Get_Minimum_Password_Length function	
Operator.Get_Minimum_Password_Length	SMU-87
Get_Notes procedure	
Cmvc.Get_Notes	PM-244
Cmvc.Append_Notes procedure	PM-210
Cmvc.Check_In procedure	PM-216
Cmvc.Check_Out procedure	PM-219
Cmvc.Put_Notes procedure	PM-292
Get_Page_Counts procedure	
System_Utilities.Get_Page_Counts	SMU-254
jobs	SMU-225
Set_Page_Limit procedure	SMU-291
Get_Password_Deadline function	
Operator.Get_Password_Deadline	SMU-88
Get_Password_Warning function	
Operator.Get_Password_Warning	SMU-89
Get_Raise_Location function	
Debug_Tools.Get_Raise_Location	DEB-187

jobs in debugger	DEB-3
programmatic access to debugger facilities	DEB-11
Get_Run_Queue_Load procedure	
Scheduler.Get_Run_Queue_Load	SMU-180
State procedure	SMU-203
Get_Session function	
System_Uilities.Get_Session	SMU-256
sessions	SMU-224
Get_Shutdown_Interval function	
Operator.Get_Shutdown_Interval	SMU-90
Get_Site function	
!Commands.System_Maintenance'Spec_View.Units.Get_Site specification	RS-278
Get_Size procedure	
Daemon.Get_Size	SMU-15
Get_Snapshot_Settings procedure	
Daemon.Get_Snapshot_Settings	SMU-16
Get_Target_Key function	
Compilation.Get_Target_Key	LM-233
determining target keys for worlds or views	LM-213
other operations with target keys	LM-46
Get_Task_Name function	
Debug_Tools.Get_Task_Name	DEB-189
Get_Time function	
Time_Uilities.Get_Time	PT-187
Get_User_Deadline function	
Operator.Get_User_Deadline	SMU-91
Get_User_Warning function	
Operator.Get_User_Warning	SMU-92
Get_Warning_Interval function	
Daemon.Get_Warning_Interval	SMU-17
Get_Withheld_Task_Load procedure	
Scheduler.Get_Withheld_Task_Load	SMU-181
State procedure	SMU-203
Get_Wsl_Limits procedure	
Scheduler.Get_Wsl_Limits	SMU-182
glossary	
DOD-STD-2167/2167A terms	RS-710
Rational-specific terms	RS-695
go, <i>see</i> Execute	
[Go] key	
controlling program execution	DEB-9
go to other part of Ada unit	
Ada.Other_Part procedure	EST-36
Goal option	
CMVC access control	LM-147
Goal parameter	
using Demote procedure	LM-205

Goal_State option	
Archive.Restore procedure	LM-131
summarized	LM-133
goto, <i>see</i> Source	
Grants function	
Access_List_Tools.Grants	LM-109
graphics character set	DIO-82, DIO-88, DIO-137
Graphics constant	
Window_Io.Graphics	DIO-137
graphics utilities	DIO-88
grave (`)	
context character	QR-4, RS-23, RS-28
searchlist component	SJM-302
special character	PM-132
systemwide default searchlists	SJM-12
greater than	
Calendar.> function	PT-8
Io.> function	TIO-11
greater than/equal to	
Calendar.>= function	PT-8
Greater_Than function	
String_Uilities.Greater_Than	ST-73
Group	
argument for 'C (class) attribute (object classes)	QR-9, RS-41
group	
add	
Operator.Add_To_Group procedure	SMU-58
access-control	SMU-6, SMU-50
create	
Operator.Create_Group procedure	SMU-64
defined	SMU-6, SMU-50
delete	
Operator.Delete_Group procedure	SMU-72
display	
Operator.Display_Group procedure	SJM-111, SMU-79
Network_Public	SMU-51
Operator	SMU-50, SMU-52
Privileged	SMU-51
Public	SMU-51
remove	
Operator.Remove_From_Group procedure	SMU-96
user-defined	SMU-51
username	SMU-50
Group object manager	SMU-5, SMU-60
described	SMU-5
group space, detemining	SMU-7

H

handle, file	TIO-4
get, <i>see</i> Open	

Io package	TIO-7
Io.File_Type type	TIO-38
handling	
exceptions	DEB-63
variables	DEB-63
hardware system	SMU-229
hardware error, <i>see</i> Device_Data_Error	
hardware flow control	SMU-250, SMU-347
defined	SMU-337
hardware ports, R1000	SMU-332
Has_Operator_Capability function	
Access_List_Tools.Has_Operator_Capability	LM-111
Hash generic formal function	
Concurrent_Map_Generic.Hash	PT-18
Map_Generic.Hash	PT-76
Hash package	PT-37
Tools.Hash	
specification	RS-463
hash table mapping	
Concurrent_Map_Generic package	PT-9
Map_Generic generic package	PT-67
String_Map_Generic generic package	ST-25
Hash_String function	
String_Uilities.Hash_String	ST-74
head, <i>see</i> First	
Header parameter	
specifying default format options	SMU-116
Header procedure	
Table_Formatter.Header	ST-91, ST-96
Header session switch	
Queue.Header	
default formatting for ASCII devices	SMU-117
described	SJM-345
specifying default format options	SMU-116
Header suboption	
printing plain text from PostScript printers	SMU-113
printing PostScript programs	SMU-113
headers, column	
Table_Formatter.Adjust type	ST-93
Height suboption	
printing bitmapped images	SMU-115
Held enumeration	
Debug.Task_Category type	DEB-162
held task state	
defined	DEB-39
help	
Common.Explain procedure	EST-87
facility, online	
commands from package Common	EST-126

designation	EST-122
determining key bindings	EST-125
help on a topic	EST-124
help on commands	EST-124
help on keys	EST-123
help using a command window	EST-125
help using selection	EST-123
menus	EST-122
moving the cursor	EST-122
organization	EST-121
reviewing previous help messages	EST-122
special names	EST-123
images	EST-1
on switches	LM-415, SJM-329
using	RS-12
What.Command procedure	SJM-364
What.Does procedure	SJM-365
<i>see also</i> Complete	
[Help] key	
What.Does procedure	SJM-365
[Help on Help] key	
What.Does procedure	SJM-365
[Help on Key] key	
Editor.Key.Name procedure	EI-29
help on switches	
obtaining	DEB-57
[Help Window] key	
Editor.Image.Find procedure	EI-26
help windows	
commands from package Common for use in	SJM-361
Hex	
encrypting passwords	SJM-279
Hex_Number subtype	
Debug.Hex_Number	DEB-100
Hex_Values debugger flag	DEB-96
hexadecimal display	SMU-315
hexadecimal dump	
File_Uilities.Dump procedure	LM-268
histories	EST-59
command images	EST-46
defined	DEB-53
task histories	DEB-54
Histories enumeration	
Debug.State_Type type	DEB-153
history	
collecting	
Debug.Take_History procedure	DEB-159
Common.Redo procedure	EST-93
Common.Undo procedure	EST-99
history facility, defined	DEB-54
history images	PM-188, PM-194

History procedure	
System_Backup.History	SMU-216
restoring backups	SMU-210
History_Count enumeration	
Debug.Numeric type	DEB-116
History_Display procedure	
Debug.History_Display	DEB-101
Context procedure	DEB-77
Debug_History_Count session switch	DEB-60
Debug_History_Count session switch, described	SJM-340
Debug_History_Start session switch	DEB-60
Debug_History_Start session switch, described	SJM-340
Debug_No_History_Timestamps session switch	DEB-60
Debug_No_History_Timestamps session switch, described	SJM-341
Numeric type	DEB-116
Option type	DEB-119
recording task histories	DEB-54
History_Entries enumeration	
Debug.Numeric type	DEB-117
History_Start enumeration	
Debug.Numeric type	DEB-117
hold, <i>see</i> Disable; Quiesce	
hold output	
Text.Block procedure	EST-146
Hold procedure	
Debug.Hold	DEB-104
Context procedure	DEB-77
purpose of holding and releasing tasks	DEB-39
task control commands	DEB-39, DEB-40
terminology	DEB-40
hold stack	EI-5
current selection	
Editor.Hold_Stack.Push procedure	EI-22
move from bottom to top	
Editor.Hold_Stack.Rotate procedure	EI-22
replace with next item	
Editor.Hold_Stack.Next procedure	EI-22
replace with previous item	
Editor.Hold_Stack.Previous procedure	EI-22
retrieve most recent item	
Editor.Hold_Stack.Top procedure	EI-23
top	
Editor.Hold_Stack.Copy_Top procedure	EI-21
Editor.Hold_Stack.Delete_Top procedure	EI-22
Editor.Hold_Stack.Top procedure	EI-23
transpose top two items	
Editor.Hold_Stack.Swap procedure	EI-23
Hold_Stack package	
Editor.Hold_Stack	EI-5, EI-21
holding tasks	DEB-38
<HOME>	
home world	SJM-3

special name for objects	QR-3, RS-16
home library, defined	SMU-223
[Home Library] key	
What.Home_Library procedure	SJM-367
home world, defined	SJM-1, SJM-3, SMU-223
Home_Library function	
System_Utilities.Home_Library	SMU-257
names	SMU-230
users	SMU-224
Home_Library procedure	
What.Home_Library	SJM-367
home world	SJM-3
horizontal layout	DIO-93, DIO-94
Host_Id_Io package	
!Tools.Networking.Host_Id_Io	
specification	RS-546
hosts	
moving primary subsystems to another host	LM-154
multiple-host development	LM-149
Hour constant	
Time_Utilities.Hour	PT-188
hours	
Time_Utilities.Military_Hours type	PT-195
Hours type	
Time_Utilities.Hours	PT-189
HR_MN	
changing format of message prefixes	RS-62
Hr_Mn enumeration	
Profile.Log_Prefix type	SJM-169
HR_MN_SC	
changing format of message prefixes	RS-62
Hr_Mn_Sc enumeration	
Profile.Log_Prefix type	SJM-169
hyphen (-)	
levels of elision	LM-295

I

<i> special name	
described	DEB-15
I/O window	
definition	EST-137
display, session switches for	SJM-331
Io.Current_Input function	TIO-23
Io.Current_Output function	TIO-24
Io.Standard_Input function	TIO-100
Io.Standard_Output function	TIO-101
Text_Io.Current_Input function	TIO-171
Text_Io.Current_Output function	TIO-172

Text_Io.Standard_Input function	TIO-213
Text_Io.Standard_Output function	TIO-214
Id	
Program.Job_Id subtype	SJM-242
Scheduler.Job_Id subtype	SMU-186
System_Uilities.Job_Id subtype	SMU-264
System_Uilities.Session_Id subtype	SMU-288
<i>see also</i> IDs	
Id subtype	
Job.Id	SJM-44
System_Backup.Id	SMU-218
Id_Case library switch	
Format.Id_Case	
described	LM-419
identical match, <i>see</i> Equal	
identification, job numbers	SJM-15, SJM-16
identifiers	SMU-229
Ada	RS-51
identifying R1000 hardware ports	SMU-332
identities	LM-145
access control	LM-65, SJM-16, SJM-230, SJM-232
archive server	LM-147
defined	LM-145
job	SJM-15, SJM-16, SJM-232
Program.Change_Identity procedure	SJM-233
Idle enumeration	
Scheduler.Job_State type	SMU-189
Idle job state	
described	SJM-19, SMU-157
IDs	
job	SMU-229
session	SMU-229
tape	SMU-229
terminal port	SMU-229
<i>see also</i> Id; identities	
If conditional attribute	RS-48
arguments for	QR-9, RS-48
described	QR-8, RS-38
<IGNORE>	
described	SJM-117
special value for filtering messages	QR-14
special value for special-purpose response profiles	RS-58
Ignore function	
Profile.Ignore	
building profiles through internal representations	SJM-137
obtaining profiles	SJM-135
Ignore renamed function	
Profile.Ignore	SJM-160
Ignore_Case generic formal object	
String_Map_Generic.Ignore_Case	ST-32

Ignore_Cdb option	
Archive.Restore procedure	LM-132
Archive.Save procedure	LM-129
described	LM-152
summarized	LM-133
Ignore_Interface_Pragmas library switch	
Semantics.Ignore_Interface_Pragmas	
described	LM-47, LM-48, LM-419
Ignore_Invalid_Rep_Specs library switch	
Semantics.Ignore_Invalid_Rep_Specs	
described	LM-48, LM-419
Ignore_Minor_Errors library switch	
Semantics.Ignore_Minor_Errors	
described	LM-48, LM-419
Ignore_Unsupported_Rep_Specs library switch	
Semantics.Ignore_Unsupported_Rep_Specs	
described	LM-48, LM-420
Illegal_Heap_Access_Error	
Io_Exceptions.Device_Error exception	DIO-31, TIO-157
Illegal_Operation_On_Infile	
Io_Exceptions.Mode_Error exception	DIO-34, TIO-160
Illegal_Operation_On_Outfile	
Io_Exceptions.Mode_Error exception	DIO-34, TIO-160
Illegal_Position_Error	
Io_Exceptions.Layout_Error exception	DIO-33, TIO-159
Illegal_Reference_Data_Error	
Io_Exceptions.Device_Error exception	DIO-31, TIO-157
Illformed_Name_Error	
Io_Exceptions.Name_Error exception	DIO-35, TIO-161
<IMAGE>	
described	DEB-15
special name	DEB-8, EST-58, EST-131, EST-155, PM-128, QR-3, RS-16
image	DIO-79, DIO-81
active	
Editor.Window.Directory procedure	EI-66
activity	EST-1
Ada	EST-1
bottom of	
Editor.Image.End_Of procedure	EI-26
command	EST-1, EST-45
committing	EST-59
coordinates	DIO-81
create	
Window_Io.Create procedure	DIO-110
debugger	EST-1
delete	
Window_Io.Delete procedure	DIO-113
display, <i>see</i> Designation; Font	
editing operations	
Editor.Image package	EI-25
find	
Editor.Image.Find procedure	EI-26
help	EST-1

job	EST-1
library	EST-1
line	
Window_Io.Line_Image function	DIO-144
links	EST-1
marks	
Editor.Mark package	EI-41
menu	EST-1
name	
Window_Io.Name function	DIO-150
read-only access	
Window_Io.File_Mode type	DIO-120
reformat	
Library.Reformat_Image procedure	LM-349
remembered positions	
Editor.Mark package	EI-41
scroll down	
Editor.Image.Down procedure	EI-25
scroll left	
Editor.Image.Left procedure	EI-26
scroll right	
Editor.Image.Right procedure	EI-26
scroll up	
Editor.Image.Up procedure	EI-26
searchlist	EST-1
structure	
Ada	EST-3
command	EST-45
menu	EST-129
text	EST-137
window	EST-153
Window Directory	EST-153
xref	EST-159
switch	EST-1
text	EST-1, EST-137
top of	
Editor.Image.Beginning_Of procedure	EI-25
types	EST-1
updating	EST-59
value	
Switches.Value_Image subtype	LM-450
venture	EST-1
windows	EST-1, EST-153
work list	EST-1
work order	EST-2
write-only access	
Window_Io.File_Mode type	DIO-120
xref	EST-2
Image function	
Bounded_String.Image	ST-11
Log.Image	SJM-74
Profile.Image	SJM-162
Profile.Value function	SJM-223
String_Table.Image	ST-55
System_Uilities.Image	SMU-258
names	SMU-230
Time_Uilities.Image	PT-190
Date_Format type	PT-180
Image_Contents type	PT-192

Time_Format type	PT-204
Value function	PT-205
Unbounded_String.Image	ST-113
Window_Io.Raw.Image	DIO-179
Image option	
format of bitmapped images	SMU-115
PostScript printing	SMU-116
printing bitmapped images	SMU-115
Image package	
Editor.Image	EI-25
Image procedure	
Profile.Image	
converting between profile representations	SJM-138
Profile.Convert procedure	SJM-142
image structure	
Ada	EST-3
command	EST-45
menu	EST-129
text	EST-137
window	EST-153
Window Directory	EST-153
xref	EST-159
image types	EST-57
Image_Contents type	
Time_Uilities.Image_Contents	PT-192
Image_Fill_Column session switch	
Session.Image_Fill_Column	
described	SJM-345
Editor.Region.Fill procedure	EI-47
Editor.Region.Justify procedure	EI-48
Image_Fill_Extra_Space session switch	
Session.Image_Fill_Extra_Space	
described	SJM-345
Editor.Region.Justify procedure	EI-48
Image_Fill_Indent session switch	
Session.Image_Fill_Indent	
described	SJM-345
Editor.Region.Justify procedure	EI-48
Image_Fill_Mode session switch	
Session.Image_Fill_Mode	
described	SJM-345
Image_Fill_Prefix session switch	
Session.Image_Fill_Prefix	
described	SJM-346
Editor.Region.Fill procedure	EI-47
Editor.Region.Justify procedure	EI-48
Image_Insert_Mode session switch	
Session.Image_Insert_Mode	
described	SJM-346
Image_Kind type	
Text.Image_Kind	EST-150
Image_Tab_Stops session switch	

Session.Image_Tab_Stops	
described	SJM-346
Image_Tree_Consistency procedure	
!Commands.System_Maintenance'Spec_View.Units.Image_Tree_Consistency	
specification	RS-278
images	
bitmapped	SMU-115
configuration	PM-189
generation	PM-193
history	PM-194
library	LM-5, LM-291
implementation changes	PM-86
implicit dependencies between Ada units, described	LM-18, LM-19
implicitly held tasks, defined	DEB-40
implicitly stopped tasks, defined	DEB-39, DEB-40
Import format (Debug.Memory_Display)	DEB-112
Import procedure	
Cmvc.Import	PM-63, PM-70, PM-76, PM-92, PM-246
Cmvc.Copy procedure	PM-223
import restriction files	PM-22, PM-247
creating	PM-72
filenames	PM-73
import restrictions	PM-69
Imported_Views function	
Cmvc.Imported_Views	PM-251
Cmvc.Build procedure	PM-213
Cmvc.Initial procedure	PM-258
imports	PM-10, PM-11, PM-22, PM-51, PM-63, PM-76, PM-246, PM-251, PM-270, PM-283, PM-299, PM-301
circular	PM-53, PM-79
consistency	PM-78
customizing	SJM-12
defined	LM-28, SJM-12
defining	PM-62
links	PM-64
removing	PM-64
in wait service execution message (Debug.Task_Display)	DEB-163
In_File constant	
Io.In_File	TIO-53
In_File enumeration	
Window_Io.File_Mode type	DIO-120
In_Progress function	
Daemon.In_Progress	SMU-18
inactive breakpoints	DEB-43
defined	DEB-43
Include procedure	
Profile.Include	SJM-163
Profile.Include_In_Default procedure	SJM-165
Profile.Includes function	SJM-164
querying about components of profiles	SJM-136

setting components	SJM-133
Include_In_Default procedure	
Profile.Include_In_Default	SJM-165
Profile.Include procedure	SJM-163
Profile.Includes function	SJM-164
Include_Packages enumeration	
Debug.Option type	DEB-119
Includes function	
Profile.Includes	SJM-164
Profile.Filter function	SJM-155
Profile.Include procedure	SJM-163
Profile.Include_In_Default procedure	SJM-165
Incoming-Mail_Message	
argument for 'C (class) attribute (file subclasses)	QR-11, RS-43
Incompatible enumeration	
Check.Status	PM-179
increment, <i>see</i> Next	
incremental changes to Ada units	
propagating	LM-152
incremental compilation	
Ada images	EST-7
coded units	EST-8
installed units	EST-7
incremental operations	
defined	LM-13, LM-17, LM-453
incrementals, <i>see</i> System_Backup package	
Indent procedure	
Editor.Line.Indent	EI-31, EI-33
index	
backup	SMU-210
Direct_Io.Set_Index procedure	DIO-26
String_Table.Unique_Index function	ST-67
String_Uilities.Hash_String function	ST-74
Index function	
Direct_Io.Index	DIO-18
index functions	
Hash package	PT-37
Index generic formal type	
Table_Sort_Generic.Index	PT-173
indirect files	PM-132, PM-133, QR-6
defined	RS-14, RS-34, RS-35
restoring objects through	LM-138
saving objects through	LM-137
special characters for specifying sets of objects	RS-34
inevitable exceptions	
defined	LM-49
responses to	LM-48
information	
job	SMU-221
obtaining about jobs	SJM-20, SJM-35

obtaining through iteration operations	SMU-223
session	SMU-221
system	SMU-222
terminal-device	SMU-222
terminal-port	SMU-222
user	SMU-221
Information procedure	
Cmvc.Information	PM-63, PM-92, PM-253
Debug.Information	DEB-38, DEB-105
Debug_Addresses session switch	DEB-58
Debug_Addresses session switch, described	SJM-339
exception information requests	DEB-50
Information_Type type	DEB-107
Option type	DEB-118
information requests	
exception information requests	DEB-49
Information_Type type	
Debug.Information_Type	DEB-107
Init procedure	
Concurrent_Map_Generic.Init	PT-19
Iterator type	PT-24
List_Generic.Init	PT-54
Iterator type	PT-57
Map_Generic.Init	PT-77
Iterator type	PT-82
Queue_Generic.Init	PT-102
Iterator type	PT-106
Set_Generic.Init	PT-117
Iterator type	PT-121
Stack_Generic.Init	PT-149
Iterator type	PT-151
String_Map_Generic.Init	ST-33
Iterator type	ST-38
String_Table.Init	ST-56
Iterator type	ST-59
System_Uilities.Init	SMU-259
job iteration	SMU-231
Job_Iterator type	SMU-265
session iteration	SMU-231
Session_Iterator type	SMU-289
terminal iteration	SMU-232
Terminal_Iterator type	SMU-301
Initial procedure	
Cmvc.Initial	PM-20 – 22, PM-103, PM-256 , PM-326
Cmvc_Maintenance.Make_Primary procedure	PM-351
primary and secondary subsystems	LM-150
initialization	
during system boot	SMU-333
machine	SMU-2
system-daemon	SMU-7
Initialize procedure	
Concurrent_Map_Generic.Initialize	PT-21
Map_Generic.Initialize	PT-79
Queue_Generic.Initialize	PT-104
Set_Generic.Initialize	PT-118
Simple_Status.Initialize	PT-139

Condition type	PT-129
String_Map_Generic.Initialize	ST-35
initiate, <i>see</i> Run	
inline	
Ada.Make_Inline procedure	EST-33
Inline pragma	PM-116
input file	DIO-3, TIO-3
current	
Io.Current_Input function	TIO-23
Io.Pop_Input procedure	TIO-69
Io.Reset_Input procedure	TIO-82
Io.Set_Input procedure	TIO-89
Log.Pop_Input renamed procedure	SJM-77
Log.Reset_Input renamed procedure	SJM-94
Log.Set_Input renamed procedure	SJM-99
Text_Io.Current_Input function	TIO-171
Text_Io.Set_Input procedure	TIO-205
standard	
Io.Standard_Input function	TIO-100
Text_Io.Standard_Input function	TIO-213
Input option	
Standard_Input, Standard_Output, and Standard_Error	SJM-231
input rate	
Terminal.Set_Input_Rate procedure	SMU-349
input window	
Io.Current_Input function	TIO-23
Io.Standard_Input function	TIO-100
Text_Io.Current_Input function	TIO-171
Text_Io.Standard_Input function	TIO-213
input/output to windows	
Window_Io package	DIO-79
Input_Count function	
System_Uilities.Input_Count	SMU-261
Output_Count function	SMU-276
terminal iteration	SMU-232
terminal ports	SMU-227
Input_From procedure	
Editor.Set.Input_From	EI-59, EI-61
Input_Logging_Off procedure	
Editor.Set.Input_Logging_Off	EI-59, EI-61
Input_Logging_To procedure	
Editor.Set.Input_Logging_To	EI-59, EI-61
Input_From procedure	EI-61
Input_Name function	
System_Uilities.Input_Name	SMU-262
names	SMU-230
Input_Output enumeration	
Text.Image_Kind type	EST-150
Input_Rate function	
System_Uilities.Input_Rate	SMU-263
terminal ports	SMU-226

Input_Syntax_Error	
Io_Exceptions.Data_Error exception	DIO-30, TIO-156
Input_Value_Error	
Io_Exceptions.Data_Error exception	DIO-30, TIO-156
inputs, command	RS-51
insert mode	EI-5, EI-11, EI-59
Editor.Set.Insert_Mode procedure	EI-62
Insert procedure	EI-11
Activity.Insert	PM-66, PM-153
Bounded_String.Insert	ST-12
Common.Object.Insert	EST-108 , PM-137
Activity.Insert procedure	PM-153
Ada images	EST-16
editing libraries with	LM-299
editing links with	LM-378
editing searchlists with	SJM-306, SJM-307
editing switches with	LM-424
Switches.Insert procedure	LM-444
windows images	EST-158
Editor.Line.Insert	EI-31, EI-33
Links.Insert	LM-395
Add procedure	LM-379
creating links	LM-374
Replace procedure	LM-401
Switches.Insert	LM-444
Change procedure	LM-430
changing values of switches	LM-414
Set procedure	LM-447
Unbounded_String.Insert	ST-114
Window_Io.Insert	DIO-138
Designation type	DIO-117
New_Line procedure	DIO-151
<i>see also</i> Add; Push; Unique	
Insert_Blank_Line procedure	
Ada.Insert_Blank_Line	EST-29
Insert_Character procedure	
Editor.Char.Insert_Character	EI-13
Quote procedure	EI-14
Insert_File procedure	
Common.Insert_File	EST-90
Ada images	EST-15
command images	EST-49
text images	EST-141
Insert_Mode procedure	
Editor.Set.Insert_Mode	EI-5, EI-59, EI-62
Image_Insert_Mode session switch, described	SJM-346
Insert_String procedure	
Editor.Char.Insert_String	EI-13
Quote procedure	EI-14
insertion points	
Ada images	EST-7
install objects	
Compilation.Make renamed procedure	LM-236

Compilation.Promote procedure	LM-242
[Install Stub] key	
Ada.Install_Stub procedure	EST-30
[Install (This World)] key	
Compilation.Promote procedure	LM-242
[Install Unit] key	
Ada.Install_Unit procedure	EST-31
Install_Stub procedure	
Ada.Install_Stub	EST-30 , PM-36
Install_Unit procedure	
Ada.Install_Unit	EST-31
demoting units	LM-33
promoting units	LM-21
summarized	LM-31, LM-37
Installed	
argument for 'S (compilation state) attribute	QR-9, RS-44
Installed enumeration	
Compilation.Unit_State type	LM-255
installed state	EST-5, LM-16
defined	LM-13
incremental compilation	EST-7
maintaining semantic consistency	LM-22, LM-34
installed units, modifications to	LM-17
installing	
Ada units	LM-17, LM-52
objects	
Compilation.Demote procedure	LM-224
instantiations, generic	DEB-24
integer	
Hash.Long_Integer_To_Integer function	PT-38
Hash.Pointer_To_Integer function	PT-40
Hash.Pointer_To_Integer generic function	PT-39
Hash.Pointer_To_Long_Integer function	PT-44
Hash.Pointer_To_Long_Integer generic function	PT-43
System.Max_Int constant	PT-165
System.Min_Int constant	PT-166
Integer type	
Standard.Integer	PT-161
integer value	
read from file	
Io.Get procedure	TIO-45
Io.Integer_Io.Get procedure	TIO-146
Text_Io.Integer_Io.Get procedure	TIO-254
read from string	
Io.Integer_Io.Get procedure	TIO-148
Text_Io.Integer_Io.Get procedure	TIO-256
write to current error file (message window)	
Io.Echo procedure	TIO-28
write to file	
Io.Integer_Io.Put procedure	TIO-150
Io.Put procedure	TIO-74
Text_Io.Integer_Io.Put procedure	TIO-258

write to string	
Io.Integer_Io.Put procedure	TIO-152
Text_Io.Integer_Io.Put procedure	TIO-260
Integer_Io generic package	
Io.Integer_Io	TIO-143
Text_Io.Integer_Io	TIO-251
interactions	
debugger interactions	DEB-4
with flags	DEB-51
interactive, <i>see</i> Connect	
interactive changes	SMU-333
Interchange package	
!Tools.Networking.Interchange specification	RS-547
Interchange_Defs package	
!Tools.Networking.Interchange_Defs specification	RS-554
Interface pragma	LM-47, LM-48
interfaces, among subsystems	PM-10, PM-11
Internal	
argument for 'L (link) attribute	QR-9, RS-46
Internal constant	
Links.Internal	LM-397
internal links, defined	LM-371
internal representations	
building profiles through	SJM-137
setting profiles through	SJM-132
Internal_System_Diagnosis procedure	
Operator.Internal_System_Diagnosis	SMU-93
interpret, defined	SJM-11
Interpret_Control_Words enumeration	
Debug.Option type	DEB-119
Interpret_Import_Words debugger flag	DEB-96
Interpreter_Dump debugger flag	DEB-96
Interpreter_Trace debugger flag	DEB-96
Interrupt procedure	
Job.Interrupt	SJM-45
Command.Spawn procedure	EST-56
commands from package Common	DEB-5
job kinds	SMU-157
Job.Connect procedure	SJM-37
Job.Disconnect procedure	SJM-40
placing jobs in background	SJM-34
Scheduler.Job_Kind type	SMU-187
interrupt program	
Debug.Stop procedure	DEB-155
intersection, defined	RS-39

interval	
Daemon.Warning_Interval procedure	SMU-44
deadline	SMU-54
Operator.Get_Shutdown_Interval function	SMU-90
review	SMU-158
warning	SMU-54
Interval function	
Daemon.Interval	SMU-19
Interval parameter	
obtaining information about jobs	SJM-36
Interval type	
Time_Uilities.Interval	PT-175, PT-193
Image function	PT-190
Inverse character attribute	DIO-102
Io package	
!Io.Io	TIO-7
specification	RS-331
transferring data between systems by tape	SMU-314
Io_Exceptions package	
!Io.Io_Exceptions	DIO-6, DIO-29 , TIO-6, TIO-155
specification	RS-341
Is_Empty function	
Concurrent_Map_Generic.Is_Empty	PT-22
List_Generic.Is_Empty	PT-56
Map_Generic.Is_Empty	PT-80
Queue_Generic.Is_Empty	PT-105
Set_Generic.Is_Empty	PT-119
String_Map_Generic.Is_Empty	ST-36
Is_In_Group function	
Access_List_Tools.Is_In_Group	LM-112
Is_Member function	
Set_Generic.Is_Member	PT-120
Is_Nil function	
Concurrent_Map_Generic.Is_Nil	PT-23
Map_Generic.Is_Nil	PT-81
String_Map_Generic.Is_Nil	ST-37
String_Table.Is_Nil	ST-57
Time_Uilities.Is_Nil	PT-194
Unbounded_String.Is_Nil	ST-116
Is_Open function	
Direct_Io.Is_Open	DIO-19
Io.Is_Open	TIO-54
Polymorphic_Sequential_Io.Is_Open	DIO-49
Sequential_Io.Is_Open	DIO-71
Text_Io.Is_Open	TIO-185
Window_Io.Is_Open	DIO-140
Is_Valid_Group function	
Access_List_Tools.Is_Valid_Group	LM-113
item	EI-1
next	
Editor.Cursor.Next procedure	EI-19
off	

Editor.Set.Designation_Off procedure	EI-60
previous	
Editor.Cursor.Previous procedure	EI-19
[Item Off] key	
Editor.Set.Designation_Off procedure	EI-60
Item procedure	
Table_Formatter.Item	ST-91, ST-97
Item type	
String_Table.Item	ST-58
Nil function	ST-63
Item_Length_Error	
Io_Exceptions.Layout_Error exception	DIO-33, TIO-159
iterate, <i>see</i> Init; Next	
iteration	SMU-230
job	SMU-231
obtaining information through	SMU-223
session	SMU-231
terminal-port	SMU-232
iterator	
job	
System_Uilities.Init procedure	SMU-259
System_Uilities.Job_Iterator type	SMU-265
System_Uilities.Next procedure	SMU-274
session	
System_Uilities.Session_Iterator type	SMU-289
stepping through jobs	
System_Uilities.Done function	SMU-245
stepping through sessions	
System_Uilities.Done function	SMU-245
stepping through terminals	
System_Uilities.Done function	SMU-245
terminal	
System_Uilities.Terminal_Iterator type	SMU-301
wildcard	
Io.Wildcard_Iterator generic procedure	TIO-105
Io.Wildcard_Iterator procedure	TIO-108
Iterator type	
Concurrent_Map_Generic.Iterator	PT-24
List_Generic.Iterator	PT-57
Map_Generic.Iterator	PT-82
Queue_Generic.Iterator	PT-106
Set_Generic.Iterator	PT-121
Stack_Generic.Iterator	PT-151
String_Map_Generic.Iterator	ST-38
String_Table.Iterator	ST-59

J

job	DIO-5, SMU-156, SMU-225, TIO-5
access-control identity of	SJM-230
attached	SJM-34, SMU-157
attribute	
Scheduler.Get_Job_Attribute function	SMU-176
Scheduler.Set_Job_Attribute procedure	SMU-200

background	SMU-156, SMU-160
placing in	SJM-34
Scheduler.Display procedure	SMU-168
streams	SMU-195
behavior	SJM-15
changing access-control identity of	SJM-232
characteristics	SJM-15
classes	SJM-17
relationship between job kinds and	SJM-18
connect terminal to	
Job.Connect procedure	SJM-37
core editor	SMU-157
CPU time	
Scheduler.Get_Cpu_Time_Used function	SMU-174
create	
Program.Create_Job procedure	SJM-236
current	SJM-229
debugger	DEB-3
monitoring	DEB-53, DEB-63
default	SJM-331
defined	DEB-2, LM-4, LM-288, SJM-15, SJM-33, SMU-223, SMU-224, SMU-225
descriptor	
Scheduler.Get_Job_Descriptor function	SMU-177
Scheduler.Traverse_Job_Descriptors generic procedure	SMU-204
Scheduler.Traverse_Job_Descriptors procedure	SMU-204
detached	SJM-34, SMU-157
disabled	SJM-35
disconnect	
Job.Disconnect procedure	SJM-40
enabled or disabled	
Scheduler.Enabled function	SMU-171
foreground	SMU-156, SMU-159
get	
Scheduler.Get_Job_Attribute function	SMU-176
Scheduler.Get_Job_Descriptor function	SMU-177
Scheduler.Get_Job_Kind function	SMU-178
Scheduler.Get_Job_State function	SMU-179
System_Uilities.Get_Job function	SMU-253
Id	
Scheduler.Job_Id subtype	SMU-186
System_Uilities.Job_Id subtype	SMU-264
identification numbers	SJM-15, SJM-16, SJM-33, SMU-156
identifier	
System_Uilities.Value function	SMU-307
identity	SJM-232
IDs	SMU-229
images	EST-1
information, obtaining	SMU-221
instructing to wait	SJM-231
iteration	SMU-231
interrupt	
Job.Interrupt procedure	SJM-45
I/O, text images	EST-139
kill	
Job.Kill procedure	SJM-46
kind	SJM-18, SMU-157
defined	SJM-18
relationship between job classes and	SJM-18
Scheduler.Get_Job_Kind function	SMU-178

Scheduler.Job_Kind type	SMU-187
names	SJM-16
defined	SJM-15
number of runnable on streams	SMU-161
object editor	SMU-157
obtaining information about	SJM-20, SJM-35
output	SJM-27
defined	SJM-27
destinations for	SJM-29
kinds of	SJM-27
tracking	SJM-31
page limit	LM-39, LM-52
defined	SMU-225
priority	
System_Uilities.Priority function	SMU-282
program	DEB-3
reports	SJM-27
directing	SJM-29
log messages and	SJM-28
response profile	DIO-6, PM-128, RS-57, SJM-24, TIO-6
changing	SJM-25
defined	QR-14, RS-56, SJM-23, SJM-24, SJM-116
initial	SJM-25
setting	SJM-130
restart	
Job.Enable procedure	SJM-42
resume execution	
Scheduler.Enable procedure	SMU-170
run	
Program.Run_Job procedure	SJM-245
What.Jobs procedure	SJM-368
server	SMU-157
Session option	SJM-230
Standard_Input, Standard_Output, and Standard_Error for	SJM-231
starting programmatically	SJM-230
state	SJM-19, SMU-157
defined	SJM-19, SMU-157
Scheduler.Get_Job_State function	SMU-179
Scheduler.Job_State type	SMU-189
stepping	
System_Uilities.Done function	SMU-245
stopping	SJM-35
stop temporarily	
Job.Disable procedure	SJM-38
streams	
background	SMU-161
time limits	SMU-161
subtype	
Job.Id subtype	SJM-44
suspend temporarily	
Scheduler.Disable	SMU-166
terminating	SJM-35, SMU-157
termination message	
Job.Set_Termination_Message procedure	SJM-48
types	SJM-17
User option	SJM-230
withheld	SMU-160
working set limit	
defined	SMU-163

Scheduler.Set_Wsl_Limits procedure	SMU-201
working set size, defined	SMU-163
[Job Connect] key	
Job.Connect procedure	SJM-37
[Job Disable] key	
Job.Disable procedure	SJM-38
[Job Enable] key	
Job.Enable procedure	SJM-42
[Job Kill] key	
Job.Kill procedure	SJM-46
Job package	
!Commands.Job	SJM-33
job classes	SJM-17
job kinds	SJM-18
key concepts for	SJM-33
procedures requiring operator capability	SMU-52
relationship between job classes and kinds	SJM-19
resources in	SJM-33
specification	RS-204
using commands in	SJM-34
Job_Context_First session switch	
Session.Job_Context_First	
described	SJM-346
Job_Context_Length session switch	
Session.Job_Context_Length	
described	SJM-346
Job_Descriptor type	
Scheduler.Job_Descriptor	SMU-183
Get_Job_Descriptor function	SMU-177
Job_Id subtype	
Program.Job_Id	SJM-242
Scheduler.Job_Id	SMU-186
Traverse_Job_Descriptors procedure	SMU-204
System_Uilities.Job_Id	SMU-264
jobs	SMU-226
Job_Id type	
System_Uilities.Job_Id	
defined	SMU-156
IDs for sessions, jobs, terminal ports, and tapes	SMU-229
Job_Iterator type	
System_Uilities.Job_Iterator	SMU-265
job iteration	SMU-226, SMU-231
Job_Kind type	
Scheduler.Job_Kind	SMU-187
Get_Job_Attribute function	SMU-176
Get_Job_Kind function	SMU-178
job kinds	SMU-157
Job_Descriptor type	SMU-184
State procedure	SMU-202
Job_Name function	
System_Uilities.Job_Name	SMU-266
names	SMU-230

- Job_Name_Length session switch
 - Session.Job_Name_Length described **SJM-346**
- Job_Name_Separator session switch
 - Session.Job_Name_Separator described **SJM-346**
- Job_Number function
 - Window_Io.Job_Number **DIO-141**
 - Set_Banner procedure **DIO-168**
- Job_State type
 - Scheduler.Job_State **SMU-189**
 - Get_Job_State function **SMU-179**
 - job states **SMU-157**
 - Job_Descriptor type **SMU-183**
 - State procedure **SMU-202**
 - What.Users procedure **SJM-369, SJM-383**
- Job_Time function
 - Window_Io.Job_Time **DIO-142**
 - Set_Banner procedure **DIO-168**
- Jobs procedure
 - What.Jobs **SJM-368**
 - commands from package Common for display **SJM-362**
 - job identification numbers **SJM-15, SJM-16**
 - job names **SJM-16**
 - Job.Id subtype **SJM-44**
 - jobs **SMU-225**
 - obtaining information about jobs **SJM-20, SJM-35, SJM-36**
- join **PM-14, PM-226, PM-260, PM-266, PM-268, PM-288, PM-310**
see also Wait_For
- Join procedure
 - Cmvc.Join **PM-43, PM-44, PM-45, PM-48, PM-260**
 - Cmvc.Copy procedure **PM-223, PM-226**
 - Cmvc.Make_Path procedure **PM-272**
 - Editor.Line.Join **EI-31, EI-34**
 - Editor.Window.Join **EI-64, EI-66**
- join set **PM-38, PM-43, PM-44, PM-205, PM-308, PM-317, PM-350**
- joined **PM-38**
- joined object
 - accepting changes **PM-41**
 - checking out **PM-39**
 - creating new **PM-42**
 - developing with **PM-38**
 - keeping updated **PM-40**
 - permitting demotion **PM-42**
 - preventing automatic updating **PM-42**
 - retrieving latest at checkout **PM-41**
- joined units
 - using pragma Main in subsystems **LM-61**
- Journal_Comment_Lines enumeration
 - Work_Order.Venture_Policy_Switch **PM-400**
- Justify procedure
 - Editor.Region.Justify **EI-48**

Editor.Set.Fill_Column procedure EI-61

K

keep window on screen	
Editor.Window.Promote procedure	EI-67
Kernel: prompt	
Error_Log client	SMU-5
key	DIO-83
bindings	EI-1, RS-689
changing	SJM-7
defined	SJM-7
determining	EST-125
Editor.Key package	EI-27
procedures	SJM-9
session-specific	SJM-10
combinations	
binding	SJM-10
change default parameters	
Editor.Key.Prompt procedure	EI-29
define	
Editor.Key.Define procedure	EI-28
function keys	EI-27
help on key	EST-123
Editor.Key.Name procedure	EI-29
keymap	EI-1
log keystrokes	
Editor.Set.Input_Logging_To procedure	EI-61
macros	
Editor.Macro package	EI-37
modifier keys	EI-2
names	DIO-85
prompt for	
Editor.Key.Prompt procedure	EI-29
rebinding	SJM-8
Editor.Key package	EI-27
redefine	DIO-80
sequence	
Window_Io.Raw.Stream_Type type	DIO-185
simple	
Window_Io.Raw.Simple_Key subtype	DIO-184
stop logging keystrokes	
Editor.Set.Input_Logging_Off procedure	EI-61
target	LM-2, LM-45, LM-212
using commands bound to	DEB-7
key-binding procedures, rebinding keys through	SJM-9
key-binding objects, customizing	SJM-12
key concepts	DIO-1
Access_List package	LM-63
Access_List_Tools package	LM-89
Ada images	EST-3
command images	EST-46
Compilation package	LM-203
Daemon package	SMU-4
File_Uilities package	LM-257

Job package	SJM-33
Library package	LM-287
Links package	LM-369
menu images	EST-130
Message package	SMU-45
Operator package	SMU-50
Program package	SJM-229
Queue package	SMU-111
Remote_Passwords package	SJM-275
Scheduler package	SMU-155
Search_List package	SJM-301
session switches	DEB-55, SJM-327
SMG	SMU-1
SMU	SMU-1
Switches package	LM-409
System_Backup package	SMU-209
System_Uilities package	SMU-223
Tape package	SMU-313
Terminal package	SMU-331
text images	EST-138
Window Directory	EST-154
windows images	EST-154
xref images	EST-160
Xref package	LM-453
Key package	
Editor.Key	EI-27
Key procedure	
What.Key	
Editor.Key package	EI-27
Editor.Key.Define procedure	EI-28
Key type	
Window_Io.Raw.Key	DIO-181
Key_Directory session switch	
Session.Key_Directory	
described	SJM-347
making key bindings session-specific	SJM-10
Key_String type	
Window_Io.Raw.Key_String	DIO-182
keyboard input	DIO-85
keyboard macros	EI-7
Editor.Macro package	EI-37
keymap	EI-1, RS-685
keymap procedures, editing	SJM-9
keystrokes	
program's access to	
Window_Io.Raw.Close procedure	DIO-172
read, typed by users	
Window_Io.Raw package	DIO-171
Keyword_Case library switch	EST-9, EST-14
Format.Keyword_Case	
described	LM-420
kill buffer	
Editor.Hold_Stack package	EI-21

Kill procedure	
Debug.Kill	DEB-108
Job.Kill	SJM-46
Job.Disable procedure	SJM-38
terminating jobs	SJM-35
Text.Block procedure	EST-146
What.Users procedure	SJM-382
<i>see also</i> Cancel; Delete_Group; Delete_User; Force_Logoff	
kill ring	
Editor.Hold_Stack package	EI-21
kill user session, <i>see</i> Force_Logoff	
Kill_Old_Jobs enumeration	
Debug.Option type	DEB-119
Kill_Old_Jobs option flag	
jobs in debugger	DEB-3
Kill_Print_Spooler procedure	
Queue.Kill_Print_Spooler	SMU-135
kind	
defined	SJM-33, SMU-157
job	SMU-157
Scheduler.Get_Job_Kind function	SMU-178
Scheduler.Job_Kind type	SMU-187
link	
Links.Link_Kind subtype	LM-398
message	
Profile.Msg_Kind type	SJM-172
parity	
System_Uilities.Parity_Kind type	SMU-280
Terminal.Parity_Kind subtype	SMU-340
Kind type	
Library.Kind	LM-340
System_Backup.Kind	SMU-219

L

L (link) attribute	RS-45
arguments for	QR-9, RS-46
described	QR-8, RS-38
label	
Tape.Examine_Labels procedure	SMU-319
Label option	
Archive.Restore procedure	LM-129
Archive.Save procedure	LM-128
summarized	LM-133
Last_Child procedure	
Common.Object.Last_Child	EST-110 , PM-138
Ada images	EST-17
command images	EST-50
commands from package Common for debugger	DEB-64
commands from package Common for editing searchlists	SJM-307
commands from package Common for Jobs procedure display	SJM-362
commands from package Common for use in help windows	SJM-361

described	DEB-5
editing libraries with	LM-299
editing links with	LM-378
editing switches with	LM-424
help	EST-126
menu images	EST-135
text images	EST-143
windows images	EST-158
xref images	EST-164
Last_Gasp_Destroy procedure	
!Commands.System_Maintenance'Spec_View.Units.Last_Gasp_Destroy	
specification	RS-279
Last_Line function	
Window_Io.Last_Line	DIO-143
Report_Size procedure	DIO-166
Last_Login function	
System_Uilities.Last_Login	SMU-267
users	SMU-224
Last_Logout function	
System_Uilities.Last_Logout	SMU-268
users	SMU-224
Last_Run function	
Daemon.Last_Run	SMU-20
Last_Subitem procedure	
Table_Formatter.Last_Subitem	ST-91, ST-98
Subitem procedure	ST-101
Layout_Error exception	
Io package	
Col function	TIO-15
Line function	TIO-55
Page function	TIO-66
Set_Col procedure	TIO-86
Set_Line procedure	TIO-92
Io.Enumeration_Io generic package	
Put procedure	TIO-117
Io.Fixed_Io generic package	
Put procedure	TIO-129, TIO-130
Io.Float_Io generic package	
Put procedure	TIO-141
Io.Integer_Io generic package	
Put procedure	TIO-152
Io_Exceptions.Layout_Error	DIO-33, TIO-159
Text_Io package	
Col function	TIO-167
Line function	TIO-186
Page function	TIO-195
Set_Col procedure	TIO-204
Set_Line procedure	TIO-207
Text_Io.Enumeration_Io generic package	
Put procedure	TIO-225
Text_Io.Fixed_Io generic package	
Put procedure	TIO-237
Text_Io.Float_Io generic package	
Put procedure	TIO-249
Text_Io.Integer_Io generic package	
Put procedure	TIO-260

Window_Io package	
Move_Cursor procedure	DIO-149
leading characters	
String_Utilities.Strip function	ST-86
String_Utilities.Strip_Leading function	ST-87
left brace (l)	
metacharacter	EI-56
wildcard character	LM-258, LM-261, LM-270, LM-273, LM-276, QR-7, RS-53
Left enumeration	
Table_Formatter.Adjust type	ST-93
Left procedure	
Editor.Cursor.Left	EI-17, EI-18
Editor.Image.Left	EI-25, EI-26
Window_Shift_Overlap session switch, described	SJM-359
Editor.Screen.Left	EI-53
length	DIO-79
file	
Direct_Io.Size function	DIO-27
line	TIO-8
Io.Line_Length function	TIO-56
Io.Set_Line_Length procedure	TIO-93
Io.Unbounded constant	TIO-103
Text_Io.Line_Length function	TIO-187
Text_Io.Set_Line_Length procedure	TIO-208
Text_Io.Unbounded constant	TIO-216
Window_Io.Line_Length function	DIO-145
maximum	
Bounded_String.Max_Length function	ST-15
Unbounded_String.Default_Maximum_Length generic formal object	ST-109
maximum ACL	
Access_List_Tools.Max_Acl_Length constant	LM-114
page	TIO-8
Io.Page_Length function	TIO-67
Io.Set_Page_Length procedure	TIO-96
Io.Unbounded constant	TIO-103
Text_Io.Page_Length function	TIO-196
Text_Io.Set_Page_Length procedure	TIO-210
Text_Io.Unbounded constant	TIO-216
password	SMU-54
set	
Bounded_String.Set_Length procedure	ST-19
Unbounded_String.Set_Length procedure	ST-122
string	
Bounded_String.String_Length subtype	ST-21
Unbounded_String.String_Length subtype	ST-123
length error, <i>see</i> Item_Length_Error	
Length function	
Bounded_String.Length	ST-14
List_Generic.Length	PT-58
String_Table.Length	ST-60
Unbounded_String.Length	ST-117
Length suboption	
printing text with formatting	SMU-112
less than	
Calendar.< function	PT-8

Io.< function	TIO-10
Table_Sort_Generic.<" generic formal function	PT-170
less than/equal to	
Calendar.<= function	PT-8
Less_Than function	
String_Uilities.Less_Than	ST-75
Letter option	
PostScript printing	SMU-116
printing letters	SMU-114
letters, printing	SMU-114
level numbers	PM-34, PM-230, PM-275, PM-303
coordinating in spec and released view names	PM-94
spec-view names	PM-59
level of detail in library images	LM-292 – 297
default	LM-292, LM-296, LM-297
miscellaneous	LM-293, LM-294, LM-297
standard	LM-293, LM-294, LM-297
lib units	
level of elision	LM-295
lib vers	
level of elision	LM-295
Libraries enumeration	
Debug.State_Type type	DEB-153
Library	
argument for 'C (class) attribute (object classes)	QR-9, RS-41
library	
compact	
Library.Compact_Library procedure	LM-305
copying objects into another	LM-140, LM-141
create	
Library.Create_Directory renamed procedure	LM-315
Library.Create_World renamed procedure	LM-319
create switch file	
Switches.Define procedure	LM-435
current	LM-4, LM-288, RS-20, RS-21
defined	LM-1
demoting across	LM-37
display	
Library.Display procedure	LM-328
Library.Enclosing_World procedure	LM-329
Search_List.Display_Libraries procedure	SJM-316
session switches for	SJM-330
editing	LM-298
enclosing	PM-131
home	
System_Uilities.Home_Library function	SMU-257
images	EST-1, LM-5
controlling	LM-296
structure of	LM-291
introduction to	LM-1
managing	LM-1, PM-9
operations for controlled objects	PM-35
name	PM-127

when grave follows	RS-28
objects in	LM-6
pathnames for	LM-3
presentation of	LM-298
program	LM-14
project	LM-155
promoting across	LM-26
providing local aliases for units in other	LM-44
restoring	LM-138
root	PM-131
saving	LM-136
subclasses	
arguments for	QR-10
arguments for 'C attribute	RS-42
switch file association	
associating	LM-410, LM-414
dissociating	LM-414
Switches.Associate procedure	LM-427
Switches.Associated function	LM-429
Switches.Dissociate procedure	LM-439
switch filename	
Switches.Of_Library constant	LM-445
switches	EST-60, LM-409
Ada images	EST-9
command images	EST-47
Comment_Column	EI-15
customizing	SJM-12
defined	LM-9, LM-46, LM-214, LM-409, SJM-12, SJM-327
described	LM-417
Enable_Deallocation	PT-241
for registering Ada units in	LM-416
grouped by function	LM-415
interaction between session switches and	LM-411
Keyword_Case	EST-9, EST-14
Page_Limit	SMU-254, SMU-291
subsystems and	LM-410
switches that exist as both session switches and	LM-411
<i>see also switches or specific library switch</i>	
units, referencing	DEB-22
user	
What.Home_Library procedure	SJM-367
using to control compilation	LM-46
visibility across	LM-26
Library package	
!Commands.Library	LM-287
commands from package Common for editing libraries	LM-298
described	LM-8
key concepts for	LM-287
resources in	LM-287
session switches for controlling library displays	LM-296
specification	RS-205
structure of library images	LM-291
Library_Break_Long_Lines session switch	
Session.Library_Break_Long_Lines	
controlling textual presentation of libraries	LM-298
described	SJM-347
Library_Capitalize session switch	
Session.Library_Capitalize	

controlling textual presentation of libraries	LM-298
described	SJM-347
Library_Indentation session switch	
Session.Library_Indentation	
controlling textual presentation of libraries	LM-298
described	SJM-347
Library_Lazy_Realignment session switch	
Session.Library_Lazy_Realignment	
controlling textual presentation of libraries	LM-298
described	SJM-347
Library_Line_Length session switch	
Session.Library_Line_Length	
controlling textual presentation of libraries	LM-298
described	SJM-347
Library_Misc_Show_Edit_Info session switch	
Session.Library_Misc_Show_Edit_Info	
described	SJM-347
setting up miscellaneous level of detail	LM-297
Library_Misc_Show_Frozen session switch	
Session.Library_Misc_Show_Frozen	
described	SJM-347
setting up miscellaneous level of detail	LM-297
Library_Misc_Show_Retention session switch	
Session.Library_Misc_Show_Retention	
described	SJM-348
setting up miscellaneous level of detail	LM-297
Library_Misc_Show_Size session switch	
Session.Library_Misc_Show_Size	
described	SJM-348
setting up miscellaneous level of detail	LM-297
Library_Misc_Show_Subclass session switch	
Session.Library_Misc_Show_Subclass	
described	SJM-348
setting up miscellaneous level of data	LM-297
Library_Misc_Show_Unit_State session switch	
Session.Library_Misc_Show_Unit_State	
described	SJM-348
setting up miscellaneous level of data	LM-297
Library_Misc_Show_Volume session switch	
Session.Library_Misc_Show_Volume	
described	SJM-348
setting up miscellaneous level of data	LM-297
Library_Object_Editor package	
!Tools.Library_Object_Editor	
specification	RS-464
Library_Shorten_Names session switch	
Session.Library_Shorten_Names	
controlling textual presentation of libraries	LM-298
described	SJM-348
Library_Shorten_Subclass session switch	
Session.Library_Shorten_Subclass	
controlling textual presentation of libraries	LM-298

described	SJM-348
Library_Shorten_Unit_State session switch	
Session.Library_Shorten_Unit_State	
controlling textual presentation of libraries	LM-298
described	SJM-348
Library_Show_Deleted_Objects session switch	
Session.Library_Show_Deleted_Objects	
described	SJM-349
levels of elision	LM-296
setting up default level of elision	LM-296, LM-297
Library_Show_Deleted_Versions session switch	
Session.Library_Show_Deleted_Versions	
described	SJM-349
levels of elision	LM-296
setting up default level of elision	LM-296, LM-297
Library_Show_Misc session switch	
Session.Library_Show_Misc	
setting up standard and miscellaneous displays	LM-294
Library_Show_Miscellaneous session switch	
Session.Library_Show_Miscellaneous	
described	SJM-349
setting up miscellaneous level of data	LM-297
Library_Show_Standard session switch	
Session.Library_Show_Standard	
described	SJM-349
setting up standard and miscellaneous displays	LM-295
setting up standard level of detail	LM-297
Library_Show_Std session switch	
Session.Library_Show_Std	
setting up standard and miscellaneous displays	LM-294
Library_Show_Subunits session switch	
Session.Library_Show_Subunits	
described	SJM-349
setting up default level of elision	LM-296, LM-297
Library_Show_Version_Number session switch	
Session.Library_Show_Version_Number	
controlling textual presentation of libraries	LM-298
described	SJM-349
Library_Std_Show_Class session switch	
Session.Library_Std_Show_Class	
described	SJM-349
setting up standard level of detail	LM-297
Library_Std_Show_Subclass session switch	
Session.Library_Std_Show_Subclass	
described	SJM-350
setting up standard level of detail	LM-297
Library_Std_Show_Unit_State session switch	
Session.Library_Std_Show_Unit_State	
described	SJM-350
setting up standard and miscellaneous displays	LM-295
setting up standard level of detail	LM-297
Library_Uppercase session switch	

Session.Library_Uppercase	
controlling textual presentation of libraries	LM-298
described	SJM-350
LIFO	
Stack_Generic generic package	PT-143
Stack_Generic.Stack type	PT-156
limit	
Compilation.Change_Limit subtype	LM-218
Operator.Get_Login_Limit function	SMU-86
Operator.Show_Login_Limit procedure	SMU-102
page	SMU-225
Scheduler.Get_Wsl_Limits procedure	SMU-182
set	SMU-163
System_Uilities.Set_Page_Limit procedure	SMU-291
time	SMU-161
limit number users logging in	
Operator.Limit_Login procedure	SMU-94
Limit parameter	LM-208
demoting across libraries	LM-37
demoting multiple Ada units	LM-35
promoting across libraries	LM-27
promoting across subsystems	LM-28, LM-29
promoting multiple Ada units	LM-24
special values for	LM-208
Limit_Login procedure	
Operator.Limit_Login	SMU-94
Get_Login_Limit function	SMU-86
Show_Login_Limit procedure	SMU-102
line	DIO-79, TIO-7
beginning of	
Editor.Line.Beginning_Of procedure	EI-32
case conversion	
Editor.Line.Capitalize procedure	EI-32
Editor.Line.Lower_Case procedure	EI-34
Editor.Line.Upper_Case procedure	EI-35
center	
Editor.Line.Center procedure	EI-32
copy	
Editor.Line.Copy procedure	EI-32
current number	
Io.Line function	TIO-55
Io.Set_Line procedure	TIO-91
Text_Io.Line function	TIO-186
Text_Io.Set_Line procedure	TIO-206
delete	
Window_Io.Delete_Lines procedure	DIO-115
deletion	
Editor.Line.Delete procedure	EI-32
Editor.Line.Delete_Backward procedure	EI-33
Editor.Line.Delete_Forward procedure	EI-33
echo	
Io.Echo_Line procedure	TIO-32
editing operations	
Editor.Line package	EI-31
end of	
Editor.Line.End_Of procedure	EI-33

Io.End_Of_Line function	TIO-34
Text_Io.End_Of_Line function	TIO-175
Window_Io.End_Of_Line function	DIO-119
get	
Io.Get_Line function	TIO-50
Io.Get_Line procedure	TIO-51
Text_Io.Get_Line procedure	TIO-183
Window_Io.Get_Line function	DIO-131
Window_Io.Get_Line procedure	DIO-134
join current and next	
Editor.Line.Join procedure	EI-34
last	
Window_Io.Last_Line function	DIO-143
length	TIO-8
Io.Set_Line_Length procedure	TIO-93
Io.Unbounded constant	TIO-103
Text_Io.Set_Line_Length procedure	TIO-208
Text_Io.Unbounded constant	TIO-216
new	
Io.New_Line procedure	TIO-60
Text_Io.New_Line procedure	TIO-190
Window_Io.New_Line procedure	DIO-151
new line and indent	
Editor.Line.Indent procedure	EI-33
new line before cursor	
Editor.Line.Insert procedure	EI-33
new line below cursor	
Editor.Line.Open procedure	EI-34
next	
Editor.Line.Next procedure	EI-34
number	
What.Line procedure	SJM-371
previous	
Editor.Line.Previous procedure	EI-34
put	
Io.Put_Line procedure	TIO-79
Text_Io.Put_Line procedure	TIO-200
read from file	
Io.Get procedure	TIO-43
set	
Io.Set_Line procedure	TIO-91
Text_Io.Set_Line procedure	TIO-206
skip	
Io.Skip_Line procedure	TIO-97
Text_Io.Skip_Line procedure	TIO-211
terminator (Ascii.Lf)	DIO-6, TIO-5
transpose current and previous	
Editor.Line.Transpose procedure	EI-34
write to current log file	
Log.Put_Line procedure	SJM-82
Line function	
Io.Line	TIO-55
Text_Io.Line	TIO-186
Line package	
Editor.Line	EI-5, EI-31
Line parameter, identifying R1000 hardware ports	SMU-332
Line procedure	

What.Line	SJM-371
Line_Image function	
Window_Io.Line_Image	DIO-144
Get_Line function	DIO-131
Line_Length function	
Io.Line_Length	TIO-56
Text_Io.Line_Length	TIO-187
Window_Io.Line_Length	DIO-145
Line_Length library switch	
Format.Line_Length described	LM-420
Line_Number subtype	
Window_Io.Line_Number	DIO-146
Line_Page_Length_Error	
Io_Exceptions.Use_Error exception	DIO-37, TIO-163
link	PM-64, PM-301, PM-303
grave (`) special character	PM-132
name resolution mode	PM-132
link names	
changing	LM-375
defined	LM-371
Link object manager	SMU-5, SMU-60
described	SMU-5
Link_Kind subtype	
Links.Link_Kind	LM-398
Link_Name subtype	
Links.Link_Name	LM-399
Link_Tools package	
!Tools.Link_Tools specification	RS-465
linked list	
List_Generic generic package	PT-49
List_Generic.List type	PT-59
links	
access control and	LM-376
access rights	LM-68
adding	LM-68
Links.Add procedure	LM-379
changing	
Links.Edit procedure	LM-392
copying	LM-374
Links.Copy procedure	LM-382
creating	LM-374
customizing	SJM-12
defined	LM-2, LM-26, LM-43, LM-369, SJM-12
deleting	
Links.Delete procedure	LM-384
dependents	
Links.Dependents procedure	LM-386
displaying	
Links.Display procedure	LM-390
editing	LM-374

Links.Edit procedure	LM-392
entering cross-library link	
Links.Add procedure	LM-379
example using	LM-370
external	LM-371
Links.External constant	LM-394
inserting	
Links.Insert procedure	LM-395
internal	LM-371
Links.Internal constant	LM-397
kinds of	LM-371
Links.Link_Kind subtype	LM-398
link components	LM-371
link names	LM-375
names	
Links.Link_Name subtype	LM-399
predefined sets of	LM-372
removing	LM-376
Links.Delete procedure	LM-384
Links.Expunge procedure	LM-393
replacing	
Links.Replace procedure	LM-401
source names	LM-375
Links.Source_Name subtype	LM-403
source pattern	
Links.Source_Pattern subtype	LM-404
subsystems and	LM-373
updating	
Links.Update procedure	LM-405
viewing	LM-373
visiting	
Links.Visit procedure	LM-407
world name	
Links.World_Name subtype	LM-408
links images	EST-1
Links option	
Archive.Restore procedure	LM-132
Archive.Save procedure	LM-129
summarized	LM-133
Links package	
!Commands.Links	LM-369
commands from package Common for editing links	LM-377
key concepts for	LM-369
resources in	LM-369
specification	RS-214
using commands from	LM-373
list	
access-control	SMU-6, SMU-50
Ada	
Library.Ada_List renamed procedure	LM-302
available target keys, obtaining	LM-213
file	
Library.File_List renamed procedure	LM-336
System_Uilities.Block_List type	SMU-236
Table_Formatter.Field_List type	ST-95
verbose	
Library.Verbose_List renamed procedure	LM-366

- see also* Display
- List procedure
- Archive.List **LM-176**
 - described LM-127
 - Library.List **LM-342**
 - Ada_Format constant LM-301
 - Ada_List renamed procedure LM-302
 - All_Fields constant LM-304
 - Field type LM-333
 - Fields type LM-335
 - File_List renamed procedure LM-336
 - Terse_Format constant LM-360
 - Unfreeze procedure LM-363
 - Verbose_Format constant LM-365
 - Verbose_List renamed procedure LM-366
- List type
- List_Generic.List **PT-59**
- List_Editor package
- Work_Order.List_Editor **PM-413**
- List_Generic generic package **PT-49**
- Tools.List_Generic specification RS-468
- listing
- dependencies on Ada compilation units LM-227
 - switches LM-413
- listings
- compiler LM-47
 - Library package LM-8
- literal string matching LM-257
- defined LM-257
- literal values, options with RS-54
- load
- Compilation.Load procedure LM-234
 - run SMU-159
 - Scheduler.Get_Disk_Wait_Load procedure SMU-175
 - Scheduler.Get_Run_Queue_Load procedure SMU-180
 - Scheduler.Get_Withheld_Task_Load procedure SMU-181
 - wait SMU-164
- Load procedure
- Compilation.Load **LM-234**
 - creating loaded main programs LM-214
 - Delta1_Code_View_Compatibility library switch LM-51
 - loaded main programs LM-60
 - main-program semantics LM-54
 - What.Load **SJM-372**
- load view PM-10, PM-11, PM-52, PM-136, PM-137, PM-187
- compatibility between spec views and in subsystems LM-52
 - specifying compatible PM-94
- Load_Factor subtype
- Scheduler.Load_Factor **SMU-190**
 - Set procedure SMU-198
- Load_View

argument for 'C (class) attribute (library subclasses)	QR-10, RS-42
Load_Views	
value for Scope parameter	LM-207
Load_Views enumeration	
Compilation.Promote_Scope type	LM-246
Load_Views scope	
Limit parameter	LM-29
loaded main programs	LM-60
creating	LM-214
defined	LM-54, LM-214
Loaded_Function_Spec	
argument for 'C (class) attribute (Ada subclasses)	QR-10, RS-42
Loaded_Main pragma	
creating loaded main programs	LM-214
loaded main programs	LM-60
Loaded_Procedure_Spec	
argument for 'C (class) attribute (Ada subclasses)	QR-10, RS-42
loading	PM-68
local aliases, providing for units in other libraries	LM-44
Local_Statement enumeration	
Debug.Stop_Event type	DEB-157
locate	
String_Uilities.Reverse_Locate function	ST-83
<i>see also</i> Find	
Locate function	
String_Uilities.Locate	ST-76
location	
defined	DEB-14
designating	DEB-16
display current	
Debug_Tools.Ada_Location function	DEB-179
for breakpoints	DEB-41
in generics, naming	DEB-29
in source, referencing	DEB-22
in task constructs, naming	DEB-28
in units, naming	DEB-26
raise	
Debug_Tools.Get_Raise_Location function	DEB-187
show source	
Debug.Address_To_Location procedure	DEB-66
vs. variables	DEB-14
Window_Io.Report_Location procedure	DIO-164
Location_To_Address procedure	
Debug.Location_To_Address	DEB-109
Address_To_Location procedure	DEB-66
Lock_Error	
Io_Exceptions.Use_Error exception	DIO-37, TIO-163
Compilation.Delete procedure	LM-223
Compilation.Demote procedure	LM-225
Compilation.Destroy procedure	LM-231
Compilation.Promote procedure	LM-238, LM-243

on Ada unit	EST-9
locks	EST-59
Ada images	EST-9
editor	LM-67
read-only	EST-59
text images	EST-139
write	EST-59
Locks procedure	
What.Lock s	SJM-374
Log	
argument for 'C (class) attribute (file subclasses)	QR-11, RS-43
log	
error	SMU-5
failed logins	
Terminal.Set_Log_Failed_Logins procedure	SMU-351
reset	
Log.Reset_Log procedure	SJM-95
set	
Log.Set_Log procedure	SJM-100
width	
Profile.Width function	SJM-228
log file	LM-40
copy	
Log.Copy procedure	SJM-65
create	
Log.Copy procedure	SJM-65
default	
Profile.Default_Log_File constant	SJM-145
defined	SJM-30
filter	
Log.Filter procedure	SJM-67
Log.Filter_Errors renamed procedure	SJM-70
Profile.Log_Filter type	SJM-167
filter/write	
Log.Summarize renamed procedure	SJM-102
force output from buffer to file	
Log.Flush procedure	SJM-73
name	
Log.Name subtype	SJM-75
output	
Profile.Log_File function	SJM-166
Profile.Log_Output_File type	SJM-168
response characteristic	
described	SJM-20, SJM-115
setting	SJM-25
save	
Log.Save procedure	SJM-97
set	
Profile.Set_Log_File procedure	SJM-212
set default	
Profile.Set_Default_Log_File procedure	SJM-200
write system message log to current	
Log.Put_Job_Messages procedure	SJM-81
Log.Put_System_Messages procedure	SJM-92
write to	
Log.Put_Condition procedure	SJM-79
write to current	

Log.Put_Line procedure	SJM-82
log filter	
defined	SJM-30
response characteristic	
described	SJM-20, SJM-115
setting	SJM-25
log messages	SJM-28
directing	SJM-30
job reports and	SJM-28
log off	
Editor.Quit procedure	EI-10
Log package	
!Commands.Log	SJM-49
setting response characteristics	SJM-26
specification	RS-217
log prefixes response characteristic	
described	SJM-20, SJM-115
setting	SJM-25
log threshold	
Daemon.Get_Log_Threshold function	SMU-14
Daemon.Set_Log_Threshold procedure	SMU-33
Daemon.Show_Log_Thresholds procedure	SMU-35
log width response characteristic	
described	SJM-20, SJM-115
setting	SJM-25
Log_At_Sign_Msgs session switch	
Profile.Log_At_Sign_Msgs	
described	SJM-350
Log_Auxiliary_Msgs session switch	
Profile.Log_Auxiliary_Msgs	
described	SJM-350
Log_Diagnostic_Msgs session switch	
Profile.Log_Diagnostic_Msgs	
described	SJM-350
Log_Dollar_Msgs session switch	
Profile.Log_Dollar_Msgs	
described	SJM-350
Log_Error_Msgs session switch	
Profile.Log_Error_Msgs	
described	SJM-350
Log_Exception_Msgs session switch	
Profile.Log_Exception_Msgs	
described	SJM-351
Log_Failed_Logins function	
System_Uilities.Log_Failed_Logins	SMU-269
terminal ports	SMU-227
Log_File function	
Profile.Log_File	SJM-166
Profile.Set_Default_Log_File procedure	SJM-200
Profile.Set_Log_File procedure	SJM-212
Log_File option	

redirecting command output	RS-62
Log_File session switch	
Profile.Log_File	
described	SJM-351
directing log messages	SJM-30
log files	LM-40
Log_Filter type	
Profile.Log_Filter	SJM-167
Log_Line_Width session switch	
Profile.Log_Line_Width	
described	SJM-351
Log_Negative_Msgs session switch	
Profile.Log_Negative_Msgs	
described	SJM-351
Log_Note_Msgs session switch	
Profile.Log_Note_Msgs	
described	SJM-351
Log_Off_On_Disconnect function	
System_Uilities.Log_Off_On_Disconnect	
terminal ports	SMU-227
Log_Output_File type	
Profile.Log_Output_File	SJM-168
directing log messages	SJM-31
Log_Position_Msgs session switch	
Profile.Log_Position_Msgs	
described	SJM-351
Log_Positive_Msgs session switch	
Profile.Log_Positive_Msgs	
described	SJM-352
Log_Prefix type	
Profile.Log_Prefix	SJM-169, SJM-352
Log_Prefix_1 session switch	
Profile.Log_Prefix_1	
described	SJM-352
Log_Prefix_2 session switch	
Profile.Log_Prefix_2	
described	SJM-352
Log_Prefix_3 session switch	
Profile.Log_Prefix_3	
described	SJM-352
Log_Prefixes type	
Profile.Log_Prefixes	SJM-171
Log_Reader package	
!Tools.System_Availability!Spec_View.Units.Log_Reader	
specification	RS-645
Log_Sharp_Msgs session switch	
Profile.Log_Sharp_Msgs	
described	SJM-352
Log_Threshold type	
Daemon.Log_Threshold	SMU-21

Log_To_Disk enumeration	
Daemon.Log_Threshold type	SMU-21
Log_Warning_Msgs session switch	
Profile.Log_Warning_Msgs	
described	SJM-352
Logged_In function	
System_Uilities.Logged_In	SMU-270
sessions	SMU-224
users	SMU-224
login	
Operator.Get_Login_Limit function	SMU-86
Operator.Limit_Login procedure	SMU-94
Operator.Show_Login_Limit procedure	SMU-102
port	SMU-334
System_Uilities.Disconnect_On_Failed_Login function	SMU-243
System_Uilities.Last_Login function	SMU-267
System_Uilities.Log_Failed_Logins function	SMU-269
Terminal.Set_Disconnect_On_Failed_Login procedure	SMU-345
Terminal.Set_Log_Failed_Logins procedure	SMU-351
Terminal.Set_Login_Disabled procedure	SMU-352
login procedures	
customizing	SJM-12
default	SJM-5
personal	SJM-6
setting up	SJM-5
systemwide	SJM-5, SJM-7
Login_Disabled function	
System_Uilities.Login_Disabled	SMU-271
logoff	
Operator.Force_Logoff procedure	SJM-112, SMU-84
System_Uilities.Disconnect_On_Logoff function	SMU-244
Terminal.Set_Disconnect_On_Logoff procedure	SMU-346
Terminal.Set_Logoff_On_Disconnect procedure	SMU-353
Logoff_On_Disconnect function	
System_Uilities.Logoff_On_Disconnect	SMU-272
logout	
System_Uilities.Last_Logout function	SMU-268
Long_Integer type	
Standard.Long_Integer	PT-161
Long_Integer_To_Integer function	
Hash.Long_Integer_To_Integer	PT-38
look up, <i>see</i> Unique	
loops, breakpoints and	DEB-42
Low_Level_Destroy procedure	
!Commands.System_Maintenance'Spec_View.Units.Low_Level_Destroy	
specification	RS-280
Lower_Case constant	
Io.Lower_Case	TIO-57
Lower_Case function	
String_Uilities.Lower_Case	ST-78
Lower_Case procedure	

Editor.Char.Lower_Case	EI-14
Editor.Line.Lower_Case	EI-34
Editor.Region.Lower_Case	EI-48
Editor.Word.Lower_Case	EI-71
String_Uilities.Lower_Case	ST-79

M

machine initialization, key concepts	SMU-2
machine values, displaying and translating	DEB-63
Machine_Instruction enumeration	
Debug.Stop_Event type	DEB-157
Debug.Trace_Event type	DEB-170
Machine_Level enumeration	
Debug.Option type	DEB-119
Macro package	
Editor.Macro	EI-7, EI-37
macros	EI-7
beginning definition	
Editor.Macro.Start procedure	EI-39
binding to keys	SJM-8
Editor.Macro.Bind procedure	EI-38
building	SJM-8
current	EI-37
ending definition	
Editor.Macro.Finish procedure	EI-38
executing	
Editor.Macro.Execute procedure	EI-38
rebinding keys through	SJM-8
rereading macro file	
Editor.Macro.Restore procedure	EI-38
saving macro file	SJM-8
Editor.Macro.Save procedure	EI-39
Mail	
argument for 'C (class) attribute (file subclasses)	QR-11, RS-43
Mail package	
!Commands.Mail	
specification	RS-222
Mail_Database	
argument for 'C (class) attribute (file subclasses)	QR-11, RS-43
Main pragma	PM-114
coding units	LM-18, LM-20
creating loaded main programs	LM-214
deciding to use	LM-53
execution	LM-61
joined units	LM-61, LM-62
releases	LM-61
using in subsystems	LM-60
main programs	LM-53
coded	LM-54, LM-59, LM-214
compiling and executing	LM-53
defined	LM-20, LM-53
executing	PM-84

loaded	LM-54, LM-60, LM-214
semantics	LM-54
defined	LM-53
Main_Body	
argument for 'C (class) attribute (Ada subclasses)	RS-42
Main_Function_Body	
argument for 'C (class) attribute (Ada subclasses)	QR-10
Main_Function_Spec	
argument for 'C (class) attribute (Ada subclasses)	QR-10, RS-42
Main_Procedure_Body	
argument for 'C (class) attribute (Ada subclasses)	QR-10, RS-42
Main_Procedure_Spec	
argument for 'C (class) attribute (Ada subclasses)	QR-10, RS-42
maintaining, semantic consistency	LM-21, LM-34
Major_Clients constant	
Daemon.Major_Clients	SMU-22
Status procedure	SMU-40
Major_Indentation library switch	
Format.Major_Indentation	
described	LM-420
make changes permanent	
Io.Save procedure	TIO-84
make comment	
Editor.Region.Comment procedure	EI-46
make compiled	
Compilation.Make renamed procedure	LM-236
Compilation.Promote procedure	LM-242
Make function	
List_Generic.Make	PT-60
[Make Inline] key	
Ada.Make_Inline procedure	EST-33
Make renamed procedure	
Compilation.Make	LM-236
Demote procedure	LM-224
Limit parameter	LM-24, LM-29
Promote procedure	LM-242
promoting across libraries	LM-27
promoting across subsystems	LM-28
promoting multiple Ada units	LM-23
Scope parameter	LM-23
summarized	LM-31
using	LM-203
[Make Separate] key	
Ada.Make_Separate procedure	EST-35
Make_Code_View procedure	
Cmvc.Make_Code_View	PM-262
Delta1_Code_View_Compatibility library switch	LM-51
Make_Controlled procedure	
Cmvc.Make_Controlled	PM-25, PM-36, PM-43, PM-44, PM-71, PM-264
Cmvc.Copy procedure	PM-226

Cmvc.Make_Path procedure	PM-272
Make_Empty procedure	
Concurrent_Map_Generic.Make_Empty	PT-25
Is_Empty function	PT-22
Map_Generic.Make_Empty	PT-83
Is_Empty function	PT-80
Queue_Generic.Make_Empty	PT-107
Set_Generic.Make_Empty	PT-122
Is_Empty function	PT-119
Stack_Generic.Make_Empty	PT-152
String_Map_Generic.Make_Empty	ST-39
Is_Empty function	ST-36
Make_Inline procedure	
Ada.Make_Inline	EST-33
Make_Path procedure	
Cmvc.Make_Path	PM-48, PM-50, PM-268 , PM-326
Cmvc.Copy procedure	PM-222
Cmvc.Merge_Changes procedure	PM-287
Make_Primary procedure	
Cmvc_Maintenance.Make_Primary	PM-108, PM-351
converting secondary subsystems	LM-155
Make_Secondary procedure	
Cmvc_Maintenance.Make_Secondary	PM-108, PM-354
converting secondary subsystems	LM-155
creating primary subsystems	LM-154
moving primary subsystems to another host	LM-154
Make_Separate procedure	
Ada.Make_Separate	EST-35
Create_Body procedure	EST-22
Make_Spec_View procedure	
Cmvc.Make_Spec_View	PM-55, PM-58, PM-92, PM-275
Cmvc.Copy procedure	PM-222
Make_Subpath procedure	
Cmvc.Make_Subpath	PM-38, PM-50, PM-280
Cmvc.Copy procedure	PM-222
Make_Uncontrolled procedure	
Cmvc.Make_Uncontrolled	PM-35, PM-285
management, storage, <i>see</i> Allocate; Allows_Deallocation; Free; Unchecked_Deallocation	
managers, object	SMU-5
managing	
libraries	LM-1
objects in libraries	LM-6
target keys	LM-212
tasks	DEB-35
manipulating breakpoints	DEB-41, DEB-63
mantissa	
System.Max_Mantissa constant	PT-165
Manufacturers_Bad_Blocks constant	
System_Uilities.Manufacturers_Bad_Blocks	SMU-273
map generic, concurrent	
Concurrent_Map_Generic generic package	PT-9

Map type	
Concurrent_Map_Generic.Map	PT-26
Map_Generic.Map	PT-84
String_Map_Generic.Map	ST-40
Map_Generic generic package	
!Tools.Map_Generic	PT-67
specification	RS-528
mapping	
hash string	
String_Uilities.Hash_String function	ST-74
hash table	
Concurrent_Map_Generic package	PT-9
Map_Generic generic package	PT-67
String_Map_Generic generic package	ST-25
many-to-one	
Hash package	PT-37
<i>see also</i> Pair	
Mark package	
Editor.Mark	EI-4, EI-41
marks	EI-2, EI-4
move from bottom to top	
Editor.Mark.Rotate procedure	EI-42
move to next	
Editor.Mark.Next procedure	EI-42
move to previous	
Editor.Mark.Previous procedure	EI-42
return to most recently set mark	
Editor.Mark.Top procedure	EI-43
set	
Editor.Mark.Push procedure	EI-42
stack	EI-41
top	
Editor.Mark.Copy_Top procedure	EI-41
Editor.Mark.Delete_Top procedure	EI-42
Editor.Mark.Top procedure	EI-43
transpose top two marks	
Editor.Mark.Swap procedure	EI-43
Markup	
argument for 'C (class) attribute (file subclasses)	QR-11, RS-43
match, identical, <i>see</i> Equal	
matching	
defined	RS-14
literal string	LM-257
pathnames	RS-29
pattern	LM-8, LM-257, RS-52
requests	DEB-50
Max	
argument for 'V (version) attribute	QR-9, RS-40
Max_Acl_Length constant	
Access_List_Tools.Max_Acl_Length	LM-114
Get procedure	LM-103
Get_Default procedure	LM-107
Max_Digits constant	

System.Max_Digits	PT-165
Max_Disk_Load scheduler parameter	
disk scheduling	SMU-164
Max_Foreground_Budget scheduler parameter	
foreground budget	SMU-160
Max_Int constant	
System.Max_Int	PT-165
Max_Length function	
Bounded_String.Max_Length	ST-15
Max_Mantissa constant	
System.Max_Mantissa	PT-165
Megabyte constant	
System.Megabyte	PT-165
membership test	
Set_Generic.Is_Member function	PT-120
memory scheduling	SMU-162
parameters	SMU-195, SMU-196
Memory_Count enumeration	
Debug.Numeric type	DEB-117
Memory_Display procedure	
Debug.Memory_Display	DEB-111
Flag procedure	DEB-96
Numeric type	DEB-117
Option type	DEB-119
Debug.Memory_Dump	
Debug_Memory_Count session switch	DEB-60
Debug_Memory_Count session switch, described	SJM-341
Memory_Dump procedure	
Debug.Memory_Dump	
Debug_Interpret_Control_Words session switch	DEB-60
Debug_Interpret_Control_Words session switch, described	SJM-341
Memory_Size constant	
System.Memory_Size	PT-165
memory scheduling	SMU-162
menu	DIO-80, DIO-93
definition	DIO-95, EST-129
disconnecting from	DIO-100
images	EST-1
commands from package Common	EST-133
designation	EST-130
elision	EST-131
expansion	EST-131
key concepts	EST-130
special names	EST-131
structure	EST-129
obsolescence	LM-34
selection	DIO-94
session switches for displays	SJM-330
Menu_Operations package	
!Commands.Menu_Operations	
specification	RS-226

merge	
changes	PM-14, PM-45
files	LM-7
Merge procedure	
Activity Merge	PM-82, PM-155
File_Uilities.Merge	LM-278
Strip procedure	LM-284
<i>see also</i> Append	
Merge_Changes procedure	
Cmvc.Merge_Changes	PM-45, PM-46, PM-287
Cmvc.Copy procedure	PM-223
Cmvc.Join procedure	PM-260
Cmvc.Make_Path procedure	PM-268
message	
Daemon.Snapshot_Finish_Message procedure	SMU-37
Daemon.Snapshot_Start_Message procedure	SMU-38
Daemon.Snapshot_Warning_Message procedure	SMU-39
daily	SMU-45
What.Message procedure	SJM-376
debugger window	
Debug.Comment procedure	DEB-76
Debug_Tools.Message procedure	DEB-190
error	
Profile.Errors constant	SJM-153
execution state	
Debug_Task_Display procedure	DEB-163
filtering	QR-14, RS-59, RS-61
log	SJM-28, SJM-30
set termination	
Job.Set_Termination_Message procedure	SJM-48
Simple_Status.Display_Message function	PT-134
trace	
Debug.Trace procedure	DEB-167
write to current log file	
Log.Put_Job_Message procedure	SJM-81
Log.Put_System_Messages procedure	SJM-92
Message function	
Simple_Status.Message	PT-140
message handling, error	
Simple_Status package	PT-127
Message package	
!Commands.Message	SMU-45
key concepts for	SMU-45
resources in	SMU-45
SMU versus SMG	SMU-1
specification	RS-235
message prefixes, format of	RS-62
Message procedure	
Debug_Tools.Message	DEB-190
What.Message	SJM-376
message window	
Io package	TIO-7
write to	
Io.Current_Error function	TIO-22
Io.Echo procedure	TIO-26, TIO-27, TIO-28, TIO-29, TIO-31

Io.Echo_Line procedure	TIO-32
Io.Standard_Error function	TIO-99
[Meta][Promote] key combination	
debugging programs	DEB-2
metacharacters	EI-56
asterisk (*)	EI-56
backslash (\)	EI-57
brackets ([])	EI-57
caret (^)	EI-56
dollar sign (\$)	EI-56
left brace ({}	EI-56
percent (%)	EI-56
question mark (?)	EI-56
right brace (})	EI-56
<i>see also</i> substitution characters; wildcards	
methods of referencing	DEB-13
Military enumeration	
Time_Uilities.Time_Format type	PT-204
Military_Hours type	
Time_Uilities.Military_Hours	PT-195
Milliseconds subtype	
Scheduler.Milliseconds	SMU-191
Milliseconds type	
Time_Uilities.Milliseconds	PT-196
Min	
argument for 'V (version) attribute	QR-9, RS-40
Min_Disk_Load scheduler parameter	
disk scheduling	SMU-164
Min_Foreground_Budget scheduler parameter	
foreground budget	SMU-160
Min_Int constant	
System.Min_Int	PT-166
Minimum_Available_Memory scheduler parameter	
memory scheduling	SMU-163
minor errors	
defined	LM-48
responses to	LM-48
Minor_Indentation library switch	
Format.Minor_Indentation	
described	LM-420
minus	
Editor.Set.Argument_Minus procedure	EI-60
Minute constant	
Time_Uilities.Minute	PT-197
Minutes type	
Time_Uilities.Minutes	PT-198
miscellaneous level of detail in library images	LM-293
defined	LM-292
setting up	LM-294, LM-297

mixing access rights	LM-66
MN_DY_YR	
changing format of message prefixes	RS-62
Mn_Dy_Yr enumeration	
Profile.Log_Prefix type	SJM-169
mode	PM-146, PM-148
fill	EI-5, EI-59
Editor.Set.Fill_Mode procedure	EI-61
insert	EI-5, EI-11, EI-59
Editor.Set.Insert_Mode procedure	EI-62
overwrite	EI-5, EI-11, EI-59
Editor.Set.Insert_Mode procedure	EI-62
privileged	SMU-51, SMU-52
Operator.Privileged_Mode function	SMU-95
Mode function	
Direct_Io.Mode	DIO-20
Io.Mode	TIO-58
Polymorphic_Sequential_Io.Mode	DIO-50
Sequential_Io.Mode	DIO-72
Text_Io.Mode	TIO-188
Window_Io.Mode	DIO-147
mode, file	
Direct_Io.File_Mode type	DIO-15
Io.File_Mode subtype	TIO-37
Polymorphic_Sequential_Io.File_Mode type	DIO-46
Sequential_Io.File_Mode type	DIO-68
Text_Io.File_Mode type	TIO-178
Window_Io.File_Mode type	DIO-120
Mode_Error exception	
Direct_Io generic package	
End_Of_File function	DIO-14
Read procedure	DIO-24
Write procedure	DIO-28
Io package	
End_Of_File function	TIO-33
End_Of_Line function	TIO-34
End_Of_Page function	TIO-35
Get procedure	TIO-41, TIO-42, TIO-44, TIO-46, TIO-48, TIO-49
Get_Line procedure	TIO-50, TIO-52
Line_Length function	TIO-56
New_Line procedure	TIO-60
New_Page procedure	TIO-61
Page_Length function	TIO-67
Put procedure	TIO-72, TIO-73, TIO-75, TIO-77, TIO-78
Put_Line procedure	TIO-79
Reset procedure	TIO-80
Set_Error procedure	TIO-88
Set_Input procedure	TIO-90
Set_Line_Length procedure	TIO-93
Set_Output procedure	TIO-95
Set_Page_Length procedure	TIO-96
Skip_Line procedure	TIO-97
Skip_Page procedure	TIO-98
Io.Enumeration_Io generic package	
Get procedure	TIO-113
Put procedure	TIO-116

Io.Fixed_Io generic package	
Get procedure	TIO-124
Put procedure	TIO-128
Io.Float_Io generic package	
Get procedure	TIO-136
Put procedure	TIO-140
Io.Integer_Io generic package	
Get procedure	TIO-147
Put procedure	TIO-151
Io_Exceptions.Mode_Error	DIO-34, TIO-160
Polymorphic_Sequential_Io package	
End_Of_File function	DIO-45
Polymorphic_Sequential_Io.Operations package	
Read procedure	DIO-57
Write procedure	DIO-58
Sequential_Io package	
End_Of_File function	DIO-67
Read procedure	DIO-76
Write procedure	DIO-78
Text_Io package	
End_Of_File function	TIO-174
End_Of_Line function	TIO-175
End_Of_Page function	TIO-176
Get procedure	TIO-181, TIO-182
Get_Line procedure	TIO-184
Line_Length function	TIO-187
New_Line procedure	TIO-190
New_Page procedure	TIO-191
Page_Length function	TIO-196
Put procedure	TIO-198, TIO-199
Put_Line procedure	TIO-200
Reset procedure	TIO-202
Set_Input procedure	TIO-205
Set_Line_Length procedure	TIO-208
Set_Output procedure	TIO-209
Set_Page_Length procedure	TIO-210
Skip_Line procedure	TIO-211
Skip_Page procedure	TIO-212
Text_Io.Enumeration_Io generic package	
Get procedure	TIO-221
Put procedure	TIO-224
Text_Io.Fixed_Io generic package	
Get procedure	TIO-232
Put procedure	TIO-236
Text_Io.Float_Io generic package	
Get procedure	TIO-244
Put procedure	TIO-248
Text_Io.Integer_Io generic package	
Get procedure	TIO-255
Put procedure	TIO-259
Window_Io package	
Delete procedure	DIO-114
Delete_Lines procedure	DIO-115
Get procedure	DIO-126, DIO-128
Get_Line function	DIO-132
Get_Line procedure	DIO-135
Insert procedure	DIO-139
New_Line procedure	DIO-151
Overwrite procedure	DIO-156

model, replacing in a path	PM-96
Model parameter	
model worlds	LM-288, LM-289
predefined sets of links	LM-372
model worlds	LM-2, LM-288, PM-22
defined	LM-2, LM-43, LM-45, LM-288, LM-372, LM-410
setting up	PM-97
modifier keys	EI-2
[Modify] key	
Debug.Modify procedure	DEB-113
Modify procedure	
Debug.Modify	DEB-113
Context procedure	DEB-78
designating command output	DEB-17
designating variables	DEB-17
displaying and modifying program data	DEB-45
modifying	
coded units	LM-18
installed units	LM-17
port disconnect behavior	SMU-334
port login behavior	SMU-334
program data	DEB-45
session switches	
Switches.Edit_Session_Attributes procedure	LM-442
source units	LM-16
variables	DEB-45
Monitor_Performance procedure	
!Commands.System_Maintenance'Spec_View.Units.Monitor_Performance specification	RS-281
monitoring jobs	DEB-53, DEB-63
Month function	
Calendar.Month	PT-6
Month_Day_Year enumeration	
Time_Uilities.Date_Format type	PT-180
Month_Number subtype	
Calendar.Month_Number	PT-6
Months type	
Time_Uilities.Months	PT-199
move	
between windows	
Editor.Window.Next procedure	EI-67
Editor.Window.Previous procedure	EI-67
objects	PM-35
primary subsystems	LM-154
to next window	
Editor.Window.Child procedure	EI-64
to previous window	
Editor.Window.Parent procedure	EI-67
Move procedure	
Bounded_String.Move	ST-16
Common.Object.Move	EST-112 , PM-36
Ada images	EST-17

commands from package Common for editing searchlists	SJM-307
editing libraries with	LM-299
editing switches with	LM-424
text images	EST-143
Editor.Region.Move	EI-48
Library.Move	LM-344
testing substitution characters	RS-32
Unbounded_String.Move	ST-118
Move_Cursor procedure	
Window_Io.Move_Cursor	DIO-148
Insert procedure	DIO-138
Overwrite procedure	DIO-155
Moving_Primary parameter	
converting secondary subsystems	LM-155
Msg_Kind type	
Profile.Msg_Kind	SJM-172
Log.Put_Line procedure	SJM-82, SJM-84
Log.Put_Line_Generic procedure	SJM-86
multiple activations of tasks, naming	DEB-36
multiple Ada units	
demoting	LM-35
promoting	LM-23
multiple files, processing	
Io.Wildcard_Iterator generic procedure	TIO-105
multiple objects, operations affecting	LM-291
multiple options	RS-55
multiple paths	PM-37
multiple R1000s, distributing objects onto	LM-143
multiple searchlists	
reusing	SJM-306
saving	SJM-306
multiple-host development	LM-149, PM-16, PM-101
copying views among hosts	PM-103, PM-109
moving a primary subsystem to another host	PM-108
propagating changes across hosts	PM-105
setting up primary and secondary subsystems	PM-103
summary	LM-157
using CDFs with subsystems	PM-111
multiple-unit programs	
demoting Ada units in	LM-35
promoting	LM-23
Multiply_Defined exception	
Concurrent_Map_Generic.Multiply_Defined	PT-9, PT-27
Define procedure	PT-12
Map_Generic.Multiply_Defined	PT-67, PT-85
Define procedure	PT-70
String_Map_Generic.Multiply_Defined	ST-25, ST-41
Define procedure	ST-28
multisite development	PM-16

N

N (nickname) attribute	RS-45
described	QR-8, RS-38
name	SMU-229, SMU-230
Ada	PM-127
Ada unit	LM-16, RS-29
character pairs ({} and {})	PM-131
class	
Queue.Class_Name subtype	SMU-125
command	SJM-304, SJM-307
components, defined	DEB-17, RS-18, RS-34
composite	
Switches.Composite_Name subtype	LM-431
context	
Library.Context_Name subtype	LM-308
destination	LM-139, RS-32
different	LM-140
display source of exception	
Debug.Exception_To_Name procedure	DEB-93
error	
System_Uilities.Error_Name function	SMU-249
<i>see also</i> Ambiguous_Name_Error; Illformed_Name_Error	
exception	
Debug.Exception_Name subtype	DEB-90
Debug.Exception_To_Name procedure	DEB-93
Debug_Tools.Get_Exception_Name function	DEB-185
file	
Switches.File_Name subtype	LM-443
fully qualified	PM-131
input	
System_Uilities.Input_Name function	SMU-262
job	SJM-15, SJM-16
System_Uilities.Job_Name function	SMU-266
library	RS-28
link	LM-371, LM-375
Links.Link_Name subtype	LM-399
log file	
Log.Name subtype	SJM-75
object	LM-130, SJM-304
original	LM-139
output	
System_Uilities.Output_Name function	SMU-277
pathnames	
Debug.Path_Name subtype	DEB-121
for library objects	LM-3
processor	DEB-57, SJM-11, SJM-329
qualified	DEB-10
resolution	
access rights	LM-67
context and	LM-288
defined	DEB-19
determining how command names are being resolved	SJM-307
Environment and	RS-21
restored objects	LM-130
segments, defined	RS-34
session	
System_Uilities.Session_Name function	SMU-290

simple	DEB-18, QR-2
Library.Simple_Name subtype	LM-357
Simple_Status.Condition_Name type	PT-131
Simple_Status.Create_Condition_Name function	PT-133
source	LM-135, LM-371, LM-375
Links.Source_Name subtype	LM-403
special	DEB-13, DEB-15, PM-127, QR-3, RS-14, RS-15
special characters	PM-131
string	PM-127
System.System_Name constant	PT-166
tape	
System_Utilities.Tape_Name function	SMU-298
task	
Debug.Set_Task_Name procedure	DEB-141
Debug.Task_Name subtype	DEB-166
Debug_Tools.Get_Task_Name function	DEB-189
Debug_Tools.Set_Task_Name procedure	DEB-203
terminal	
System_Utilities.Terminal_Name function	SMU-303
uniqueness	LM-42
unit	
Compilation.Unit_Name subtype	LM-253
unqualified	DEB-21, RS-49
user	SJM-278, SMU-223
System_Utilities.User_Name function	SMU-306
world	
Links.World_Name subtype	LM-408
Name function	
Direct_Io.Name	DIO-21
Io.Name	TIO-59
Polymorphic_Sequential_Io.Name	DIO-51
Sequential_Io.Name	DIO-73
Simple_Status.Name	PT-141
Text_Io.Name	TIO-189
Window_Io.Name	DIO-150
Name generic formal type	
Allows_Deallocation.Name	PT-1, PT-3
Unchecked_Deallocation.Name	PT-241, PT-244
Name procedure	
Editor.Key.Name	EI-29
Name subtype	
Access_List.Name	LM-78
Access_List_Tools.Name	LM-115
Compilation.Name	LM-239
File_Utilities.Name	LM-280
Library.Name	LM-347
Log.Name	SJM-75
Profile.Name	SJM-174
Name type	
System.Name	PT-166
Name_Error exception	
Direct_Io generic package	
Create procedure	DIO-11
Open procedure	DIO-22
Io package	
Append procedure	TIO-13

Create procedure	TIO-21
Open procedure	TIO-64
Set_Error procedure	TIO-88
Set_Input procedure	TIO-90
Set_Output procedure	TIO-95
Io_Exceptions.Name_Error	DIO-35, TIO-161
Polymorphic_Sequential_Io package	
Append procedure	DIO-40
Create procedure	DIO-43
Open procedure	DIO-52
Program package	
Current function	SJM-241
Sequential_Io package	
Create procedure	DIO-64
Open procedure	DIO-75
Text_Io package	
Create procedure	TIO-170
Open procedure	TIO-194
Names_And_Expressions package	
!Tools.Lrm.Names_And_Expressions specification	RS-497
naming	
files	DIO-5, TIO-4
locations in generics	DEB-29
locations in task constructs	DEB-28
locations in units	DEB-26
multiple activations of tasks	DEB-36
objects	PM-127
tasks	DEB-35, DEB-63
naming expressions, restricted	LM-137, QR-7, RS-51
Natural subtype	
Standard.Natural	PT-161
negative messages (++*)	
filtering messages	RS-59, RS-61
Negative_Msg enumeration	
Profile.Msg_Kind type	SJM-173
Network package	
!Commands.Network specification	RS-236
Network_Product package	
!Tools.Networking.Network_Product specification	RS-555
Network_Public group	SMU-51
networking	
access rights	LM-68
session switches for operations	SJM-332
New_Line procedure	
Io.New_Line	TIO-60
Echo procedure	TIO-26
Echo_Line procedure	TIO-32
Put procedure	TIO-72
Put_Line procedure	TIO-79
Set_Col procedure	TIO-85

Set_Line procedure	TIO-91
Text_Io.New_Line	TIO-190
Put procedure	TIO-198
Put_Line procedure	TIO-200
Set_Col procedure	TIO-203
Set_Line procedure	TIO-206
Window_Io.New_Line	DIO-151
New_Objects option	
Archive.Restore procedure	LM-130, LM-131
summarized	LM-133
New_Page procedure	
Io.New_Page	TIO-61
Close procedure	TIO-14
Set_Line procedure	TIO-91
Text_Io.New_Page	TIO-191
Close procedure	TIO-166
Reset procedure	TIO-201
Set_Line procedure	TIO-206
New_Table function	
String_Table.New_Table	ST-61
next	
Editor.Char.Delete_Next procedure	EI-13
Time_Uilities.Duration_Until_Next function	PT-186
[Next Item] key	
Editor.Cursor.Next procedure	EI-19
Next procedure	
Common.Object.Next	EST-113 , PM-138
Ada images	EST-4, EST-17
command images	EST-51
commands from package Common for debugger	DEB-64
commands from package Common for editing searchlists	SJM-307
commands from package Common for Jobs procedure display	SJM-362
commands from package Common for use in help windows	SJM-361
described	DEB-5
editing libraries with	LM-299
editing links with	LM-378
editing switches with	LM-425
help	EST-127
menu images	EST-135
text images	EST-143
windows images	EST-158
xref images	EST-164
Concurrent_Map_Generic.Next	PT-28
Iterator type	PT-24
Editor.Cursor.Next	EI-3, EI-17, EI-19 , PM-190
Ada.Show_Usage procedure	EST-39
Editor.Hold_Stack.Next	EI-21, EI-22
Editor.Line.Next	EI-34
Editor.Mark.Next	EI-4, EI-41, EI-42
Editor.Screen.Next	EI-7, EI-51, EI-53
Editor.Search.Next	EI-55, EI-56, EI-57
Editor.Window.Next	EI-64, EI-67
Editor.Word.Next	EI-71
List_Generic.Next	PT-61
Init procedure	PT-54
Iterator type	PT-57

Map_Generic.Next	PT-86
Iterator type	PT-82
Queue_Generic.Next	PT-108
Init procedure	PT-102
Iterator type	PT-106
Set_Generic.Next	PT-123
Iterator type	PT-121
Stack_Generic.Next	PT-153
Init procedure	PT-149
Iterator type	PT-151
String_Map_Generic.Next	ST-42
Iterator type	ST-38
String_Table.Next	ST-62
Iterator type	ST-59
System_Uilities.Next	SMU-274
Done function	SMU-245, SMU-259
Job_Iterator type	SMU-265
Session_Iterator type	SMU-289
Terminal_Iterator type	SMU-301
[Next Prompt] key	
Editor.Cursor.Next procedure	EI-19
[Next Underline] key	
Editor.Cursor.Next procedure	EI-19
Next_Scheduled function	
Daemon.Next_Scheduled	SMU-23
Nickname pragma	
'N (nickname) attribute	RS-45
nicknames	
overload resolution nickname	DEB-23
task	
Debug.Context procedure	DEB-79, DEB-80
Debug.Set_Task_Name procedure	DEB-141
Debug_Tools.Get_Task_Name function	DEB-189
Debug_Tools.Set_Task_Name procedure	DEB-203
<i>see also</i> synonyms	
<NIL>	
described	SJM-117
special value for filtering messages	QR-14
special value for special-purpose response profiles	RS-58
nil	
Concurrent_Map_Generic.Is_Nil function	PT-23
Map_Generic.Is_Nil function	PT-81
String_Map_Generic.Is_Nil function	ST-37
String_Table.Is_Nil function	ST-57
Time_Uilities.Is_Nil function	PT-194
Unbounded_String.Is_Nil function	ST-116
<i>see also</i> Is_Empty	
Nil constant	
Library.Nil	LM-348
Nil enumeration	
Profile.Log_Prefix type	SJM-169
Nil function	
Activity.Nil	PM-157
Concurrent_Map_Generic.Nil	PT-29

Initialize procedure	PT-21
List_Generic.Nil	PT-62
Is_Empty function	PT-56
Map_Generic.Nil	PT-87
Profile.Nil	
building profiles through internal representations	SJM-137
obtaining profiles	SJM-135
String_Map_Generic.Nil	ST-43
Initialize procedure	ST-35
String_Table.Nil	ST-63
Time_Uilities.Nil	PT-200
Unbounded_String.Nil	ST-119
Is_Nil function	ST-116
Nil renamed function	
Profile.Nil	SJM-175
No_History_Timestamps enumeration	
Debug.Option type	DEB-119
No_Pointers debugger flag	DEB-96
No_Prefixes constant	
Profile.No_Prefixes	SJM-177
No_Task_Numbers debugger flag	DEB-96
non-ANSI tapes, displaying contents of	SMU-314
nondefault activities, specifying	RS-63
nondefault remote-information files, specifying	RS-63
nondefault versions, defined	LM-289, RS-40
None	
encrypting passwords	SJM-279
None enumeration	
System_Uilities.Parity_Kind type	SMU-280
Nonexistent_Directory_Error	
Io_Exceptions.Name_Error exception	DIO-35, TIO-161
Nonexistent_Object_Error	
Io_Exceptions.Name_Error exception	DIO-35, TIO-161
Nonexistent_Version_Error	
Io_Exceptions.Name_Error exception	DIO-35, TIO-161
nonmain programs	
semantics	LM-54
shared resources and	LM-58
Nonrecursive option	
Archive.Restore procedure	LM-130
Archive.Save procedure	LM-128
summarized	LM-133
Nonterminal	
argument for 'C (class) attribute (Ada subclasses)	QR-10, RS-42
Noop procedure	
Editor.Noop	EI-10
Normal constant	
Window_Io.Normal	DIO-152
Normal enumeration	

Daemon.Condition_Class type	SMU-11
Simple_Status.Condition_Class type	PT-130
normal window state	EI-63
Normalize function	
Access_List_Tools.Normalize	LM-116
Not_Open_Error	
Io_Exceptions.Status_Error exception	DIO-36, TIO-162
Not_Running enumeration	
Debug_Task_Category type	DEB-162
notation, set	LM-136, LM-141, QR-6, RS-14, RS-34
note	PM-15, PM-29, PM-232, PM-244, PM-317, PM-386 – 388, PM-412
Note_Error generic formal procedure	
Io.Note_Error	TIO-106
Io.Wildcard_Iterator generic procedure	TIO-105
Io.Wildcard_Iterator procedure	TIO-108
Note_Msg enumeration	
Profile.Msg_Kind type	SJM-173
Notes function	
Work_Order.Notes	PM-386
notes messages (---)	
filtering messages	RS-59, RS-61
Notes procedure	
Cmvc.Notes	PM-29, PM-195, PM-290
Notes_List function	
Work_Order.Notes_List	PM-387
Notes_Venture function	
Work_Order.Notes_Venture	PM-388
notify, <i>see</i> Send, Send_All	
Notify_Warnings session switch	
Profile.Notify_Warnings	
described	SJM-352
underlined errors	LM-40
null, <i>see</i> Is_Empty; Is_Nil; Make_Empty	
Null_Address constant	
System.Null_Address	PT-166
Null_Device	
argument for 'C (class) attribute (object classes)	QR-9, RS-41
Null_Device object manager	SMU-5, SMU-60
described	SMU-5
Num generic formal type	
Io.Fixed_Io.Num	TIO-126
Get procedure	TIO-123, TIO-124, TIO-125
Io.Float_Io.Num	TIO-138
Get procedure	TIO-135, TIO-136, TIO-137
Io.Integer_Io.Num	TIO-149
Get procedure	TIO-146, TIO-147, TIO-148
Text_Io.Fixed_Io.Num	TIO-234
Get procedure	TIO-231, TIO-232, TIO-233
Text_Io.Float_Io.Num	TIO-246

Get procedure	TIO-243, TIO-245
Text_Io.Integer_Io.Num	TIO-257
Get procedure	TIO-254, TIO-255, TIO-256
number	
column	
Window_Io.Column_Number subtype	DIO-108
day	
Calendar.Day_Number subtype	PT-6
hex	
Debug.Hex_Number subtype	DEB-100
identification	SJM-15, SJM-16
job	SMU-156
Window_Io.Job_Number function	DIO-141
line	
Window_Io.Line_Number subtype	DIO-146
month	
Calendar.Month_Number subtype	PT-6
port	SMU-332
statement and declaration rules	DEB-123
string to	
String_Uilities.String_To_Number procedure	ST-84
year	
Calendar.Year_Number subtype	PT-7
<i>see also</i> Cardinality	
Number suboption	
printing plain text from PostScript printers	SMU-113
Number_Base subtype	
Io.Number_Base	TIO-62
Echo procedure	TIO-28
Io.Integer_Io generic package	TIO-143
Put procedure	TIO-74
Text_Io.Number_Base	TIO-192
Text_Io.Integer_Io generic package	TIO-251
Number_Case library switch	
Format.Number_Case	
described	LM-420
Number_Of_Columns generic formal object	
Table_Formatter.Number_Of_Columns	ST-99
Number_To_String function	
String_Uilities.Number_To_String	ST-80
numbering	
breakpoint numbering	DEB-44
object numbering rules	DEB-26
Numbering suboption	
printing text with formatting	SMU-112
numeric conversion	
Debug.Convert procedure	DEB-82
numeric flags	DEB-10
setting	
Debug.Numeric type	DEB-116
Debug.Set_Value procedure	DEB-142
numeric tag	PM-423, PM-427
Numeric type	

Debug.Numeric	DEB-116
Flag procedure	DEB-96
Set_Value procedure	DEB-142
State_Type type	DEB-153
Numeric_Error exception	
Bounded_String package	ST-1
Append procedure	ST-3
Char_At function	ST-4
Copy procedure	ST-5
Delete procedure	ST-7
Insert procedure	ST-13
Replace procedure	ST-18
Set_Length procedure	ST-19
Debug package	DEB-90
Standard.Numeric_Error	PT-161
String_Table package	ST-49
Char_At function	ST-51
String_Uilities package	ST-69
Equal function	ST-72
Greater_Than function	ST-73
Hash_String function	ST-74
Less_Than function	ST-75
Locate function	ST-77
Lower_Case function	ST-78
Lower_Case procedure	ST-79
Reverse_Locate function	ST-83
String_To_Number procedure	ST-85
Strip function	ST-86
Strip_Leading function	ST-87
Strip_Trailing function	ST-88
Upper_Case function	ST-89
Upper_Case procedure	ST-90
Time_Uilities package	
Value function	PT-205
Unbounded_String package	ST-103
Append procedure	ST-105
Char_At function	ST-106
Copy procedure	ST-107
Delete procedure	ST-110
Insert procedure	ST-115
Replace procedure	ST-121
Set_Length procedure	ST-122

O

object	SMU-229
ACLs for	LM-66
Ada	RS-20
binary, controlling	PM-25
compiled	LM-150
configuration, deleting	PM-49
controlled	LM-152
accessing concurrently	PM-43
deleting	PM-35
moving	PM-35
withdrawing	PM-35
copying	LM-139, LM-141, LM-143
Archive.Copy procedure	LM-163

- default QR-3, RS-17
- deleted LM-290, QR-2, RS-37
- designated DEB-15, QR-3, RS-16
- display locks
 - What.Locks procedure SJM-374
- distributing onto multiple R1000s LM-143
- dynamic DEB-30
- enclosing PM-131
- Environment RS-14
- error, *see* Nonexistent_Object_Error
- for sessions SMU-230
- for terminal ports SMU-230
- for users SMU-230
- in commands, referencing DEB-8
- in debugger, referencing DEB-13
- joined
 - accepting changes PM-41
 - checking out PM-39
 - creating new PM-42
 - developing with PM-38
 - keeping updated PM-40
 - permitting demotion PM-42
 - preventing automatic updating PM-42
 - retrieving latest generation at checkout PM-41
- key binding SJM-12
- library LM-3, LM-6
- listing
 - Archive.List procedure LM-176
- multiple LM-291
- name
 - resolving relative to searchlists SJM-304
- numbering rules DEB-26
- overwriting LM-131
- pathname
 - What.Object procedure SJM-377
- port SMU-226, SMU-331
- referring to deleted PM-133
- reorganizing LM-141
- restoring LM-129, LM-131, LM-138, LM-139
 - Archive.Restore procedure LM-179
- saving LM-128, LM-137
 - Archive.Save procedure LM-193
- session SJM-4
- sets of RS-34
- severed
 - merging changes PM-45
 - rejoining PM-45
- source LM-135
- special names for QR-3, RS-16
- object classes
 - arguments for QR-9, RS-41
- object editor (Oe) job kind
 - described SJM-18, SMU-157
 - relationship between job classes and kinds SJM-19
- Object enumeration
 - Library.Field type LM-333
- Object generic formal type

Allows_Deallocation.Object	PT-1, PT-4
Unchecked_Deallocation.Object	PT-241, PT-245
object managers	SMU-5
Actions	SMU-60
Ada	SMU-5, SMU-60
Archived_Code	SMU-5, SMU-60
as clients	SMU-5
Code_Segment	SMU-5, SMU-60
Configuration	SMU-5, SMU-60
DDB	SMU-5, SMU-60
defined	SMU-5
Directory	SMU-5, SMU-60
File	SMU-5, SMU-60
Group	SMU-5, SMU-60
Link	SMU-5, SMU-60
Null_Device	SMU-5, SMU-60
Pipe	SMU-5, SMU-60
Program_Library	SMU-5, SMU-60
Session	SMU-5, SMU-60
Tape	SMU-5, SMU-60
Terminal	SMU-5, SMU-60
User	SMU-5, SMU-60
Object package	
Common.Object	EST-101
Object procedure	
What.Object	SJM-377
Object subtype	
System_Uilities.Object	SMU-275
Object type	
Directory.Object	
objects for sessions, users, and terminal ports	SMU-230
System_Uilities.Object	
objects for sessions, users, and terminal ports	SMU-230
sessions	SMU-225
users	SMU-224
[Object] - [I] key combination	
Common.Object.Insert procedure	EST-108
<i>see also</i> insertion points	
Object_Acl option	
Archive.Restore procedure	LM-131
CMVC access control	LM-147
summarized	LM-133
Object_Code	
argument for 'C (class) attribute (file subclasses)	QR-11, RS-43
Object_Editor package	
!Tools.Object_Editor	
specification	RS-600
Object_Set	
argument for 'C (class) attribute (file subclasses)	QR-11, RS-43
Object_Set package	
!Io.Object_Set	
specification	RS-342
Objects parameter	

- Archive.Copy procedure LM-135
- Archive.Restore procedure LM-129, LM-130, LM-135, LM-137
- Archive.Save procedure LM-128, LM-135
- copying objects between remote R1000s LM-144
- copying objects from another R1000 LM-143
- copying or restoring objects under original names LM-139
- restoring from remote devices LM-144
- saving onto remote devices LM-144
- specifying destination names LM-139
- obsolescence menu, defined LM-34
- obtaining
 - help on session switches DEB-57, SJM-329
 - information about jobs SJM-20, SJM-35
 - information through iteration operations SMU-223
 - job information SMU-221
 - lists of available target keys LM-213
 - profiles SJM-135
 - session information SMU-221
 - system information SMU-222
 - terminal-device information SMU-222
 - terminal-port information SMU-222
 - user information SMU-221
- Odd enumeration
 - System_Uilities.Parity_Kind type SMU-280
- Oe (object editor) jobs
 - defined SMU-157
- Oe enumeration
 - Scheduler.Job_Kind type SMU-187
- Of_Library constant
 - Switches.Of_Library **LM-445**
- Of_Session constant
 - Switches.Of_Session **LM-446**
- off
 - Debug.Debug_Off procedure DEB-84
 - Debug_Tools.Debug_Off procedure DEB-182
- Off procedure
 - Editor.Region.Off EI-45, **EI-49**
 - On procedure EI-49
- on
 - Debug_Tools.Debug_On procedure DEB-183
- On procedure
 - Editor.Region.On EI-45, **EI-49**
- online help facility, *see* help
- open
 - Direct_Io.Is_Open function DIO-19
 - Io.Is_Open function TIO-54
 - Polymorphic_Sequential_Io.Is_Open function DIO-49
 - Sequential_Io.Is_Open function DIO-71
 - Text_Io.Is_Open function TIO-185
 - Window_Io.Is_Open function DIO-140
 - see also* Edit
- open command window, *see* Create_Command

open error, <i>see</i> Already_Open_Error; Not_Open_Error	
open private part	PM-89, PM-113
Open procedure	
Direct_Io.Open	DIO-22
Form function	DIO-17
Editor.Line.Open	EI-31, EI-34
Io.Open	TIO-63
Form function	TIO-40
Polymorphic_Sequential_Io.Open	DIO-52
Form function	DIO-48
Sequential_Io.Open	DIO-74
Form function	DIO-70
Text_Io.Open	TIO-193
Form function	TIO-180
Window_Io.Open	DIO-153
Form function	DIO-124
Window_Io.Raw.Open	DIO-183
opening switch files, for editing	LM-413
operations	EI-1
affecting multiple objects	LM-291
basic operations	DEB-56
CMVC	SJM-332
debugger	DEB-58, SJM-332
editing	SJM-331
incremental	LM-13, LM-17, LM-453
networking	SJM-332
recursive	LM-290
Operations generic package	
Polymorphic_Sequential_Io.Operations	DIO-39, DIO-55
operator capability	SMU-52
Access_List_Tools.Has_Operator_Capability function	LM-111
defined	SMU-51, SMU-52
procedures requiring	SMU-52, SMU-111
Operator group	SMU-50
operator capability	SMU-52
Operator package	
!Commands.Operator	SJM-105, SMU-49
access-control groups	SMU-6, SMU-50
key concepts for	SMU-50
machine initialization	SMU-2
modifying port disconnect and login behavior	SMU-334
operator capability	SMU-52, SMU-53
password policy	SMU-54
procedures requiring operator capability	SMU-53
resources in	SMU-49
SMU versus SMG	SMU-1
specification	RS-237
Operator password	
expired passwords	SMU-56
forgotten	SMU-57
password change schedule	SMU-54
Operator_Capability file	
operator capability	SMU-52

Privileged group	SMU-51
optimizations, compiler	LM-49
Optimize_Generic_History enumeration	
Debug.Option type	DEB-119
Option type	
Debug.Option	DEB-118
Catch procedure	DEB-72
Flag procedure	DEB-96
Propagate procedure	DEB-128
Stack procedure	DEB-150
State_Type type	DEB-153
options	
Archive.Copy procedure	LM-133
Archive.Restore procedure	LM-132
Archive.Save procedure	LM-129
Boolean	DEB-10
CDB-related	LM-152
clear flag	
Debug.Disable renamed procedure	DEB-85
combining with special values	RS-60
defined	RS-53
format	SMU-116
multiple	RS-55
Response parameter	QR-15, RS-63
set flag	
Debug.Enable procedure	DEB-89
Debug.Option type	DEB-118
summary of Archive	LM-133
with Boolean values	RS-54
with literal values	RS-54
<i>see also specific option</i>	
Options parameter	QR-13, RS-53
access control	LM-65, LM-68
Archive.Restore procedure	LM-129, LM-130, LM-132
Archive.Save procedure	LM-128
multiple options	RS-55
options with Boolean values	RS-54
options with literal values	RS-54
overriding access requirements	LM-147
specifying default format options	SMU-116
User and Password options	LM-148
Options session switch	
Queue.Options	
default format options	SMU-116, SMU-117
described	SJM-353
order	
compilation	LM-19, LM-32
<i>see also Sort</i>	
ordering	
Table_Sort_Generic.<" generic formal function	PT-170
origin	
Window_Io.Report_Origin procedure	DIO-165
Original_Raw option	
printing text without formatting	SMU-112

printing using ASCII devices	SMU-111
[Other Part] key	
Ada.Other_Part procedure	EST-36
[Other Part In Place] key	
Ada.Other_Part procedure	EST-36
Other_Part procedure	
Ada.Other_Part	EST-36
Out_File constant	
Io.Out_File	TIO-65
Out_File enumeration	
Window_Io.File_Mode type	DIO-120
Outage_Information package	
!Tools.System_Availability'Spec_View.Units.Outage_Information specification	RS-647
Outgoing_Mail_Message	
argument for 'C (class) attribute (file subclasses)	QR-11, RS-43
Outlines suboption	
printing plain text from PostScript printers	SMU-113
printing PostScript programs	SMU-113
output	
command	DEB-17, RS-62
current	
File_Uilities.Current_Output constant	LM-264
job	SJM-27
uncompressed	LM-266
output file	DIO-3, TIO-3
current	
Io.Current_Output function	TIO-24
Io.Pop_Output procedure	TIO-70
Io.Reset_Output procedure	TIO-83
Io.Set_Output procedure	TIO-94
Log.Pop_Output renamed procedure	SJM-78
Log.Reset_Log procedure	SJM-95
Log.Reset_Output renamed procedure	SJM-96
Log.Set_Log procedure	SJM-100
Log.Set_Output renamed procedure	SJM-101
Text_Io.Current_Output function	TIO-172
Text_Io.Set_Output procedure	TIO-209
standard	
Io.Standard_Output function	TIO-101
Text_Io.Standard_Output function	TIO-214
Output option	
Standard_Input, Standard_Output, and Standard_Error	SJM-231
output rate	
Terminal.Set_Output_Rate procedure	SMU-354
output width, adjusting	RS-62
output window	
Io.Current_Output function	TIO-24
Io.Standard_Output function	TIO-101
Text_Io.Current_Output function	TIO-172
Text_Io.Standard_Output function	TIO-214

Output_Count function	
System_Uilities.Output_Count	SMU-276
Input_Count function	SMU-261
terminal iteration	SMU-232
terminal ports	SMU-227
Output_Name function	
System_Uilities.Output_Name	SMU-277
names	SMU-230
Output_Rate function	
System_Uilities.Output_Rate	SMU-278
terminal ports	SMU-226
Output_Type_Error	
Io_Exceptions.Data_Error exception	DIO-30, TIO-156
Output_Value_Error	
Io_Exceptions.Data_Error exception	DIO-30, TIO-156
overload resolution nickname, defined	DEB-23
overloaded subprograms, referencing	DEB-23
overloaded units, referencing	DEB-23
overriding access rights	LM-66, LM-147
overview	
debugger	DEB-1
monitoring jobs in debugger	DEB-53
of Archive.Save, Restore, and Copy procedures	LM-128
referencing objects in debugger	DEB-13
overwrite mode	EI-5, EI-11, EI-59
Editor.Set.Insert_Mode procedure	EI-62
Overwrite procedure	
Window_Io.Overwrite	DIO-155
overwriting	
objects	LM-131
views	LM-156
Owner (O) access right	
CMVC access control	LM-146, LM-147
described	LM-65
Library.Freeze procedure	LM-338
Library.Unfreeze procedure	LM-363
Owner constant	
Access_List.Owner	LM-79
Access_List_Tools.Owner	LM-118

P

P.M.	
Time_Uilities.Sun_Positions type	PT-202
Package_Body	
argument for 'C (class) attribute (Ada subclasses)	QR-10, RS-42
Package_Instantiation	
argument for 'C (class) attribute (Ada subclasses)	QR-10, RS-42
Package_Integration library switch	

R1000_Cg.Package_Integration	
compiler optimization	LM-49
described	LM-420
Package_Rename	
argument for 'C (class) attribute (Ada subclasses)	QR-10, RS-42
Package_Spec	
argument for 'C (class) attribute (Ada subclasses)	QR-10, RS-42
packages, <i>see specific package</i>	
page	TIO-7
count	
System_Uilities.Get_Page_Counts procedure	SMU-254
current number	
Io.Page function	TIO-66
Text_Io.Page function	TIO-195
default	
System_Uilities.Set_Page_Limit procedure	SMU-291
end of	
Io.End_Of_Page function	TIO-35
Text_Io.End_Of_Page function	TIO-176
faults	
Scheduler.Disk_Waits function	SMU-167
length	TIO-8
Io.Set_Page_Length procedure	TIO-96
Io.Unbounded constant	TIO-103
Text_Io.Set_Page_Length procedure	TIO-210
Text_Io.Unbounded constant	TIO-216
length error, <i>see Line_Page_Length_Error</i>	
limits	
defined	LM-39
job	LM-39, LM-52, SMU-225
System_Uilities.Set_Page_Limit procedure	SMU-291
new	
Io.New_Page procedure	TIO-61
Text_Io.New_Page procedure	TIO-191
skip	
Io.Skip_Page procedure	TIO-98
Text_Io.Skip_Page procedure	TIO-212
terminator (Ascii.Ff)	DIO-6, TIO-5
withdrawal	SMU-163
Page function	
Io.Page	TIO-66
Text_Io.Page	TIO-195
Page_Length function	
Io.Page_Length	TIO-67
Text_Io.Page_Length	TIO-196
Page_Limit library switch	
R1000_Cg.Page_Limit	
described	LM-421
job page limit	LM-40
System_Uilities.Get_Page_Counts procedure	SMU-254
System_Uilities.Set_Page_Limit procedure	SMU-291
Page_Limit pragma	
job page limit	LM-40
System_Uilities.Get_Page_Counts procedure	SMU-254
System_Uilities.Set_Page_Limit procedure	SMU-291

- Page_Limit session switch
 - Command_Cg.Page_Limit described SJM-353
- Page_Nonexistent_Error
 - Io_Exceptions.Device_Error exception DIO-31, TIO-157
- Page_Withdrawal_Rate scheduler parameter
 - page withdrawal SMU-164
- Pages suboption
 - printing plain text from PostScript printers SMU-113
 - printing PostScript programs SMU-113
- Pair type
 - Concurrent_Map_Generic.Pair **PT-30**
 - Map_Generic.Pair **PT-88**
- parallel development PM-280
 - within subsystems PM-13
- parameter placeholders PM-127, PM-128, QR-2
 - defined DEB-16, RS-18
 - special names vs. DEB-16, RS-18
- parameter values, referencing DEB-32
- parameter-value conventions RS-13
 - quick reference for QR-1
- Parameter_Parser generic package
 - !Tools.Parameter_Parser specification RS-604
- parameters
 - conventions for values QR-1, RS-13
 - CPU scheduling SMU-195
 - disk scheduling SMU-195, SMU-198
 - memory scheduling SMU-195, SMU-196
 - see also specific parameter*
- parent
 - Common.Enclosing_procedure EST-83
- parent object
 - Library.Default_Keep_Versions constant LM-323
- Parent procedure
 - Common.Object.Parent **EST-115**, PM-138
 - Ada images EST-4, EST-17
 - command images EST-51
 - commands from package Common for debugger DEB-64
 - commands from package Common for editing searchlists SJM-307
 - commands from package Common for Jobs procedure display SJM-362
 - commands from package Common for use in help windows SJM-361
 - described DEB-5
 - editing libraries with LM-299
 - editing links with LM-378
 - editing switches with LM-425
 - help EST-127
 - menu images EST-135
 - text images EST-143
 - windows images EST-158
 - xref images EST-164
 - Editor.Window.Parent EI-64, **EI-67**

parent unit	PM-131
Parents function	
Cmvc_Hierarchy.Parents	PM-335
parity	
Terminal.Set_Parity procedure	SMU-355
parity checking	SMU-336
Parity function	
System_Uilities.Parity	SMU-279
terminal ports	SMU-226
Parity_Kind subtype	
Terminal.Parity_Kind	SMU-340
Parity_Kind type	
System_Uilities.Parity_Kind	SMU-280
terminal ports	SMU-227
Parse procedure	
Compilation.Parse	LM-240
creating Ada units from text	LM-212
parsing text files	
Compilation.Compile procedure	LM-220
Compilation.Parse procedure	LM-240
partially complete units	LM-16
partitioning of projects	PM-3
Password library switch	
Ftp.Password	
described	LM-421
Password option	LM-148
access-control identity of jobs	SJM-230
changing archive server identities	LM-147
summarized	LM-133
Password session switch	
Session_Ftp.Password	
described	SJM-353
overriding default remote-passwords file	SJM-280
passwords	SJM-2
change schedule	SMU-54
changing	
Operator.Change_Password procedure	SJM-106, SMU-62
described	SJM-278
encrypting	SJM-278
expired	SMU-56
length minimum	SMU-54
Operator	SMU-54, SMU-57
policy	SMU-54
setting	SMU-55
remote	
Profile.Default_Remote_Passwords function	SJM-149
Profile.Remote_Passwords function	SJM-185
Profile.Remote_Passwords_Type subtype	SJM-186
Profile.Set_Default_Remote_Passwords procedure	SJM-204
Profile.Set_Remote_Passwords procedure	SJM-216
remote-passwords file	LM-148

- path PM-8, PM-268
 - creating PM-47
 - differences between paths and subpaths PM-47
 - multiple PM-37
 - replacing model PM-96
 - setting up PM-326
 - setting up multiple development paths PM-47
- Path_Name subtype
 - Debug.Path_Name **DEB-121**
- pathnames DEB-17, PM-127, PM-139, PM-166, PM-170 ~ 172, PM-224, PM-227, QR-2, RS-18
 - defined DEB-8, DEB-13, DEB-17, RS-14, RS-18
 - display
 - What.Object procedure SJM-377
 - display for an object
 - Library.Resolve procedure LM-352
 - for Ada objects RS-20
 - fully qualified DEB-13, DEB-18, DEB-121, LM-3, QR-2, RS-14, RS-19, RS-21, RS-24
 - matching RS-29
 - of deleted objects QR-2
 - patterns in PM-129
 - prefix PM-34, PM-47
 - qualified DEB-17
 - displaying in stacks DEB-10
 - qualified by debugger context characters DEB-20
 - qualified by general context characters DEB-19
 - relative DEB-13, DEB-19, DEB-121, LM-3, LM-4, QR-2, RS-14, RS-19, RS-21
 - unqualified DEB-17
- pattern
 - defined LM-8, LM-258
 - Links.Source_Pattern subtype LM-404
- pattern matching LM-257
 - defined LM-8, LM-257, RS-52
 - File_Uilities.Equal function LM-270
 - File_Uilities.Find procedure LM-273
 - File_Uilities.Found procedure LM-276
 - metacharacters EI-56, QR-7, RS-52
 - wildcard characters for LM-258, RS-52
- PDL (program design language), defined LM-45, LM-213
- peek, *see* Memory_Display
- percent (%)
 - debugger context character QR-4, RS-49, RS-50
 - metacharacter EI-56
 - naming tasks DEB-36
 - referencing task activations DEB-31
 - wildcard character LM-258, LM-261, LM-270, LM-273, LM-276, QR-7, RS-53
- Percent_For_Background scheduler parameter
 - background jobs SMU-160
 - CPU scheduling SMU-159
- period (.)
 - debugger context character QR-4, RS-49
 - default level of detail in library images LM-292
 - library image LM-5
 - pathnames for library objects LM-3
 - special character PM-132

permanent breakpoints	DEB-43
defined	DEB-43
permanent, make changes	
Io.Save procedure	TIO-84
Permanent_Breakpoints enumeration	
Debug.Option type	DEB-119
Permanent_Breakpoints option flag	
breakpoint type	DEB-43
Persevere enumeration	
Profile.Error_Reaction type	RS-61, SJM-154
Persevere function	
Profile.Persevere	SJM-178
querying about components of profiles	SJM-136
personal login procedures	SJM-6
defined	SJM-5
Pipe	
argument for 'C (class) attribute (object classes)	QR-9, RS-41
Pipe object manager	SMU-5, SMU-60
described	SMU-5
Pipe package	
!Io.Pipe	
specification	RS-343
placeholders, parameter	DEB-16, PM-127, PM-128, QR-2, RS-18
Plain constant	
Window_Io.Plain	DIO-157
plain text	
printing from PostScript printers	SMU-113
Plain_Text option	
PostScript printing	SMU-116
printing plain text from PostScript printers	SMU-113
planar cursor movement	EI-2
Pm_Report procedure	
!Tools.System_Availability'Spec_View.Units.Reports.Pm_Report	
specification	RS-652
pointer	
Hash.Ptr generic formal type	PT-41, PT-45
Pointer_Level enumeration	
Debug.Numeric type	DEB-117
Pointer_To_Integer function	
Hash.Pointer_To_Integer	PT-40
Pointer_To_Integer generic function	
Hash.Pointer_To_Integer	PT-39
Pointer_To_Long_Integer function	
Hash.Pointer_To_Long_Integer	PT-44
Pointer_To_Long_Integer generic function	
Hash.Pointer_To_Long_Integer	PT-43
poke, <i>see</i> Modify	

policy	PM-15
password	SMU-54
strict stream	SMU-162
polymorphic	DIO-1
file	DIO-7
Polymorphic_Io package	
!Io.Polymorphic_Io specification	RS-356
Polymorphic_Sequential_Io package	DIO-39
!Io.Polymorphic_Sequential_Io specification	RS-361
pop	TIO-8
Pop procedure	
Stack_Generic.Pop	PT-154
Pop_Error procedure	
Io.Pop_Error	TIO-68
Pop_Error renamed procedure	
Log.Pop_Error	SJM-76
Log.Reset_Error renamed procedure	SJM-93, SJM-98
Pop_Input procedure	
Io.Pop_Input	TIO-69
Pop_Input renamed procedure	
Log.Pop_Input	SJM-77
Log.Reset_Input renamed procedure	SJM-94
Log.Set_Input procedure	SJM-99
Pop_Output procedure	
Io.Pop_Output	TIO-70
Pop_Output renamed procedure	
Log.Pop_Output	SJM-78
Log.Reset_Output renamed procedure	SJM-96
Log.Set_Output procedure	SJM-101
port	
configuring	SMU-331
disconnect behavior	
modifying	SMU-334
setting	SMU-334
hardware	SMU-332
login	
behavior, modifying	SMU-334
disabling	SMU-334
enabling	SMU-334
number	
defined	SMU-332
Terminal.Current renamed function	SMU-339
objects, defined	SMU-226, SMU-331
RS232	SMU-335
settings	
checking	SMU-333
Terminal.Settings procedure	SMU-364
system	SMU-333
terminal	SMU-226, SMU-229, SMU-230, SMU-232
<i>see also</i> terminal	

Port subtype	
System_Utilities.Port	SMU-281
IDs for sessions, jobs, terminal ports, and tapes	SMU-229
terminal ports	SMU-227
Terminal.Port	SMU-341
identifying R1000 hardware ports	SMU-332
position, <i>see</i> Column_Number; Index; Set_Index	
position messages (>>>)	
filtering messages	RS-59, RS-61
Position_Cursor procedure	
Window_Io.Position_Cursor	DIO-158
Insert procedure	DIO-138
Overwrite procedure	DIO-155
Position_Msg enumeration	
Profile.Msg_Kind type	SJM-173
positions	
Time_Utilities.Sun_Positions type	PT-202
positive messages (+++)	
filtering messages	RS-59, RS-61
Positive subtype	
Standard.Positive	PT-161
Positive_Count subtype	
Direct_Io.Positive_Count	DIO-23
Io.Positive_Count	TIO-7, TIO-71
Text_Io.Positive_Count	TIO-165, TIO-197
Window_Io.Positive_Count	DIO-160
Positive_Msg enumeration	
Profile.Msg_Kind type	SJM-173
Postscript	
argument for 'C (class) attribute (file subclasses)	QR-11, RS-43
PostScript devices	
default formatting for	SMU-117
printing using	SMU-112
Postscript option	
PostScript printing	SMU-116
printing PostScript programs	SMU-113
printing using PostScript devices	SMU-112
pound sign (#)	
restricted naming expression	LM-137, LM-176, LM-180, QR-7, RS-51
substitution character	PM-130, QR-5, RS-32, RS-33
symbol in window banner	PM-135
wildcard character	LM-176, LM-180, LM-399, LM-404, PM-129, QR-5, RS-29, RS-30
set notation	LM-136
Pragma_List	
argument for 'C (class) attribute (Ada subclasses)	QR-10, RS-42
pragmas	
Disable_Deallocation	
Unchecked_Deallocation generic procedure	PT-241
Unchecked_Deallocation.Unchecked_Deallocation procedure	PT-247
Enable_Deallocation	
Unchecked_Deallocation generic procedure	PT-241, PT-242

Unchecked_Deallocation.Unchecked_Deallocation procedure	PT-247
Inline	PM-116
Main	PM-114
Page_Limit	
System_Uilities.Get_Page_Counts procedure	SMU-254
System_Uilities.Set_Page_Limit procedure	SMU-291
Private_Eyes_Only	PM-57, PM-89, PM-114
responses to	LM-47
<i>see also specific pragma</i>	
Pragmas package	
!Tools.Lrm.Pragmas	
specification	RS-506
predefined arguments, attributes with	QR-9
predefined response profiles, specifying	RS-56, SJM-131, SJM-132
prefix	
argument	DEB-7
defined	LM-140, SJM-11
Editor.Set.Argument_Prefix procedure	EI-60
message	RS-62
Profile.Default_Prefixes constant	SJM-146
Profile.Log_Prefix type	SJM-169
Profile.Log_Prefixes type	SJM-171
Profile.No_Prefixes constant	SJM-177
Profile.Prefixes function	SJM-179
Profile.Set_Default_Prefixes procedure	SJM-202
Profile.Set_Prefixes procedure	SJM-214
Prefix option	
changing format of message prefixes	RS-62
summarized	LM-133
Prefixes function	
Profile.Prefixes	SJM-179
Profile.Set_Default_Prefixes procedure	SJM-202
Profile.Set_Prefixes procedure	SJM-214
prelinked, defined	LM-54
preprocessing, described	SMU-112
presentation of libraries, textual	LM-298
pretty-print	
Common.Format procedure	EST-88
Library.Reformat_Image procedure	LM-349
prevent from running, <i>see</i> Hold	
previous	
Editor.Char.Delete_Previous procedure	EI-13
[Previous Item] key	
Editor.Cursor.Previous procedure	EI-19
Previous procedure	
Common.Object.Previous	EST-117 , PM-138
Ada images	EST-4, EST-17
command images	EST-51
commands from package Common for debugger	DEB-64
commands from package Common for editing searchlists	SJM-307
commands from package Common for Jobs procedure display	SJM-362
commands from package Common for use in help windows	SJM-361

described	DEB-5
editing libraries with	LM-299
editing links with	LM-378
editing switches with	LM-425
help	EST-127
menu images	EST-135
text images	EST-143
windows images	EST-158
xref images	EST-164
Editor.Cursor.Previous	EI-3, EI-17, EI-19 , PM-190
Ada.Show_Usage procedure	EST-39
Editor.Hold_Stack.Previous	EI-21, EI-22
Editor.Line.Previous	EI-34
Editor.Mark.Previous	EI-4, EI-41, EI-42
Editor.Screen.Previous	EI-7, EI-51, EI-53
Editor.Search.Previous	EI-55, EI-56, EI-57
Editor.Window.Previous	EI-64, EI-67
Editor.Word.Previous	EI-71
[Previous Prompt] key	
Editor.Cursor.Previous procedure	EI-19
[Previous Underline] key	
Editor.Cursor.Previous procedure	EI-19
primary backup, defined	SMU-210
Primary enumeration	
System_Backup.Kind type	SMU-219
Primary option	
Archive.Restore procedure	LM-132
CMVC access control	LM-147
creating primary subsystems	LM-154
primary and secondary subsystems	LM-150
summarized	LM-133
primary subsystem	LM-149, PM-2, PM-16, PM-101, PM-339, PM-351, PM-354
copying view into secondary	PM-103
creating	LM-154
defined	LM-149
moving	LM-154
setting up	PM-103
print	
default	
Queue.Default procedure	SMU-127
register	
Queue.Register procedure	SMU-149
remove device from print spooler	
Queue.Remove procedure	SMU-151
spooler	
Queue.Kill_Print_Spooler procedure	SMU-135
Queue.Restart_Print_Spooler procedure	SMU-153
stop	
Queue.Cancel procedure	SJM-252, SMU-123
unregister	
Queue.Unregister procedure	SMU-154
version	
Queue.Print_Version procedure	SJM-265, SMU-147
view entries in queue	
Queue.Display procedure	SJM-253, SMU-133

[Print] key	
Queue.Print procedure	SJM-254, SMU-136
Print procedure	
Abbreviations.Print	
Queue package	SMU-109
Queue.Print	SJM-254, SMU-136
default formatting for ASCII devices	SMU-117
format of bitmapped images	SMU-115
key concepts for printing text	SMU-111
overview of print process	SMU-109
PostScript printing	SMU-116
printing using ASCII devices	SMU-111
printing using PostScript devices	SMU-112
Queue package	SMU-109
specifying default format options	SMU-116, SMU-117
print process, overview of	SMU-109
print queues	SMU-110
defined	SMU-110
Print_Version procedure	
Queue.Print_Version	SJM-265, SMU-147
default formatting for ASCII devices	SMU-117
format of bitmapped images	SMU-115
key concepts for printing text	SMU-111
overview of print process	SMU-109
printing using ASCII devices	SMU-111
specifying default format options	SMU-116, SMU-117
printer classes	SMU-110
Printer_Configuration file	
print queues	SMU-110
printers	
PostScript	SMU-113
session switches for controlling	SJM-333
printing	
Ada source code	SMU-114
bitmapped images	SMU-115
error messages	
Simple_Status.Display_Message function	PT-134
letters	SMU-114
plain text from PostScript printers	SMU-113
PostScript	SMU-116
PostScript programs	SMU-112
status	
Simple_Status.Display_Message function	PT-134
text	SMU-111
using ASCII devices	SMU-111
using PostScript devices	SMU-112
priority	
Daemon.Collection_Priority subtype	SMU-10
Daemon.Set_Priority procedure	SMU-34
Scheduler.Cpu_Priority subtype	SMU-165
Scheduler.Get_Cpu_Priority function	SMU-173
Priority function	
System_Uilities.Priority	SMU-282
jobs	SMU-225

Priority subtype	
System.Priority	PT-166
private part	PM-87, PM-89
Ada.Create_Private procedure	EST-24
closed	PM-87, PM-113
open	PM-89
Private_Eyes_Only pragma	PM-57, PM-89, PM-114
Privileged access-control group	
changing access-control identity of jobs	SJM-232
Privileged group	SMU-51
overriding access requirements	LM-147
privileged mode	
defined	SMU-51, SMU-52
Operator.Enable_Privileges procedure	SMU-80
Privileged_Mode function	
Operator.Privileged_Mode	SMU-95
Problem enumeration	
Daemon.Condition_Class type	SMU-11
Simple_Status.Condition_Class type	PT-130
Procedure_Body	
argument for 'C (class) attribute (Ada subclasses)	QR-10, RS-42
Procedure_Entry enumeration	
Debug.Stop_Event type	DEB-157
Procedure_Instantiation	
argument for 'C (class) attribute (Ada subclasses)	QR-10, RS-42
Procedure_Rename	
argument for 'C (class) attribute (Ada subclasses)	QR-10, RS-42
Procedure_Spec	
argument for 'C (class) attribute (Ada subclasses)	QR-10, RS-42
procedures	
executing	LM-55
key binding	SJM-9
keymap	SJM-9
login	SJM-5, SJM-12
requiring operator capability	SMU-52, SMU-111
sets of	SJM-229
<i>see also</i> commands; <i>specific procedure</i>	
Process generic formal procedure	
Io.Process	TIO-107
Io.Wildcard_Iterator generic procedure	TIO-105
Io.Wildcard_Iterator procedure	TIO-108
processing, ANSI-labeled tapes	SMU-314
processor, target	LM-15, LM-41
processor name	
defined	DEB-57, SJM-11, SJM-329
group of library switches	LM-415
<PROFILE>	
described	SJM-116
special value for specifying profiles	DIO-6, LM-133, PM-128, QR-14, RS-56, TIO-6

Profile package	
!Tools.Profile	SJM-113
building profiles	SJM-137
changing job response profiles	SJM-25
converting between profile representations	SJM-138
introduction to profiles	SJM-114
obtaining profiles and profile components	SJM-135
resources in	SJM-113
response profiles and Environment commands	SJM-118
response profiles and user-defined commands	SJM-118
setting job response profiles	SJM-130
setting response characteristics	SJM-26
setting session response profiles	SJM-24, SJM-133
specification	RS-613
profiles	
building	SJM-137
conversion	
Profile.Convert procedure	SJM-142
default	SJM-22, SJM-23, SJM-115
Profile.Default_Profile function	SJM-147
default response characteristics and	SJM-22
introduction to	SJM-114
job response	QR-14, RS-56, RS-57
obtaining	SJM-135
predefined	SJM-131, SJM-132
response	RS-55, RS-56
Profile.Response function	SJM-189
Profile.Response_Profile type	SJM-191
session response	QR-14, RS-56, RS-57
set activity	
Profile.Set_Activity procedure	SJM-193
specifying	QR-14, RS-56, SJM-116
system default	QR-14, RS-56
user-defined	SJM-118
program data	
displaying	DEB-45
modifying	DEB-45
program execution, controlling	DEB-9
program job, described	DEB-3
program libraries	LM-14
Program package	
!Commands.Program	SJM-229
key concepts for	SJM-229
resources in	SJM-229
specification	RS-241
program state, displaying	DEB-63
program-specific characteristics, setting	SJM-12
Program_Error exception	
Debug package	DEB-90
partially complete units	LM-17
pragmas	LM-48
Standard.Program_Error	PT-161
Program_Library object manager	SMU-5

described	SMU-5
Program_Library_Maintenance package	
!Tools.Program_Library'Spec_View.Units.Program_Library_Maintenance specification	RS-623
Program_Library_Object_Editor package	
!Tools.Program_Library_Object_Editor specification	RS-626
programmatic access to debugger facilities	DEB-11
programmatic breakpoint	
Debug_Tools.User_Break procedure	DEB-207
program design language, <i>see</i> PDL	
programs	
compiling	LM-11
customizing	SJM-4
debugging	DEB-2
executing	DEB-9, PM-12, PM-84
executing procedures as statements in	LM-55
main	LM-20, LM-53, LM-214
multiple-subsystem	PM-51
multiple-unit	LM-23, LM-35
nonmain	LM-54
PostScript	SMU-112
testing	PM-85
<PROGRESS>	
described	SJM-117
special value for filtering messages	QR-14
special value for special-purpose response profiles	RS-58
progress	
Daemon.In_Progress function	SMU-18
project libraries	
copying applications into new	LM-155
project management	
defined	PM-1
issues	PM-4
project partitioning	PM-3
project reporting	PM-15
projects, ensuring consistency throughout	LM-410
Prolog suboption	
printing bitmapped images	SMU-115
promote	
Ada.Code_Unit procedure	EST-20
Ada.Install_Unit procedure	EST-31
<i>see also</i> promoting	
promote effort	
Compilation.Make renamed procedure	LM-236
[Promote] key	
Common.Promote procedure	EST-91
Promote option	
Archive.Restore procedure	LM-131
CMVC access control	LM-147

copying compiled objects	LM-151
summarized	LM-133
Promote procedure	
Common.Promote	EST-59, EST-91 , PM-192
Ada images	EST-15
command images	EST-49
Command.Spawn procedure	EST-56
editing libraries with	LM-298
editing switches with	LM-424
menu images	EST-134
promoting units	LM-21
relative state changes	LM-21
saving switch files	DEB-57, LM-414, SJM-329
summarized	LM-31
text images	EST-141
windows images	EST-157
xref images	EST-163
Compilation.Promote	LM-242
Demote procedure	LM-224
Limit parameter	LM-24, LM-29
Make renamed procedure	LM-236
promoting across libraries	LM-27
promoting across subsystems	LM-28
promoting multiple Ada units	LM-23
Scope parameter	LM-23
summarized	LM-31
using	LM-203
Editor.Window.Promote	EI-63, EI-67
Demote procedure	EI-65
Promote_Scope type	
Compilation.Promote_Scope	LM-245
promoting	LM-13
across libraries	LM-26
across subsystems	LM-28
Ada units	EST-20, EST-31, LM-18, LM-68
defined	LM-13, LM-18
multiple Ada units	LM-23
multiple-unit programs	LM-23
prompt	DIO-87
next	
Editor.Cursor.Next procedure	EI-19
previous	
Editor.Cursor.Previous procedure	EI-19
<i>see also specific prompt</i>	
<PROMPT>	
manipulating remote-passwords files	SJM-278
Prompt enumeration	
Window_Io.Designation type	DIO-116
Prompt field	
Window_Io package	DIO-83
[Prompt For] key	
Editor.Key.Prompt procedure	EI-29
Prompt procedure	
Editor.Key.Prompt	EI-29

Prompt_Delimiters session switch	
Session.Prompt_Delimiters	
described	SJM-353
Prompt_For_Account library switch	
Ftp.Prompt_For_Account	
described	LM-421
Prompt_For_Account session switch	
Session_Ftp.Prompt_For_Account	
described	SJM-353
Prompt_For_Password library switch	
Ftp.Prompt_For_Password	
described	LM-421
Prompt_For_Password session switch	
Session_Ftp.Prompt_For_Password	
described	SJM-353
Propagate enumeration	
Profile.Error_Reaction type	RS-61, SJM-154
Propagate function	
Profile.Propagate	SJM-180
[Propagate] key	
Debug.Propagate procedure	DEB-127
Propagate procedure	
Debug.Propagate	DEB-127
Context procedure	DEB-77, DEB-78
Debug_Save_Exceptions session switch	DEB-61
Debug_Save_Exceptions session switch, described	SJM-342
exception information requests	DEB-50
interaction with flags	DEB-51
matching requests	DEB-51
Option type	DEB-120
removing catch and propagate requests	DEB-51
specificity of requests	DEB-50
Profile.Propagate	
querying about components of profiles	SJM-136
propagate requests	
defined	DEB-49
removing	DEB-51
setting	DEB-51
Propagate_Exception enumeration	
Debug.Trace_Event type	DEB-170
propagated, defined	DEB-49
propagating incremental changes	LM-152
properties	
disjoint	RS-39
excluding	RS-39
shared	RS-39
Protected enumeration	
Window_Io.Designation type	DIO-116
Protected field	
Window_Io package	DIO-83
protecting information, <i>see</i> access control	

Ptr generic formal type	
Hash.Ptr	PT-41, PT-45
Public group	SMU-51
Pure_Element_File_Map	
argument for 'C (class) attribute (file subclasses)	QR-11, RS-43
Push procedure	
Editor.Hold_Stack.Push	EI-5, EI-21, EI-22
Editor.Mark.Push	EI-41, EI-42
Editor.Screen.Push	EI-7, EI-51, EI-53
Stack_Generic.Push	PT-155
Push_Definition_Mark session switch	
Session.Push_Definition_Mark	
described	SJM-353
put, <i>see</i> Write	
Put generic formal procedure	
Scheduler.Traverse_Job_Descriptors.Put	SMU-204
[Put] key	
Debug.Put procedure	DEB-131
Put procedure	
Debug.Put	DEB-131
Context procedure	DEB-77, DEB-78
Debug_Display_Level session switch	DEB-59
Debug_Display_Level session switch, described	SJM-340
Debug_Element_Count session switch	DEB-59
Debug_Element_Count session switch, described	SJM-340
Debug_First_Element session switch	DEB-59
Debug_First_Element session switch, described	SJM-340
Debug_Pointer_Level session switch	DEB-61
Debug_Pointer_Level session switch, described	SJM-342
Debug_Put_Locals session switch	DEB-61
Debug_Put_Locals session switch, described	SJM-342
Debug_Tools.Register generic procedure	DEB-191
designating command output	DEB-17
designating variables	DEB-17
displaying and modifying program data	DEB-45
displaying special variables	DEB-47
Flag procedure	DEB-96
Numeric type	DEB-116, DEB-117
Option type	DEB-120
referencing overloaded units and subprograms	DEB-23
Io.Enumeration_Io.Put	TIO-115, TIO-117
Io.Fixed_Io.Put	TIO-127, TIO-129
Io.Float_Io.Put	TIO-139, TIO-141
Io.Integer_Io.Put	TIO-150, TIO-152
Io.Put	TIO-72, TIO-73, TIO-74, TIO-76, TIO-78
Echo_Line procedure	TIO-32
Put_Line procedure	TIO-79
Text_Io.Enumeration_Io.Put	TIO-223, TIO-225
Text_Io.Fixed_Io.Put	TIO-235, TIO-237
Text_Io.Float_Io.Put	TIO-247, TIO-249
Text_Io.Integer_Io.Put	TIO-258, TIO-260
Text_Io.Put	TIO-198, TIO-199
Put_Line procedure	TIO-200
Put_Condition procedure	

Log.Put_Condition	SJM-79
Program.Condition subtype	SJM-235
Program.Create_Job procedure	SJM-237
Program.Started_Successfully function	SJM-249
specifying components	SJM-132
Put_Errors procedure	
Log.Put_Errors	SJM-80
Put_Job_Messages procedure	
Log.Put_Job_Messages	SJM-81
Log.Put_System_Messages	SJM-92
Put_Line procedure	
Io.Put_Line	TIO-79
Note_Error generic formal procedure	TIO-106
Log.Put_Line	SJM-82, SJM-83
Text_Io.Put_Line	TIO-200
Put_Line_Generic generic procedure	
Log.Put_Line_Generic	SJM-85
Put_Line_Generic.Full generic formal function	
Log.Put_Line_Generic.Full	SJM-87
Put_Line_Generic.Is_Nil generic formal function	
Log.Put_Line_Generic.Is_Nil	SJM-88
Put_Line_Generic.Nil generic formal function	
Log.Put_Line_Generic.Nil	SJM-89
Put_Line_Generic.Object_Type generic formal type	
Log.Put_Line_Generic.Object_Type	SJM-90
Put_Line_Generic.Simple generic formal function	
Log.Put_Line_Generic.Simple	SJM-91
Put_Locals enumeration	
Debug.Option type	DEB-120
Put_Notes procedure	
Cmvc.Put_Notes	PM-292
Cmvc.Append_Notes procedure	PM-210
Cmvc.Create_Empty_Note_Window procedure	PM-232
Cmvc.Get_Notes procedure	PM-244
Put_System_Messages procedure	
Log.Put_System_Messages	SJM-92
Log.Put_Job_Messages	SJM-81
Profile.Error_Reaction type	SJM-154

Q

qualified, defined	LM-4
qualified pathnames	DEB-17, DEB-18
defined	DEB-18
displaying in stacks	DEB-10
fully qualified	DEB-13, DEB-18, PM-131
Qualify_Stack_Names enumeration	
Debug.Option type	DEB-120
quarter plane	EI-2

question mark (?)	
metacharacter	EI-56
recursive operation	LM-291
restricted naming expression	LM-137, LM-176, LM-180, QR-7, RS-51
substitution character	PM-130
wildcard character	LM-176, LM-180, LM-399, LM-404, PM-129, QR-5, RS-29, RS-31
pattern matching	LM-258, LM-261, LM-270, LM-273, LM-276, QR-7, RS-53
set notation	LM-136
question mark, double (??)	
library wildcard	PM-129
Queue format (Debug.Memory_Display)	DEB-112
Queue package	
!Commands.Queue	SJM-251, SMU-109
key concepts for	SMU-111
machine initialization	SMU-2
overview of	SMU-109
print queues	SMU-110
procedures requiring operator capability	SMU-53
resources in	SMU-109
SMU versus SMG	SMU-1
specification	RS-244
Queue type	
Queue_Generic.Queue	PT-109
Queue_Generic generic package	PT-95
!Tools.Queue_Generic	
specification	RS-627
Queue_Service package	
!Tools.Rpc_Servers'Spec_View.Units.Queue_Service	
specification	RS-630
Queued enumeration	
Scheduler.Job_State type	SMU-189
Queued job state	
described	SJM-19, SMU-157, SMU-158
number of runnable jobs on streams	SMU-161
queues, print	SMU-110
Quiesce procedure	
Daemon.Quiesce	SMU-24
<QUIET>	
described	SJM-117
special value for filtering messages	QR-14
special value for special-purpose response profiles	RS-58
Quiet constant	
Profile.Quiet	SJM-181
quiet startup	
Debug.Reset_Defaults procedure	DEB-138
Quit enumeration	
Profile.Error_Reaction type	RS-60, SJM-154
Quit procedure	
Editor.Quit	EI-10
Quote procedure	
Editor.Char.Quote	EI-12, EI-14

R

<r> special name	
described	DEB-15
R1000	
copying objects between remote R1000s	LM-144
copying objects from another	LM-143
copying objects onto another	LM-143
distributing objects onto multiple R1000s	LM-143
overview of R1000 compilation model	LM-12
switches for R1000 compiler	LM-416
transferring data between R1000s	LM-142
R1000 hardware ports	
identifying	SMU-332
R1000_Cg switches	LM-416
raise	
Profile.Raise_Exception renamed function	SJM-182
Raise_Error	
setting error reaction	RS-61
Raise_Error enumeration	
Profile.Error_Reaction type	SJM-154
<RAISE_EXCEPTION>	
described	SJM-117
special value for filtering messages	QR-14
special value for special-purpose response profiles	RS-58
Raise_Exception renamed function	
Profile.Raise_Exception	SJM-182
building profiles through internal representations	SJM-137
obtaining profiles	SJM-135
Random package	
!Tools.Random	
specification	RS-629
range	
System_Uilities.Character_Bits_Range subtype	SMU-238
System_Uilities.Stop_Bits_Range subtype	SMU-294
Terminal.Character_Bits_Range subtype	SMU-338
Terminal.Stop_Bits_Range subtype	SMU-366
range type	PT-9, PT-67, ST-25
Range_Type generic formal type	
Concurrent_Map_Generic.Range_Type	PT-31
Map_Generic.Range_Type	PT-89
String_Map_Generic.Range_Type	ST-44
Rapid_Blink character attribute	DIO-102
rate	
System_Uilities.Input_Rate function	SMU-263
System_Uilities.Output_Rate function	SMU-278
Terminal.Set_Input_Rate procedure	SMU-349
Terminal.Set_Output_Rate procedure	SMU-354
Rational Environment	
compatibility with previous releases of	LM-50

compiling programs in	LM-11
Rational file	
system-daemon initialization	SMU-8
Raw option	
printing text without formatting	SMU-112
printing using ASCII devices	SMU-111
Raw package	
Window_Io.Raw	DIO-171
reaction	
error	RS-59, RS-60
Profile.Default_Reaction constant	SJM-148
Profile.Error_Reaction type	SJM-154
Profile.Reaction function	SJM-184
Profile.Set_Default_Reaction procedure	SJM-203
Profile.Set_Reaction procedure	SJM-215
Reaction function	
Profile.Reaction	SJM-184
Profile.Set_Default_Reaction procedure	SJM-203
Profile.Set_Reaction procedure	SJM-215
Reaction option	
setting error reaction	RS-60
Reaction session switch	
Profile.Reaction	
described	SJM-354
read	
files with different types of data	
Polymorphic_Sequential_Io package	DIO-39
open to	
Io.In_File constant	TIO-53
raw keystrokes typed by users	
Window_Io.Raw package	DIO-171
Xref report	LM-454
<i>see also</i> Get; Get_Line	
Read (R) access right	
CMVC access control	LM-146, LM-147
described	LM-64, LM-65
Read constant	
Access_List.Read	LM-80
Access_List_Tools.Read	LM-119
Read procedure	
Direct_Io.Read	DIO-24
Polymorphic_Sequential_Io.Operations.Read	DIO-57
Sequential_Io.Read	DIO-76
Tape.Read	SMU-322
processing ANSI-labeled tapes	SMU-314
transferring data between systems by tape	SMU-314
read-only access	
Direct_Io.File_Mode type	DIO-15
Io.File_Mode subtype	TIO-37
Polymorphic_Sequential_Io.File_Mode type	DIO-46
Sequential_Io.File_Mode type	DIO-68
Text_Io.File_Mode type	TIO-178
Window_Io.File_Mode type	DIO-120

read-only lock	EST-59
read/write access	
Direct_Io.File_Mode type	DIO-15
read/write to windows	
Window_Io package	DIO-79
Read_Banner function	
Window_Io.Read_Banner	DIO-161
Job_Number function	DIO-141
Job_Time function	DIO-142
Read_Time enumeration	
Library.Field type	LM-333
Reader enumeration	
Library.Field type	LM-333
rebinding keys	SJM-8
Editor.Key package	EI-27
receive flow control	SMU-283, SMU-356
Receive_Flow_Control function	
System_Uilities.Receive_Flow_Control	SMU-283
terminal ports	SMU-226
Receive_Xon_Xoff function	
System_Uilities.Receive_Xon_Xoff	
terminal ports	SMU-226
Receive_Xon_Xoff_Bytes function	
System_Uilities.Receive_Xon_Xoff_Bytes	SMU-284
terminal ports	SMU-226
Receive_Xon_Xoff_Characters function	
System_Uilities.Receive_Xon_Xoff_Characters	SMU-285
reclaim, <i>see</i> Free	
reclaiming	
access-control groups	SMU-6
storage, <i>see</i> Allows_Deallocation; Unchecked_Deallocation	
recombinant testing	PM-85
recompile	
Compilation.Make renamed procedure	LM-236
Compilation.Promote procedure	LM-242
recording task histories	DEB-54
recoverable deletions, defined	LM-289
recursive operations	LM-290
Recursive parameter	
recursive operation	LM-291
Redirect procedure	
Text.Redirect	EST-151
job classes	SJM-18
redirecting command output	RS-62
Redo procedure	
Common.Redo	EST-47, EST-59, EST-93 , PM-193

command images	EST-49
Undo procedure	EST-99
redraw error underlines, <i>see</i> Get_Errors	
Redraw procedure	
Editor.Screen.Redraw	EI-51, EI-54
reduce library storage space	
Library.Compact_Library procedure	LM-305
referenced, defined	DEB-13
referencers	PM-63
referencing	
constructs within Ada units	DEB-25
data values	DEB-32
declarations	DEB-25
dynamic objects	DEB-30
Environment objects	RS-14
generic instantiations	DEB-24
generics	DEB-24
library units	DEB-22
locations in source	DEB-22
methods of	DEB-13
objects in commands	DEB-8
objects in debugger	DEB-13
overloaded subprograms	DEB-23
overloaded units	DEB-23
parameter values	DEB-32
runtime values of variables	DEB-32
simple statements	DEB-25
stack frames	DEB-31
static definitions of variables	DEB-32
subprograms	DEB-23
task activations	DEB-31
Reformat_Image procedure	
Library.Reformat_Image	LM-349
switches for formatting Ada units	LM-415
reformatting Ada units	LM-349
refresh	
screen	
Editor.Screen.Redraw procedure	EI-54
Window Directory	EST-156
Refresh_Terminal_Information procedure	
!Commands.System_Maintenance'Spec_View.Units.Refresh_Terminal_Information specification	RS-282
<REGION>	
described	DEB-15
special name	DEB-8, EST-58, EST-131, EST-155, PM-128, QR-3, RS-16
region	EI-2
Region package	
Editor.Region	EI-6, EI-45
register	
defined	DEB-46
stop	
Debug_Tools.Un_Register generic procedure	DEB-205

Register generic procedure	
Debug_Tools.Register	DEB-191
Debug.Put procedure	DEB-132
displaying special variables	DEB-46
Register procedure	
Queue.Register	SMU-149
Add procedure	SMU-118
Remove procedure	SMU-151
Unregister procedure	SMU-154
Register.Image generic formal function	
Debug_Tools.Register.Image	DEB-199
Register.T generic formal type	
Debug_Tools.Register.T	DEB-202
registering Ada units in libraries	LM-416
regular expression, defined	RS-52
Reject_Bad_Lrm_Pragmas library switch	
Semantics.Reject_Bad_Lrm_Pragmas	
described	LM-47, LM-421
Reject_Bad_Rational_Pragmas library switch	
Semantics.Reject_Bad_Rational_Pragmas	
described	LM-47, LM-421
Reject_Inevitable_Exceptions library switch	
Semantics.Reject_Inevitable_Exceptions	
described	LM-49, LM-421
Reject_Undefined_Pragmas library switch	
Semantics.Reject_Undefined_Pragmas	
described	LM-47, LM-422
relative cursor movement	EI-2, EI-3
relative pathnames	DEB-19, DEB-121, RS-19
defined	DEB-13, DEB-19, LM-4, QR-2, RS-14, RS-19
name resolution and	RS-21
relative unit-state changes	LM-21, LM-33
release	PM-7, PM-21, PM-30, PM-187, PM-188, PM-268, PM-294
activity	PM-16, PM-187, PM-325
configuration	PM-31
copying in multihost development	PM-104
defined	PM-8
full view	PM-30
implications of upward-compatible changes	PM-91
integrating subpaths	PM-46
level number	PM-34, PM-230
names	PM-34
of configurations	PM-30
representation of	PM-32
using Main pragma in subsystems	LM-61
<i>see also</i> Enable; Version	
Release procedure	
Cmvc.Release	PM-30, PM-46, PM-92, PM-194, PM-294 , PM-327
Cmvc.Build procedure	PM-212
Common.Release	EST-59, EST-94 , PM-136
Abandon procedure	EST-62

Ada images	EST-16
command images	EST-50
commands from package Common for debugger	DEB-64
commands from package Common for editing searchlists	SJM-307
commands from package Common for Jobs procedure display	SJM-362
commands from package Common for use in help windows	SJM-361
described	DEB-5
editing libraries with	LM-299
editing links with	LM-377
editing switches with	LM-424
help	EST-126
menu images	EST-135
Search_List.Release procedure	SJM-317
text images	EST-142
What.Jobs procedure	SJM-368
windows images	EST-157
xref images	EST-163
Debug.Release	DEB-136
Context procedure	DEB-77
Execute procedure	DEB-94
Hold procedure	DEB-104
task control commands	DEB-39, DEB-40
task states	DEB-39
Search_List.Release	SJM-317
Release_Tape_User procedure	
!Commands.System_Maintenance'Spec_View.Units.Release_Tape_User specification	RS-282
released view	PM-8, PM-30
releasing tasks	DEB-38
relocation	PM-93
remaining disk capacity	
Operator.Disk_Space procedure	SJM-110, SMU-78
Remake option	
Archive.Restore procedure	LM-131
CMVC access control	LM-147
copying compiled objects	LM-151
summarized	LM-133
remote devices	
restoring from	LM-144
saving onto	LM-144
Remote package	
!Commands.Remote specification	SJM-267 RS-253
remote passwords	
Profile.Default_Remote_Passwords function	SJM-149
Profile.Remote_Passwords function	SJM-185
Profile.Remote_Passwords_Type subtype	SJM-186
Profile.Set_Default_Remote_Passwords procedure	SJM-204
Profile.Set_Remote_Passwords procedure	SJM-216
response characteristic	
described	SJM-20, SJM-115
setting	SJM-25
remote R1000s, copying objects between	LM-144

remote sessions	
Profile.Default_Remote_Sessions function	SJM-150
Profile.Remote_Sessions function	SJM-187
Profile.Remote_Sessions_Type subtype	SJM-188
Profile.Set_Default_Remote_Sessions procedure	SJM-205
Profile.Set_Remote_Sessions procedure	SJM-217
response characteristic	
described	SJM-20, SJM-115
setting	SJM-25
remote-information files, nondefault	RS-63
remote-passwords files	LM-148
creating	SJM-278
default	SJM-279, SJM-280
defined	SJM-275
determining when to use	SJM-276
editing	SJM-278
manipulating	SJM-277
using	SJM-276
Remote_Directory library switch	
Ftp.Remote_Directory	
described	LM-422
Remote_Directory session switch	
Session_Ftp.Remote_Directory	
described	SJM-354
Remote_Machine library switch	
Ftp.Remote_Machine	
described	LM-422
Remote_Machine session switch	
Session_Ftp.Remote_Machine	
described	SJM-354
Remote_Passwords function	
Profile.Remote_Passwords	SJM-185
Default_Remote_Passwords function	SJM-149
Remote_Passwords option	
specifying nondefault remote-information files	RS-63
Remote_Passwords package	
!Commands.Remote_Passwords	SJM-275
key concepts for	SJM-275
resources in	SJM-275
setting response characteristics	SJM-26
setting session response profiles	SJM-24
specification	RS-254
Remote_Passwords session switch	
Profile.Remote_Passwords	
described	SJM-354
interaction between library and session FTP switches	LM-411
setting default remote-passwords file	SJM-279
Remote_Passwords_Type subtype	
Profile.Remote_Passwords_Type	SJM-186
Remote_Roof library switch	
Ftp.Remote_Roof	
described	LM-422

Remote_Roof session switch	
Session_Ftp.Remote_Roof	
described	SJM-354
Remote_Sessions function	
Profile.Remote_Sessions	SJM-187
Profile.Default_Remote_Sessions function	SJM-150
Remote_Sessions option	
specifying nondefault remote-information files	RS-63
Remote_Sessions session switch	
Profile.Remote_Sessions	
described	SJM-355
interaction between library and session FTP switches	LM-411
Remote_Sessions_Type subtype	
Profile.Remote_Sessions_Type	SJM-188
Remote_Type library switch	
Ftp.Remote_Type	
described	LM-422
Remote_Type session switch	
Session_Ftp.Remote_Type	
described	SJM-355
remove	
catch requests	DEB-51
comment	
Editor.Region.Uncomment procedure	EI-49
leading characters, <i>see</i> Strip; Strip_Leading	
links	LM-376
map entry, <i>see</i> Undefine	
part of, <i>see</i> Extract	
propagate requests	DEB-51
spaces	
Editor.Char.Delete_Spaces procedure	EI-13
stub	
Ada.Withdraw procedure	EST-43
trailing characters, <i>see</i> Strip; Strip_Trailing	
underlines	
Common.Clear_Underlining procedure	EST-64
<i>see also</i> Cancel; Delete; Delete_Group; Delete_User; Pop	
[Remove Breaks] key	
breakpoint state	DEB-43
Debug.Remove procedure	DEB-137
Remove procedure	
Access_List.Remove	LM-81
Access_List_Tools.Remove	LM-120
Activity.Remove	PM-158
Debug.Remove	DEB-137
breakpoint state	DEB-43
Queue.Remove	SMU-151
Unregister procedure	SMU-154
Remove_Child procedure	
Cmvc_Hierarchy.Remove_Child	PM-336
Remove_Default procedure	
Access_List.Remove_Default	LM-82
Remove_From_Group procedure	

Operator.Remove_From_Group	SMU-96
Public and Network_Public groups	SMU-51
Remove_From_List procedure	
Work_Order.Remove_From_List	PM-389
Remove_Import procedure	
Cmvc.Remove_Import	PM-64, PM-299
Cmvc.Remove_Unused_Imports procedure	PM-301
Remove_Unused_Imports procedure	
Cmvc.Remove_Unused_Imports	PM-301
rename	
Ada units	PM-36
view	PM-50
Rename procedure	
Library.Rename	LM-350
Rendezvous enumeration	
Debug.Information_Type type	DEB-107
Debug.Trace_Event type	DEB-170
[Rendezvous Info] key	
Debug.Information procedure	DEB-105
reorganizing, library objects	LM-141
repaint screen	
Editor.Screen.Redraw procedure	EI-54
Repair_Cdb procedure	
Cmvc_Maintenance.Repair_Cdb	PM-356
Repair_Cg_Attrs procedure	
!Commands.System_Maintenance'Spec_View.Units.Repair_Cg_Attrs specification	RS-283
Repair_Directory procedure	
!Commands.System_Maintenance'Spec_View.Units.Repair_Directory specification	RS-284
replace	
backward	
Editor.Search.Replace_Previous procedure	EI-58
forward	
Editor.Search.Replace_Next procedure	EI-57
window state	EI-63
Replace option	
Archive.Restore procedure	LM-131
CMVC access control	LM-147
copying compiled objects	LM-151
copying controlled objects	LM-153
summarized	LM-133
Replace procedure	
Bounded_String.Replace	ST-17
Links.Replace	LM-401
changing source names	LM-375
Link_Name subtype	LM-399
Update procedure	LM-405
Search_List.Replace	SJM-318
creating searchlists	SJM-305
editing searchlists	SJM-306

Search_List.Add procedure	SJM-310
Search_List.Set_Up procedure	SJM-323
Unbounded_String.Replace	ST-120
Replace_Id procedure	
Ada.Replace_Id	EST-37
Replace_Model procedure	
Cmnc.Replace_Model	PM-23, PM-64, PM-96, PM-303
Replace_Next procedure	
Editor.Search.Replace_Next	EI-55, EI-56, EI-57
Replace_Previous procedure	
Editor.Search.Replace_Previous	EI-55, EI-56, EI-58
report writer	
Table_Formatter package	ST-91
Report_Cursor procedure	
Window_Io.Report_Cursor	DIO-163
Report_Location procedure	
Window_Io.Report_Location	DIO-164
Report_Origin procedure	
Window_Io.Report_Origin	DIO-165
Report_Size procedure	
Window_Io.Report_Size	DIO-166
reports	
job	SJM-27, SJM-29
Xref	LM-454
representation specifications, responses to	LM-48
Representation_Clauses package	
!Tools.Lrn.Representation_Clauses specification	RS-508
representations	
internal	SJM-132, SJM-137
profile	SJM-138
requests	
catch	DEB-49, DEB-51
exception information	DEB-49
matching	DEB-50
propagate	DEB-49, DEB-51
specificity of	DEB-50
Require_Comment_Lines enumeration	
Work_Order.Venture_Policy_Switch	PM-400
Require_Comments_At_Check_In enumeration	
Work_Order.Venture_Policy_Switch	PM-400
Require_Current_Work_Order enumeration	
Work_Order.Venture_Policy_Switch	PM-401
Require_Debug_Off enumeration	
Debug.Option type	DEB-120
Require_Debug_Off option flag	
jobs in debugger	DEB-3
Require_Internal_Links library switch	
Directory.Require_Internal_Links	

described	LM-422
Require_Parents option	
Archive.Restore procedure	LM-130
summarized	LM-133
requirements access	LM-20, LM-32, LM-145
reservation token	PM-6, PM-14, PM-25, PM-44, PM-226, PM-227, PM-264, PM-308, PM-317
reserved character !	
fully qualified pathnames	DEB-18
relative pathnames	DEB-19
reset	TIO-8
flags	DEB-63
searchlists to system default	SJM-306
Reset procedure	
Direct_Io.Reset	DIO-25
Io.Reset	TIO-80
Polymorphic_Sequential_Io.Reset	DIO-53
Sequential_Io.Reset	DIO-77
Text_Io.Reset	TIO-201
reset time	
Operator.Set_System_Time procedure	SMU-100
Reset_Defaults procedure	
Debug.Reset_Defaults	DEB-138
starting debugger	DEB-11
Reset_Error	
Io_Exceptions.Use_Error exception	DIO-37, TIO-163
Reset_Error procedure	
Io.Reset_Error	TIO-81
Log.Set_Error procedure	SJM-98
Reset_Error renamed procedure	
Log.Reset_Error	SJM-93
Pop_Error renamed procedure	SJM-76
Reset_Input procedure	
Io.Reset_Input	TIO-82
Reset_Input renamed procedure	
Log.Reset_Input	SJM-94
Pop_Input renamed procedure	SJM-77
Set_Input procedure	SJM-99
Reset_Log procedure	
Log.Reset_Log	SJM-95
Set_Log procedure	SJM-100
Reset_Output procedure	
Io.Reset_Output	TIO-83
Reset_Output renamed procedure	
Log.Reset_Output	SJM-96
Pop_Output renamed procedure	SJM-78
Set_Output procedure	SJM-101
Reset_To_System_Default procedure	
Search_List.Reset_To_System_Default	SJM-320
resetting searchlists to system default	SJM-306
Search_List.Revert procedure	SJM-321

- Search_List.Set_Up procedure SJM-323
- resolution
 - name DEB-19, RS-21
 - see also* name resolution
 - object name LM-67
 - Profile.Get_Cached_Resolution procedure SJM-158
- resolve, defined LM-288, SJM-11
- Resolve procedure
 - Library.Resolve **LM-352**, QR-2, RS-21
 - name resolution and context LM-288
 - testing substitution characters RS-32
 - What.Search_List_Resolution procedure SJM-378
 - wildcards for matching pathnames RS-29
- resolving
 - command names without searchlists SJM-304
 - defined DEB-13, LM-67, RS-14
 - object names relative to searchlists SJM-304
- resources
 - in Access_List package LM-63
 - in Access_List_Tools package LM-89
 - in Archive package LM-127
 - in Compilation package LM-203
 - in Daemon package SMU-3
 - in Debug package DEB-63
 - in Debug_Tools package DEB-177
 - in File_Uilities package LM-257
 - in Job package SJM-33
 - in Library package LM-287
 - in Links package LM-369
 - in Message package SMU-45
 - in Operator package SMU-49
 - in Profile package SJM-113
 - in Program package SJM-229
 - in Queue package SMU-109
 - in Remote_Passwords package SJM-275
 - in Scheduler package SMU-155
 - in Search_List package SJM-301
 - in Switches package LM-409
 - in System_Backup package SMU-209
 - in System_Uilities package SMU-221
 - in Tape package SMU-313
 - in Terminal package SMU-331
 - in What package SJM-361
 - in Xref package LM-453
 - shared LM-58
- response
 - Profile.Set_Default_Response procedure SJM-206
 - Profile.Set_Response procedure SJM-218
- response characteristics
 - default SJM-22
 - defined RS-55, SJM-20, SJM-114
 - setting SJM-25
 - specifying RS-59, SJM-21
- Response function
 - Profile.Response **SJM-189**

building profiles through internal representations	SJM-137
obtaining profiles	SJM-135
Ignore function	SJM-160, SJM-182, SJM-224, SJM-226
Nil function	SJM-175
Response parameter	LM-133, QR-14, RS-55
basic response profiles	SJM-116
changing job response profiles	SJM-25
commands with	SJM-21, SJM-22
commands without	SJM-22
default response characteristics and profiles	SJM-22
defined	SJM-114
directing log messages	SJM-31
options	QR-15, RS-63
overriding default remote-passwords file	SJM-280
package Remote	SJM-267
response profiles and Environment commands	SJM-118
response profiles and user-defined commands	SJM-119, SJM-120, SJM-125
setting response characteristics	SJM-26
special-purpose profiles	SJM-117
specifying predefined response profiles	RS-56
specifying response characteristics	RS-59, SJM-21
response profiles	
basic	RS-56
components	SJM-115
defined	RS-55, RS-56, SJM-20, SJM-22, SJM-114
Environment commands and	SJM-118
Environment-defined	SJM-115
special-purpose	RS-58
user-defined commands and	SJM-118
Response_Profile type	
Profile.Response_Profile	SJM-191
commands with Response parameter	SJM-22
obtaining profiles	SJM-135
response profiles and Environment commands	SJM-118
setting session response profiles	SJM-134
specifying predefined profiles	SJM-132
rest	
List_Generic.Set_Rest procedure	PT-65
Rest function	
List_Generic.Rest	PT-63
Restart_Print_Spooler procedure	
Queue.Restart_Print_Spooler	SMU-153
Kill_Print_Spooler procedure	SMU-135
Restore procedure	
Archive.Copy	
using to reorganize objects	LM-141
Archive.Restore	LM-127, LM-129, LM-179 , PM-103, PM-109
access control	LM-146
access requirements	LM-145
CMVC access control	LM-146
Cmvc_Maintenance.Make_Primary procedure	PM-351
Cmvc_Maintenance.Make_Secondary procedure	PM-354
copying or restoring objects under different names	LM-140
described	LM-127
identities	LM-145
overriding access requirements	LM-147

overview of	LM-128
propagating incremental changes	LM-152
restoring from remote devices	LM-144
specifying destination names	LM-139
specifying source objects for	LM-137
summary of options	LM-133
transferring data between R1000s	LM-142
transferring data between systems by tape	SMU-314
Editor.Macro.Restore	EI-38
Restore_Identity option	
changing access-control identity of jobs	SJM-232
restored Ada units, state of	LM-131
restored objects	LM-129
ACLs of	LM-131
names of	LM-130
restoring	
backups	SMU-210
from remote devices	LM-144
libraries	LM-138
objects	LM-138, LM-139
restricted naming expressions	LM-137, LM-399, QR-7, RS-51
restricting	
compilation context	LM-44
extent of compilation commands	LM-207
resume output	
Text.Continue procedure	EST-147
Retain enumeration	
Library.Field type	LM-333
Retain_Delta1_Compatibility library switch	
R1000_Cg.Retain_Delta1_Compatibility	
compatibility with previous releases of Environment	LM-50
Delta1_Code_View_Compatibility library switch	LM-51
described	LM-423
Retain_Delta1_Compatibility session switch	
Command_Cg.Retain_Delta1_Compatibility	
described	SJM-355
retained, defined	LM-289
Retargeted_Blocks constant	
System_Uilities.Retargeted_Blocks	SMU-286
retention count	EST-58
default	
Library.Default_Keep_Versions constant	LM-323
defined	LM-9, LM-289
deleted versions and	LM-289
set	
Library.Set_Retention_Count procedure	LM-355
[Return] key	
sessions	SJM-4
Returned enumeration	
Debug.Stop_Event type	DEB-158
reusing multiple searchlists	SJM-306

Reverse_Locate function	
String_Uilities.Reverse_Locate	ST-82
Reversed suboption	
printing plain text from PostScript printers	SMU-113
printing PostScript programs	SMU-113
revert	PM-7
Revert procedure	
Cmvc.Revert	PM-28, PM-305
Cmvc.Accept_Changes procedure	PM-207
Common.Revert	EST-59, EST-96 , PM-189
Ada images	EST-16
command images	EST-50
commands from package Common for editing searchlists	SJM-307
commands from package Common for Jobs procedure display	SJM-362
editing libraries with	LM-299
editing links with	LM-377
editing switches with	LM-424
Redo procedure	EST-49
text images	EST-142
windows images	EST-157
Search_List.Revert	SJM-321
Save procedure	SJM-322
saving and reusing multiple searchlists	SJM-306, SJM-307
Search_List.Set_Up procedure	SJM-323
Revert_Cdb option	
CMVC access control	LM-147
described	LM-152
summarized	LM-133
review intervals	
defined	SMU-158
scheduling	SMU-158
Rewind procedure	
Tape.Rewind	SMU-325
other tape operations	SMU-314
right brace ()	
metacharacter	EI-56
wildcard character	LM-258, LM-261, LM-270, LM-273, LM-276, QR-7, RS-53
Right enumeration	
Table_Formatter.Adjust type	ST-93
Right procedure	
Editor.Cursor.Right	EI-17, EI-19
Editor.Image.Right	EI-25, EI-26
Window_Shift_Overlap session switch, described	SJM-359
Editor.Screen.Right	EI-54
rights	
access	LM-2, LM-6, LM-64, LM-65
execution	LM-68
root of library system	PM-131
root task, defined	DEB-4, DEB-35
root world	LM-3
Rotate procedure	

Editor.Hold_Stack.Rotate	EI-21, EI-22
Editor.Mark.Rotate	EI-4, EI-41, EI-42
Editor.Screen.Rotate	EI-7, EI-52, EI-54
Rpc package	
!Tools.Networking.Rpc specification	RS-556
Rpc_Access_Uilities package	
!Tools.Networking.Rpc_Access_Uilities specification	RS-559
Rpc_Client package	
!Tools.Networking.Rpc_Client specification	RS-560
Rpc_Product package	
!Tools.Networking.Rpc_Product specification	RS-562
Rpc_Server package	
!Tools.Networking.Rpc_Server specification	RS-563
rplaca, <i>see</i> Set_First	
rplacd, <i>see</i> Set_Rest	
RS232 ports, configuring	SMU-335
Rules suboption	
printing plain text from PostScript printers	SMU-113
run	
at scheduled time	
Daemon.Schedule procedure	SMU-28
last	
Daemon.Last_Run function	SMU-20
queue load	
Scheduler.Get_Run_Queue_Load procedure	SMU-180
Run enumeration	
Scheduler.Job_State type	SMU-189
Run job state	SJM-19, SJM-20
described	SJM-19, SMU-157, SMU-158
foreground budget	SMU-160
[Run] key	
controlling program execution	DEB-9
Debug.Run procedure	DEB-139
run load	SMU-159
[Run Local] key	
controlling program execution	DEB-9
Debug.Run(Local) procedure	DEB-139
Run package	
!Tools.Ci'Spec_View.Units.Commands.Run specification	RS-413
Run procedure	
Daemon.Run	SMU-26
reclaiming access-control groups	SMU-6
Debug.Run	DEB-139
Clear_Stepping procedure	DEB-75

Context procedure	DEB-77
controlling program execution	DEB-9
Hold procedure	DEB-104
Stop_Event type	DEB-157
task states	DEB-39
Program.Run	SJM-243
access control	LM-68
Create_Job procedure	SJM-238
Current function	SJM-240, SJM-241
Run_Job procedure	SJM-247
running sets of procedures as part of current job	SJM-229
Remote.Run	SJM-268
described	SJM-267
[Run Returned] key	
Debug.Run(Returned) procedure	DEB-139
Run_Job procedure	
Program.Run_Job	SJM-245
access control	LM-65, LM-68
Create_Job procedure	SJM-236, SJM-238
Current function	SJM-240, SJM-241
job page limit	LM-39
jobs	SMU-225
Program.Run procedure	SJM-243
Program.Wait_For procedure	SJM-250
Run procedure	SJM-244
Standard_Input, Standard_Output, and Standard_Error	SJM-231
starting jobs programmatically	SJM-230
running, <i>see</i> In_Progress	
Running enumeration	
Debug.Task_Category type	DEB-162
running sets of procedures as part of current job	SJM-229
running task state, defined	DEB-39
runtime values of variables, referencing	DEB-32

S

<s> special name	
described	DEB-15
S (compilation state) attribute	
arguments for	QR-9, RS-44
described	QR-8
S (state) attribute	RS-44
described	RS-38
S flag	
Xref package	LM-454
safe type	DIO-4
Direct_Io package	DIO-7
Polymorphic_Sequential_Io package	DIO-39
Sequential_Io package	DIO-61
same, <i>see</i> Equal	
Same_Directories constant	

Compilation.Same_Directories	LM-247
Same_World constant	
Compilation.Same_World	LM-248
Same_Worlds constant	
Compilation.Same_Worlds	LM-249
save	
Common.Commit procedure	EST-65
screen	
Editor.Screen.Push procedure	EI-53
Save procedure	
Archive.Save	LM-127, LM-128, LM-193 , PM-103, PM-109
access control	LM-145, LM-146
CMVC access control	LM-146
described	LM-127
identities	LM-145
overview of	LM-128
propagating incremental changes	LM-152
saving onto remote devices	LM-144
specifying source objects for	LM-135
summary of options	LM-133
transferring data between R1000s	LM-142
transferring data between systems by tape	SMU-314
Editor.Key.Save	EI-29
Editor.Macro.Save	EI-37, EI-39
saving macros	SJM-9
Io.Save	TIO-84
Log.Save	SJM-97
Flush procedure	SJM-73
Search_List.Save	SJM-322
Revert procedure	SJM-321
saving and reusing multiple searchlists	SJM-306, SJM-307
Save_Exceptions enumeration	
Debug.Option type	DEB-120
Save_Exceptions option flag	
interaction with flags	DEB-51
Save_Performance_Data procedure	
!Commands.System_Maintenance'Spec_View.Units.Save_Performance_Data specification	RS-284
saved objects	LM-128
saving	
Ada units	LM-136
images, <i>see</i> committing images	
libraries	LM-136
macros	SJM-8
multiple searchlists	SJM-306
objects	LM-137
onto remote devices	LM-144
switch files	DEB-57, LM-414, SJM-329
schedule, change	SMU-54
Schedule procedure	
Daemon.Schedule	SMU-28
Quiesce procedure	SMU-24
scheduled	

Daemon.Next_Scheduled function	SMU-23
Scheduler package	
!Commands.Scheduler	SMU-155
key concepts for	SMU-155
machine initialization	SMU-2
obtaining information about jobs	SJM-20
procedures requiring operator capability	SMU-53
resources in	SMU-155
specification	RS-257
scheduler parameters	SMU-195
scheduling	
CPU	SMU-158, SMU-195
disk	SMU-164, SMU-195
memory	SMU-162, SMU-195
review interval	SMU-158
scope	
Compilation.Promote_Scope type	LM-245
defined	LM-23
Scope parameter	LM-207
promoting across subsystems	LM-28
promoting multiple Ada units	LM-23
values for	LM-207
screen	
control of	DIO-91
copy to file	
Editor.Screen.Dump procedure	EI-53
down	
Editor.Screen.Down procedure	EI-53
editing	DIO-83
erase and repaint	
Editor.Screen.Redraw procedure	EI-54
erase contents	
Editor.Screen.Clear procedure	EI-52
input/output	DIO-3, TIO-3
left	
Editor.Screen.Left procedure	EI-53
management	EI-7
Editor.Screen package	EI-51
move from bottom to top	
Editor.Screen.Rotate procedure	EI-54
next	
Editor.Screen.Next procedure	EI-53
previous	
Editor.Screen.Previous procedure	EI-53
refresh	
Editor.Screen.Redraw procedure	EI-54
retrieve from top of stack	
Editor.Screen.Top procedure	EI-54
right	
Editor.Screen.Right procedure	EI-54
save	
Editor.Screen.Push procedure	EI-53
stack	EI-7, EI-51
top	
Editor.Screen.Copy_Top procedure	EI-52
Editor.Screen.Delete_Top procedure	EI-52

Editor.Screen.Top procedure	EI-54
transpose top two items	
Editor.Screen.Swap procedure	EI-54
up	
Editor.Screen.Up procedure	EI-54
screen display, session switches for	SJM-330
Screen package	
Editor.Screen	EI-7, EI-51
Screen_Dump_File session switch	
Session.Screen_Dump_File	
described	SJM-355
Script package	
!Tools.Script	
specification	RS-631
scripts, command	LM-56
scroll	
bottom of image	
Editor.Image.End_Of procedure	EI-26
bottom of window	
Editor.Window.End_Of procedure	EI-66
down	
Editor.Image.Down procedure	EI-25
find image	
Editor.Image.Find procedure	EI-26
left	
Editor.Image.Left procedure	EI-26
right	
Editor.Image.Right procedure	EI-26
top of image	
Editor.Image.Beginning_Of procedure	EI-25
top of window	
Editor.Window.Beginning_Of procedure	EI-64
up	
Editor.Image.Up procedure	EI-26
search	EI-4
and replace backward	
Editor.Search.Replace_Previous procedure	EI-58
and replace forward	
Editor.Search.Replace_Next procedure	EI-57
backward	
Editor.Search.Previous procedure	EI-57
forward	
Editor.Search.Next procedure	EI-57
<i>see also</i> Find; Locate	
Search package	
Editor.Search	EI-4, EI-55
Search_Ignore_Case session switch	
Session.Search_Ignore_Case	
described	SJM-355
Search_List	
argument for 'C (class) attribute (file subclasses)	QR-11, RS-43
Search_List package	
!Commands.Search_List	SJM-301

commands from package Common for editing searchlists	SJM-307
key concepts for	SJM-301
resources in	SJM-301
specification	RS-261
using commands from	SJM-305
Search_List_Resolution procedure	
What.Search_List_Resolution	SJM-378
backslash	RS-28
determining how command names are being resolved	SJM-307
Search_List.Display_Libraries procedure	SJM-316
Search_List.Show_Item procedure	SJM-325
Search_Preserve_Case session switch	
Session.Search_Preserve_Case	
described	SJM-355
Search_Regular_Expr session switch	
Session.Search_Regular_Expr	
described	SJM-355
searching strings	
String_Uilities package	ST-69
searchlists	SJM-11, SJM-12
add component	
Search_List.Add procedure	SJM-310
components	SJM-302
creating	SJM-305
customizing	SJM-12
default	SJM-12
defined	SJM-11, SJM-301
delete component	
Search_List.Delete procedure	SJM-312
display	
Search_List.Display procedure	SJM-314
display definition	
Search_List.Show_Item procedure	SJM-325
display libraries	
Search_List.Display_Libraries procedure	SJM-316
edit	SJM-306, SJM-307
Search_List.Show_List procedure	SJM-326
end editing	
Search_List.Release procedure	SJM-317
gaining access to	SJM-307
images	EST-1
multiple	SJM-306
name resolution mode	PM-132
personal	SJM-12
replace components	
Search_List.Replace procedure	SJM-318
replace searchlist	
Search_List.Revert procedure	SJM-321
Search_List.Set_Up procedure	SJM-323
reset to default	SJM-306
Search_List.Reset_To_System_Default procedure	SJM-320
resolving command names without	SJM-304
resolving object names relative to	SJM-304
save	
Search_List.Save procedure	SJM-322
system default searchlist	SJM-303
viewing	SJM-305

secondary backup, defined	SMU-210
Secondary enumeration	
System_Backup.Kind type	SMU-219
secondary subsystems	LM-149, PM-2, PM-16, PM-101, PM-339, PM-351, PM-354
converting	LM-154
defined	LM-132, LM-149
setting up	PM-103
updating	LM-150
seconds	
Time_Uilities.Milliseconds type	PT-196
Seconds function	
Calendar.Seconds	PT-6
Seconds type	
Time_Uilities.Seconds	PT-201
security, <i>see</i> access control	
Seg_Listing library switch	
R1000_Cg.Seg_Listing	
described	LM-47, LM-423
Seg_Listing session switch	
Command_Cg.Seg_Listing	
described	SJM-355
segments, names	RS-34
select statement, object numbering rules	DEB-26
<SELECTION>	
described	DEB-15
special name	DEB-8, EST-58, EST-131, EST-155, PM-128, QR-3, RS-16
selection	
Ada images	EST-4
add comment	
Editor.Region.Comment procedure	EI-46
beginning of current selection	
Editor.Region.Beginning_Of procedure	EI-45
case conversion	
Editor.Region.Capitalize procedure	EI-46
Editor.Region.Lower_Case procedure	EI-48
Editor.Region.Upper_Case procedure	EI-49
copy current selection	
Editor.Region.Copy procedure	EI-46
delete current and copy at cursor	
Editor.Region.Move procedure	EI-48
delete current selection	
Editor.Region.Delete procedure	EI-46
end of current selection	
Editor.Region.End_Of procedure	EI-46
fill	
Editor.Region.Fill procedure	EI-47
getting help with	EST-123
justify	
Editor.Region.Justify procedure	EI-48
make comment	
Editor.Region.Comment procedure	EI-46
mark end of	

Editor.Region.Finish procedure	EI-47
mark start of	
Editor.Region.Start procedure	EI-49
remove comment	
Editor.Region.Uncomment procedure	EI-49
reselect	
Editor.Region.On procedure	EI-49
unselect	
Editor.Region.Off procedure	EI-49
semantic consistency	LM-14, PM-9
maintaining	LM-21, LM-34
[Semanticize] key	
Common.Semanticize procedure	EST-97
Semanticize procedure	
Common.Semanticize	EST-97
Ada images	EST-16
command images	EST-50
xref images	EST-163
semanticizing, Ada units	LM-416
semantics	
main-program	LM-53, LM-54
nonmain-program	LM-54
semicolon (;)	
separator	PM-133
set notation	PM-133, QR-6
Send procedure	
Message.Send	SMU-46
Send_All procedure	
Message.Send_All	SMU-47
Send_Port_Enabled library switch	
Ftp.Send_Port_Enabled	
described	LM-423
Send_Port_Enabled session switch	
Session_Ftp.Send_Port_Enabled	
described	SJM-356
separate	
Ada.Make_Separate procedure	EST-35
separator, subitem	
Table_Formatter.Subitem_Separator generic formal object	ST-102
Sequential_Io generic package	DIO-61
!Io.Sequential_Io	
specification	RS-363
Server enumeration	
Scheduler.Job_Kind type	SMU-187
server jobs, defined	SJM-18, SMU-157
Server procedure	
Archive.Server	LM-201
described	LM-127
servers, archive	LM-145, LM-147
<SESSION>	

- described SJM-116
- special value for specifying profiles DIO-6, PM-128, QR-14, RS-56, TIO-6
- Session
 - argument for 'C (class) attribute (object classes) QR-9, RS-41
 - identifier
 - System_Uilities.Value function SMU-307
- session SJM-1, SJM-4, SMU-224
 - characteristics, setting SJM-11
 - creating
 - Operator.Create_Session procedure SJM-108, SMU-66
 - customizing SJM-4
 - default SJM-4
 - defined SJM-2
 - editing session switches
 - Switches.Edit_Session_Attributes procedure LM-442
 - getting
 - System_Uilities.Get_Session function SMU-256
 - IDs SMU-229
 - information, obtaining SMU-221
 - iteration SMU-231
 - key bindings SJM-10
 - objects for SMU-230
 - defined SJM-4
 - overview of SJM-1
 - remote
 - Profile.Default_Remote_Sessions function SJM-150
 - Profile.Remote_Sessions function SJM-187
 - Profile.Remote_Sessions_Type subtype SJM-188
 - Profile.Set_Default_Remote_Sessions procedure SJM-205
 - Profile.Set_Remote_Sessions procedure SJM-217
 - response profile DIO-6, PM-128, TIO-6
 - stepping
 - System_Uilities.Done function SMU-245
 - switch filename
 - Switches.Of_Session constant LM-446
 - see also* switch file
- switches DEB-58, EI-7, EST-140, PM-362, SJM-333
 - customizing SJM-12
 - defined DEB-55, LM-9, LM-39, LM-214, LM-411, SJM-11, SJM-327
 - described DEB-58, SJM-333
 - for CMVC operations SJM-332
 - for compiling declare blocks in command windows SJM-333
 - for controlling library displays LM-296
 - for controlling printers SJM-333
 - for debugger operations SJM-332
 - for determining default job behavior SJM-331
 - for editing operations SJM-331
 - for I/O window display SJM-331
 - for library displays SJM-330
 - for menu displays SJM-330
 - for networking operations SJM-332
 - for screen display SJM-330
 - for terminal setup SJM-330
 - for text images EST-140
 - gaining access to DEB-57, SJM-329
 - grouped by function DEB-57, SJM-329
 - interaction between library switches and LM-411
 - key concepts for DEB-55, SJM-327

obtaining help on	SJM-329
switches that exist as both library switches and	LM-411
terminating, Operator.Force_Logoff procedure	SJM-112, SMU-84
using to control compilation	LM-39
<i>see also</i> session switches; switches; <i>specific switch name</i>	
versions for	SMU-230
Session function	
System_Uilities.Session	SMU-287
sessions	SMU-224
Session object manager	
described	SMU-5, SMU-60
	SMU-5
Session option	
of jobs	SJM-230
session response profiles	
defined	RS-57, SJM-23
initial	QR-14, RS-56, SJM-22, SJM-23, SJM-116
setting	SJM-24, SJM-133
session switch files	
basic operations on	DEB-56, SJM-328
creating	SJM-328
defined	SJM-327
editing	SJM-328
saving	SJM-329
<i>see also</i> switch files	
session switches	
Account	DEB-55, DEB-58, EI-7, EST-140, LM-411, PM-362, SJM-11, SJM-327
Activity_File	SJM-333
Asm_Listing	SJM-333
Auto_Login	SJM-334
Banner	SJM-334
Beep_On_Errors	SJM-334
Beep_On_Interrupt	SJM-334
Beep_On_Messages	SJM-334
Check_Compatibility	SJM-334
Cmvc_Break_Long_Lines	PM-362, SJM-335
Cmvc_Capitalize	PM-362, SJM-335
Cmvc_Comment_Extent	PM-362, SJM-335
Cmvc_Configuration_Extent	PM-362, SJM-335
Cmvc_Field_Extent	PM-362, SJM-335
Cmvc_Indentation	PM-362, SJM-335
Cmvc_Line_Length	PM-362, SJM-335
Cmvc_Shorten_Name	PM-362, SJM-335
Cmvc_Shorten_Unit_State	PM-363, SJM-336
Cmvc_Show_Add_Date	PM-363, SJM-336
Cmvc_Show_Add_Time	PM-363, SJM-336
Cmvc_Show_All_Default_Lists	PM-363, SJM-336
Cmvc_Show_All_Default_Orders	PM-363, SJM-336
Cmvc_Show_Deleted_Objects	PM-363, SJM-336
Cmvc_Show_Deleted_Versions	PM-363, SJM-336
Cmvc_Show_Display_Position	PM-363, SJM-336
Cmvc_Show_Edit_Info	PM-363, SJM-336
Cmvc_Show_Field_Default	PM-363, SJM-337
Cmvc_Show_Field_Max_Index	PM-363, SJM-337
Cmvc_Show_Field_Type	PM-363, SJM-337
Cmvc_Show_Frozen	PM-364, SJM-337
Cmvc_Show_Hidden_Fields	PM-364, SJM-337

Cmvc_Show_Retention	PM-364, SJM-337
Cmvc_Show_Size	SJM-337
Cmvc_Show_Unit_State	PM-364, SJM-337
Cmvc_Show_Users	PM-364, SJM-337
Cmvc_Show_Version_Number	PM-364, SJM-338
Cmvc_Uppercase	PM-364, SJM-338
Cmvc_Version_Extent	PM-364, SJM-338
Cursor_Bottom_Offset	SJM-338
Cursor_Left_Offset	SJM-338
Cursor_Right_Offset	SJM-338
Cursor_Top_Offset	SJM-338
Cursor_Transpose_Moves	EI-15, EI-34, EI-68, EI-71, SJM-339
Debug_Addresses	DEB-58, SJM-339
Debug_Break_At_Creation	DEB-58, SJM-339
Debug_Declaration_Display	DEB-58, SJM-339
Debug_Delete_Temporary_Breaks	DEB-58, SJM-339
Debug_Display_Count	DEB-59, SJM-339
Debug_Display_Creation	DEB-59, SJM-339
Debug_Display_Level	DEB-59, SJM-339
Debug_Echo_Commands	DEB-59, SJM-340
Debug_Element_Count	DEB-59, SJM-340
Debug_First_Element	DEB-59, SJM-340
Debug_Freeze_Tasks	DEB-59, SJM-340
Debug_History_Count	DEB-59, SJM-340
Debug_History_Entries	DEB-60, SJM-340
Debug_History_Start	DEB-60, SJM-340
Debug_Include_Packages	DEB-60, SJM-341
Debug_Interpret_Control_Words	DEB-60, SJM-341
Debug_Kill_Old_Jobs	DEB-60, SJM-341
Debug_Machine_Level	DEB-60, SJM-341
Debug_Memory_Count	DEB-60, SJM-341
Debug_No_History_Timestamps	DEB-60, SJM-341
Debug_Optimize_Generic_History	DEB-61, SJM-341
Debug_Permanent_Breakpoints	DEB-61, SJM-341
Debug_Pointer_Level	DEB-61, SJM-342
Debug_Put_Locals	DEB-61, SJM-342
Debug_Qualify_Stack_Names	DEB-61, SJM-342
Debug_Require_Debug_Off	DEB-61, SJM-342
Debug_Save_Exceptions	DEB-61, SJM-342
Debug_Show_Location	DEB-62, SJM-342
Debug_Stack_Count	DEB-62, SJM-342
Debug_Stack_Start	DEB-62, SJM-342
Debug_Timestamps	DEB-62, SJM-343
Default_Job_Page_Limit	SJM-343, SMU-254, SMU-291
Default_Venture	PM-364, SJM-343
Dependents_Delta0_Compatibility	SJM-343
Dependents_In_Order_Pathnames	SJM-343
Dependents_Show_Library	SJM-343
Dependents_Show_Unit_State	SJM-344
Elab_Order_Listing	SJM-344
Enable_Deallocation	SJM-344
Escape	SJM-344
Escape_On_Break	SJM-344
Flash_Screen	SJM-344
Footer	SJM-345
Full_Debugging	SJM-345
Header	SJM-345
Image_Fill_Column	EI-47, EI-48, SJM-345
Image_Fill_Extra_Space	EI-48, SJM-345

Reference Summary (RS)

Image_Fill_Indent	EI-48, SJM-345
Image_Fill_Mode	SJM-345
Image_Fill_Prefix	EI-47, EI-48, SJM-346
Image_Insert_Mode	SJM-346
Image_Tab_Stops	SJM-346
Job_Context_First	SJM-346
Job_Context_Length	SJM-346
Job_Name_Length	SJM-346
Job_Name_Separator	SJM-346
Key_Directory	SJM-347
Library_Break_Long_Lines	SJM-347
Library_Capitalize	SJM-347
Library_Indentation	SJM-347
Library_Lazy_Realignment	SJM-347
Library_Line_Length	SJM-347
Library_Misc_Show_Edit_Info	SJM-347
Library_Misc_Show_Frozen	SJM-347
Library_Misc_Show_Retention	SJM-348
Library_Misc_Show_Size	SJM-348
Library_Misc_Show_Subclass	SJM-348
Library_Misc_Show_Unit_State	SJM-348
Library_Misc_Show_Volume	SJM-348
Library_Shorten_Names	SJM-348
Library_Shorten_Subclass	SJM-348
Library_Shorten_Unit_State	SJM-348
Library_Show_Deleted_Objects	SJM-349
Library_Show_Deleted_Versions	SJM-349
Library_Show_Miscellaneous	SJM-349
Library_Show_Standard	SJM-349
Library_Show_Subunits	SJM-349
Library_Show_Version_Number	SJM-349
Library_Std_Show_Class	SJM-349
Library_Std_Show_Subclass	SJM-350
Library_Std_Show_Unit_State	SJM-350
Library_Uppercase	SJM-350
Log_At_Sign_Msgs	SJM-350
Log_Auxiliary_Msgs	SJM-350
Log_Diagnostic_Msgs	SJM-350
Log_Dollar_Msgs	SJM-350
Log_Error_Msgs	SJM-350
Log_Exception_Msgs	SJM-351
Log_File	SJM-351
Log_Line_Width	SJM-351
Log_Negative_Msgs	SJM-351
Log_Note_Msgs	SJM-351
Log_Position_Msgs	SJM-351
Log_Positive_Msgs	SJM-352
Log_Prefix_1	SJM-352
Log_Prefix_2	SJM-352
Log_Prefix_3	SJM-352
Log_Sharp_Msgs	SJM-352
Log_Warning_Msgs	SJM-352
Notify_Warnings	SJM-352
Options	SJM-353
Page_Limit	SJM-353
Password	SJM-353
Prompt_Delimiters	SJM-353
Prompt_For_Account	SJM-353
Prompt_For_Password	SJM-353

Push_Definition_Mark	SJM-353
Reaction	SJM-354
Remote_Directory	SJM-354
Remote_Machine	SJM-354
Remote_Passwords	SJM-354
Remote_Roof	SJM-354
Remote_Sessions	SJM-355
Remote_Type	SJM-355
Retain_Delta1_Compatibility	SJM-355
Screen_Dump_File	SJM-355
Search_Ignore_Case	SJM-355
Search_Preserve_Case	SJM-355
Search_Regular_Expr	SJM-355
Seg_Listing	SJM-355
Send_Port_Enabled	SJM-356
Terminal_Echo	SJM-356
Terminal_Line_Speed	SJM-356
Terminal_Padding	SJM-356
Text_Bottom_Stripe	SJM-356
Text_Convert_Tabs	SJM-356
Text_Header	SJM-357
Text_Print_Name	SJM-357
Text_Print_Number	SJM-357
Text_Print_Time	SJM-357
Text_Reuse_Window	SJM-357
Text_Scroll_Output	SJM-357
Text_Top_Stripe	SJM-357
Transfer_Mode	SJM-358
Transfer_Structure	SJM-358
Transfer_Type	SJM-358
Username	SJM-358
Window_Command_Size	SJM-358
Window_Default_Sort_Order	SJM-358
Window_Frames	SJM-358
Window_Frames_Startup	SJM-358
Window_Have_Sides	SJM-359
Window_Is_Staggered	SJM-359
Window_Message_Life	SJM-359
Window_Message_Size	SJM-359
Window_Scroll_Overlap	SJM-359
Window_Shift_Overlap	SJM-359
Word_Breaks	EI-70, EST-138, SJM-359
<i>see also session, switches; switches; specific switch name</i>	
Session_Ftp session switches	
interaction between library and session FTP switches	LM-411
Session_Id subtype	
System_Uilities.Session_Id	SMU-288
IDs for sessions, jobs, terminal ports, and tapes	SMU-229
sessions	SMU-225
Session_Iterator type	
System_Uilities.Session_Iterator	SMU-289
session iteration	SMU-231
sessions	SMU-225
Session_Name function	
System_Uilities.Session_Name	SMU-290
names	SMU-230
sessions	SMU-224

set	
break, <i>see</i> Break; User_Break	
break/exception, <i>see</i> Catch	
library context	
Library.Context procedure	LM-306
limit, working	SMU-163
mark	
Editor.Mark.Push procedure	EI-42
position, <i>see</i> Set_Index	
trace, <i>see</i> Trace	
<i>see also</i> setting	
[Set Element Count] key	
Debug.Set_Value procedure	DEB-142
[Set First Element] key	
Debug.Set_Value procedure	DEB-142
set notation	PM-133, QR-6
defined	RS-14, RS-34
special characters for specifying sets of objects	RS-34
using	LM-141
wildcard characters and	LM-136
Set package	
Editor.Set	EI-6, EI-59
[Set Pointer Level] key	
Debug.Set_Value procedure	DEB-142
Set procedure	
Access_List.Set	LM-83
access control	LM-66
ACLs	LM-64, LM-67
Access_List_Tools.Set	LM-121
Activity.Set	PM-159
Activity.Current procedure	PM-147
Profile.Set	SJM-192
Profile.Set_Response procedure	SJM-218
setting profiles through string values	SJM-131
specifying components	SJM-131
specifying predefined profiles	SJM-131, SJM-132
Scheduler.Set	SMU-192
background job streams	SMU-161
CPU scheduling	SMU-159
Display procedure	SMU-168
foreground budget	SMU-160
Get function	SMU-172
Get_Wsl_Limits procedure	SMU-182
job kinds	SMU-157
Job_Descriptor type	SMU-185
Job_Kind type	SMU-187
key concepts for Scheduler package	SMU-156
run load	SMU-160
scheduling review interval	SMU-158
Set_Wsl_Limits procedure	SMU-201
Use_Default_Wsl_Limits procedure	SMU-206
Switches.Set	LM-447
Change procedure	LM-430
changing values of switches	LM-414
editing session switch files	DEB-56, SJM-328
Insert procedure	LM-444

set size, working	SMU-163
Set type	
Set_Generic.Set	PT-124
Initialize procedure	PT-118
set/use information	
Ada.Show_Usage procedure	EST-39
Common.Definition procedure	EST-71
xref images	EST-159
Xref.Used_By procedure	LM-458
Xref.Uses procedure	LM-462
<i>see also</i> Definition	
Set_Access_List_Compaction procedure	
Daemon.Set_Access_List_Compaction	SMU-30
reclaiming access-control groups	SMU-6, SMU-7
Set_Activity procedure	
Profile.Set_Activity	SJM-193
Set_Banner procedure	
Window_Io.Set_Banner	DIO-168
Job_Number function	DIO-141
Job_Time function	DIO-142
Set_Character_Size procedure	
Terminal.Set_Character_Size	SMU-342
System_Uilities.Character_Size function	SMU-239
Set_Col procedure	
Io.Set_Col	TIO-85
Text_Io.Set_Col	TIO-203
Set_Consistency_Checking procedure	
Daemon.Set_Consistency_Checking	SMU-32
Set_Default procedure	
Access_List.Set_Default	LM-85
ACLs	LM-67
Access_List_Tools.Set_Default	LM-123
Activity.Set_Default	PM-67, PM-82, PM-161
Activity.Current procedure	PM-147
Activity.Set procedure	PM-159
setting session response profiles	SJM-24
Profile.Set_Default	SJM-194
Profile.Set_Default_Response procedure	SJM-206
setting session response profiles	SJM-134
Remote_Passwords.Set_Default	SJM-294
setting default remote-passwords file	SJM-279
setting session response profiles	SJM-24
Work_Order.Set_Default	PM-390
Set_Default_Activity procedure	
Profile.Set_Default_Activity	SJM-196
Set_Default_Filter procedure	
Profile.Set_Default_Filter	SJM-197, SJM-199
Profile.Filter function	SJM-155
Set_Default_List procedure	
Work_Order.Set_Default_List	PM-392
Work_Order.Venture_Editor.Set_Default_List	PM-419
Set_Default_Log_File procedure	

Profile.Set_Default_Log_File	SJM-200
Profile.Log_File function	SJM-166
Profile.Set_Log_Filter procedure	SJM-212
Set_Default_Order procedure	
Work_Order.Venture_Editor.Set_Default_Order	PM-421
Set_Default_Prefixes procedure	
Profile.Set_Default_Prefixes	SJM-202
Profile.Prefixes function	SJM-179
Profile.Set_Prefixes procedure	SJM-214
Set_Default_Reaction procedure	
Profile.Set_Default_Reaction	SJM-203
Profile.Reaction function	SJM-184
Profile.Set_Reaction procedure	SJM-215
Set_Default_Remote_Passwords procedure	
Profile.Set_Default_Remote_Passwords	SJM-204
Remote_Passwords.Set_Default procedure.	SJM-294
setting default remote-passwords file	SJM-279
Set_Default_Remote_Sessions procedure	
Profile.Set_Default_Remote_Sessions	SJM-205
Set_Default_Response procedure	
Profile.Set_Default_Response	SJM-206
Profile.Set_Default procedure	SJM-194
setting session response profiles	SJM-134
Set_Default_Venture procedure	
Work_Order.Set_Default_Venture	PM-394
Set_Default_Width procedure	
Profile.Set_Default_Width	SJM-208
Profile.Set_Width procedure	SJM-220
Profile.Width function	SJM-228
Set_Detach_On_Disconnect procedure	
Terminal.Set_Detach_On_Disconnect	SMU-343
Set_Disconnect_On_Disconnect procedure	
Terminal.Set_Disconnect_On_Disconnect	SMU-344
Set_Disconnect_On_Failed_Login procedure	
Terminal.Set_Disconnect_On_Failed_Login	SMU-345
Set_Disconnect_On_Logoff procedure	
Terminal.Set_Disconnect_On_Logoff	SMU-346
Set_Error procedure	
Io.Set_Error	TIO-8, TIO-87
Log.Pop_Error renamed procedure	SJM-76
Log.Reset_Error renamed procedure	SJM-93
Log.Set_Error procedure	SJM-98
Pop_Error procedure	TIO-68
Profile.Log_Output_File type	SJM-168
Reset_Error procedure	TIO-81
setting Current_Error	SJM-32
Log.Set_Error	SJM-98
directing log messages	SJM-30
Pop_Error renamed procedure	SJM-76
Reset_Error renamed procedure	SJM-93
Profile.Log_Output_File type	SJM-168
Reset_Error renamed procedure	SJM-93

setting Current_Error	SJM-32
Set_Field procedure	
Work_Order.Editor.Set_Field	PM-409, PM-410, PM-411
Set_Field_Info procedure	
Work_Order.Venture_Editor.Set_Field_Info	PM-423
Set_Filter procedure	
Profile.Set_Filter	SJM-209, SJM-211
Profile.Filter function	SJM-155
Set_First procedure	
List_Generic.Set_First	PT-64
Set_Flow_Control procedure	
Terminal.Set_Flow_Control	SMU-347
flow control	SMU-337
System_Uilities.Flow_Control function	SMU-250
Set_Generic generic package	PT-111
!Tools.Set_Generic	
specification	RS-632
Set_Index procedure	
Direct_Io.Set_Index	DIO-26
Set_Input procedure	
Io.Set_Input	TIO-8, TIO-89
Pop_Input procedure	TIO-69
Reset_Input procedure	TIO-82
Text_Io.Set_Input	TIO-205
Set_Input renamed procedure	
Log.Set_Input	SJM-99
Pop_Input renamed procedure	SJM-77
Reset_Input renamed procedure	SJM-94
Set_Input_Rate procedure	
Terminal.Set_Input_Rate	SMU-349
System_Uilities.Input_Rate function	SMU-263
Set_Job_Attribute procedure	
Scheduler.Set_Job_Attribute	SMU-200
Get_Job_Attribute function	SMU-176
job kinds	SMU-157
Set_Length procedure	
Bounded_String.Set_Length	ST-19
Unbounded_String.Set_Length	ST-122
Set_Line procedure	
Io.Set_Line	TIO-91
Text_Io.Set_Line	TIO-206
Set_Line_Length procedure	
Io.Set_Line_Length	TIO-93
Text_Io.Set_Line_Length	TIO-208
Set_Load_View procedure	
Activity.Set_Load_View	PM-162
Set_Log procedure	
Log.Set_Log	SJM-100
directing log messages	SJM-30
Log.Reset_Log procedure	SJM-95
setting Current_Output	SJM-32

Set_Log_Failed_Logins procedure	
Terminal.Set_Log_Failed_Logins	SMU-351
Set_Log_File procedure	
Log.Set_Log_File	
directing log messages	SJM-31
Profile.Set_Log_File	SJM-212
Profile.Log_File function	SJM-166
Profile.Set_Default_Log_File procedure	SJM-200
Set_Log_Threshold procedure	
Daemon.Set_Log_Threshold	SMU-5, SMU-33
Condition_Class type	SMU-11
Error_Log client	SMU-5
Log_Threshold type	SMU-21
Set_Login_Disabled procedure	
Terminal.Set_Login_Disabled	SMU-352
Set_Logoff_On_Disconnect procedure	
Terminal.Set_Logoff_On_Disconnect	SMU-353
Set_Notes procedure	
Work_Order.Editor.Set_Notes	PM-412
Work_Order.List_Editor.Set_Notes	PM-415
Work_Order.Set_Notes	PM-395
Work_Order.Venture_Editor.Set_Notes	PM-425
Set_Notes_List procedure	
Work_Order.Set_Notes_List	PM-396
Set_Notes_Venture procedure	
Work_Order.Set_Notes_Venture	PM-397
Set_Output procedure	
Io.Set_Output	TIO-8, TIO-94
Log.Pop_Output renamed procedure	SJM-78
Log.Reset_Output renamed procedure	SJM-96
Log.Set_Log procedure	SJM-100
Log.Set_Output procedure	SJM-101
Pop_Output procedure	TIO-70
Profile.Log_Output_File type	SJM-168
Reset_Output procedure	TIO-83
setting Current_Output	SJM-32
Log.Set_Output	SJM-101
directing log messages	SJM-30
Pop_Output renamed procedure	SJM-78
Profile.Log_Output_File type	SJM-168
Reset_Log procedure	SJM-95
Reset_Output renamed procedure	SJM-96
setting Current_Output	SJM-32
Text_Io.Set_Output	TIO-209
Set_Output_Rate procedure	
Terminal.Set_Output_Rate	SMU-354
System_Uilities.Output_Rate function	SMU-278
Set_Page_Length procedure	
Io.Set_Page_Length	TIO-96
Text_Io.Set_Page_Length	TIO-210
Set_Page_Limit procedure	
System_Uilities.Set_Page_Limit	SMU-291

Get_Page_Counts procedure	SMU-254
jobs	SMU-225
Set_Parity procedure	
Terminal.Set_Parity	SMU-355
System_Utilities.Parity function	SMU-279
System_Utilities.Parity_Kind type	SMU-280
Set_Password_Policy procedure	
Operator.Set_Password_Policy	SMU-98
minimum password length	SMU-54
password change schedule	SMU-54
setting password policy	SMU-56
Set_Policy procedure	
Work_Order.Venture_Editor.Set_Policy	PM-426
Set_Prefixes procedure	
Profile.Set_Prefixes	SJM-214
Prefixes function	SJM-179
Set_Default_Prefixes procedure	SJM-202
Set_Priority procedure	
Daemon.Set_Priority	SMU-34
Set_Reaction procedure	
Profile.Set_Reaction	SJM-215
Reaction function	SJM-184
Set_Default_Reaction procedure	SJM-203
Set_Receive_Flow_Control procedure	
Terminal.Set_Receive_Flow_Control	SMU-356
flow control	SMU-337
Set_Receive_Xon_Xoff_Bytes procedure	
Terminal.Set_Receive_Xon_Xoff_Bytes	SMU-358
System_Utilities.Receive_Xon_Xoff_Bytes function	SMU-284
Set_Receive_Xon_Xoff_Characters procedure	
Terminal.Set_Receive_Xon_Xoff_Characters	SMU-359
System_Utilities.Receive_Xon_Xoff_Characters function	SMU-285
Set_Remote_Passwords procedure	
Profile.Set_Remote_Passwords	SJM-216
overriding default remote-passwords file	SJM-280
specifying components	SJM-133
Set_Remote_Sessions procedure	
Profile.Set_Remote_Sessions	SJM-217
specifying components	SJM-133
Set_Response procedure	
Profile.Set_Response	SJM-218
Errors constant	SJM-153
Full constant	SJM-156, SJM-181, SJM-221, SJM-222
Set procedure	SJM-192
specifying components	SJM-132, SJM-133
Set_Rest procedure	
List_Generic.Set_Rest	PT-65
Set_Retention_Count procedure	
Library.Set_Retention_Count	LM-355
deleted versions and retention count	LM-290
Set_Site procedure	

!Commands.System_Maintenance'Spec_View.Units.Set_Site specification	RS-285
Set_Spec_View procedure	
Activity.Set_Spec_View	PM-164
Set_Stop_Bits procedure	
Terminal.Set_Stop_Bits	SMU-360
System_Uilities.Stop_Bits function	SMU-293
Set_Subclass procedure	
Library.Set_Subclass	LM-356
Set_System_Time procedure	
Operator.Set_System_Time	SMU-100
Set_Target_Key procedure	
Compilation.Set_Target_Key	LM-250
T (target key) attribute	RS-46
changing target keys	LM-45, LM-213
other operations with target keys	LM-46
Show_Target_Key, obtaining lists of available target keys	LM-213
Set_Task_Name procedure	
Debug.Set_Task_Name	DEB-141
Catch procedure	DEB-73
Context procedure	DEB-79
Debug_Tools.Set_Task_Name procedure	DEB-203
Forget procedure	DEB-99
percent	RS-50
Propagate procedure	DEB-128
Task_Name subtype	DEB-166
Debug_Tools.Set_Task_Name	DEB-203
Debug.Catch procedure	DEB-73
Debug.Context procedure	DEB-79
Debug.Forget procedure	DEB-99
Debug.Propagate procedure	DEB-128
Debug.Set_Task_Name procedure	DEB-141
naming tasks	DEB-36
percent	RS-50
Set_Terminal_Type procedure	
Terminal.Set_Terminal_Type	SMU-361
System_Uilities.Terminal_Type function	SMU-304
Set_Termination_Message procedure	
Job.Set_Termination_Message	SJM-48
Set_Universe_Acls procedure	
!Commands.System_Maintenance'Spec_View.Units.Set_Universe_Acls specification	RS-286
Set_Up procedure	
Search_List.Set_Up	SJM-323
creating searchlists	SJM-305
Set_Value procedure	
Debug.Set_Value	DEB-142
displaying and modifying program data	DEB-45
Numeric type	DEB-116
options, numeric flags, and string flags	DEB-10
Set_Venture_Policy procedure	
Work_Order.Set_Venture_Policy	PM-398

Set_Width procedure	
Profile.Set_Width	SJM-220
Set_Default_Width procedure	SJM-208
Width function	SJM-228
Set_Wsl_Limits procedure	
Scheduler.Set_Wsl_Limits	SMU-201
Get_Wsl_Limits procedure	SMU-182
Job_Descriptor type	SMU-185
memory scheduling	SMU-163
Use_Default_Wsl_Limits procedure	SMU-206
Set_Xon_Xoff_Bytes procedure	
Terminal.Set_Xon_Xoff_Bytes	SMU-362
System_Uilities.Xon_Xoff_Bytes function	SMU-310
Set_Xon_Xoff_Characters procedure	
Terminal.Set_Xon_Xoff_Characters	SMU-363
System_Uilities.Xon_Xoff_Characters function	SMU-311
sets of objects, specifying	RS-34
sets of procedures, running as part of current job	SJM-229
setting	
breakpoints	DEB-44
catch requests	DEB-51
contexts	DEB-63
Current_Error	SJM-32
Current_Output	SJM-32
default remote-passwords file	SJM-279
defined	LM-15
error reaction	RS-60
flags	DEB-63
for compilation	LM-14
job response profiles	SJM-130
password policy	SMU-55
port disconnect behavior	SMU-334
program-specific characteristics	SJM-12
propagate requests	DEB-51
response characteristics	SJM-25
session response profiles	SJM-24, SJM-133
session-specific characteristics	SJM-11
target key	LM-45
<i>see also</i> set	
setting up	
default level of elision in library images	LM-296, LM-297
login procedures	SJM-5
miscellaneous level of detail in library images	LM-294, LM-297
standard level of detail in library images	LM-294, LM-297
setting, default	
Io.Enumeration_Io.Default_Setting constant	TIO-110
Text_Io.Enumeration_Io.Default_Setting constant	TIO-218
Settings procedure	
Terminal.Settings	SMU-364
Setup_Machine procedure	
!Commands.System_Maintenance'Spec_View.Units.Setup_Machine specification	RS-285
sever	PM-14, PM-43, PM-308

Sever procedure	
Cmvc.Sever	PM-43, PM-44, PM-48, PM-308
Cmvc.Copy procedure	PM-222
Cmvc.Make_Path procedure	PM-268
severed objects	
merging changes	PM-45
rejoining	PM-45
Severity function	
Simple_Status.Severity	PT-142
shared properties, specifying	RS-39
shared resources	
coded main programs and	LM-59
nonmain programs and	LM-58
Sharp_Msg enumeration	
Profile.Msg_Kind type	SJM-173
Short enumeration	
Time_Uilities.Time_Format type	PT-204
show, <i>see</i> Display; Display_Group; Display_Tape	
[Show Access List] key	
Access_List.Display	LM-76
show break, <i>see</i> Information	
[Show Breaks] key	
breakpoints	DEB-41
Debug.Show procedure	DEB-143
show calls, <i>see</i> Stack	
show defining occurrences	
Common.Definition procedure	EST-71
Xref.Uses procedure	LM-462
[Show Errors] key	
Ada.Get_Errors procedure	EST-28
[Show Exceptions] key	
Debug.Show(Exceptions) procedure	DEB-143
Show package	
fTools.CiSpec_View.Units.Commands.Show specification	RS-414
Show procedure	
Cmvc.Show	PM-40, PM-310
Cmvc.Check_Out procedure	PM-218
Debug.Show	DEB-143
breakpoints	DEB-41
contexts	DEB-22
controlling program execution	DEB-9
matching requests	DEB-51
recording task histories	DEB-54
specificity of requests	DEB-50
task control commands	DEB-40
tracing tasks	DEB-53
Remote.Show	SJM-272
described	SJM-267
[Show Source] key	

Debug.Source procedure	DEB-148
show symbol, <i>see</i> Display; Source	
show task, <i>see</i> Task_Display	
[Show Unused] key	
Ada.Show_Unused procedure	EST-41
[Show Unused (Unit)] key	
Ada.Show_Unused procedure	EST-41
[Show Usage] key	
Ada.Show_Usage procedure	EST-39
[Show Usage (Indirect)] key	
Ada.Show_Usage procedure	EST-39
[Show Usage (Unit)] key	
Ada.Show_Usage procedure	EST-39
Show_All_Checked_Out procedure	
Cmvc.Show_All_Checked_Out	PM-312
Cmvc.Check_Out procedure	PM-218
Show_All_Controlled procedure	
Cmvc.Show_All_Controlled	PM-313
Show_All_Uncontrolled procedure	
Cmvc.Show_All_Uncontrolled	PM-314
Show_Checked_Out_By_User procedure	
Cmvc.Show_Checked_Out_By_User	PM-315
Check_Out procedure	PM-218
Show_Checked_Out_In_View procedure	
Cmvc.Show_Checked_Out_In_View	PM-316
Check_Out procedure	PM-218
Show_Compiler_Version procedure	
!Commands.System_Maintenance'Spec_View.Units.Show_Compiler_Version specification	RS-287
Show_Configuration procedure	
!Commands.System_Maintenance'Spec_View.Units.Show_Configuration specification	RS-287
Show_Directory_Information procedure	
!Commands.System_Maintenance'Spec_View.Units.Show_Directory_Information specification	RS-287
Show_Elaborated_Configuration procedure	
!Commands.System_Maintenance'Spec_View.Units.Show_Elaborated_Configuration specification	RS-288
Show_Encryption procedure	
Remote_Passwords.Show_Encryption	SJM-296
encrypting passwords	SJM-279
Show_Environment_Vpids procedure	
!Commands.System_Maintenance'Spec_View.Units.Show_Environment_Vpids specification	RS-288
Show_Error_Log procedure	
!Tools.System_Availability'Spec_View.Units.Show_Error_Log specification	RS-652
Show_Error_Log procedure	
Daemon.Show_Error_Log	

Error_Log client	SMU-5
Show_Groups procedure	
!Commands.System_Maintenance'Spec_View.Units.Show_Groups	
determining group space	SMU-7
specification	RS-288
Show_History procedure	
Cmvc.Show_History	PM-317
Show_History_By_Generation procedure	
Cmvc.Show_History_By_Generation	PM-29, PM-319
Check_In procedure	PM-216
Merge_Changes procedure	PM-289
Show_Identity procedure	
!Commands.System_Maintenance'Spec_View.Units.Show_Identity	
specification	RS-289
Show_Image_Of_Generation procedure	
Cmvc.Show_Image_Of_Generation	PM-321
Show_Image_Options procedure	
!Commands.System_Maintenance'Spec_View.Units.Show_Image_Options	
specification	RS-289
Show_Iop_Kernel procedure	
!Commands.System_Maintenance'Spec_View.Units.Show_Iop_Kernel	
specification	RS-289
Show_Item procedure	
Search_List.Show_Item	SJM-325
determining how command names are being resolved	SJM-307
Show_Job_Names procedure	
!Commands.System_Maintenance'Spec_View.Units.Show_Job_Names	
obtaining information about jobs	SJM-36
specification	RS-291
Show_Jobs procedure	
!Commands.System_Maintenance'Spec_View.Units.Show_Jobs	
obtaining information about jobs	SJM-36
specification	RS-290
Show_List procedure	
Search_List.Show_List	SJM-326
Display procedure	SJM-314
editing searchlists	SJM-306
viewing searchlists	SJM-306
Show_Load_Proc_Unit_Names procedure	
!Commands.System_Maintenance'Spec_View.Units.Show_Load_Proc_Unit_Names	
specification	RS-292
Show_Location enumeration	
Debug.Option type	DEB-120
Show_Locks procedure	
!Commands.System_Maintenance'Spec_View.Units.Show_Locks	
specification	RS-293
Show_Log_Thresholds procedure	
Daemon.Show_Log_Thresholds	SMU-35
Show_Log_Throttle_State procedure	
!Commands.System_Maintenance'Spec_View.Units.Show_Log_Throttle_State	
specification	RS-293

Show_Login_Limit procedure	
Operator.Show_Login_Limit	SMU-102
Show_Machine_Id procedure	
!Commands.System_Maintenance'Spec_View.Units.Show_Machine_Id specification	RS-293
Show_Manager_State procedure	
!Commands.System_Maintenance'Spec_View.Units.Show_Manager_State specification	RS-294
Show_Memory_Hogs procedure	
!Commands.System_Maintenance'Spec_View.Units.Show_Memory_Hogs specification	RS-294
Show_Mts_Profiles procedure	
!Commands.System_Maintenance'Spec_View.Units.Show_Mts_Profiles specification	RS-295
Show_Mts_Stats procedure	
!Commands.System_Maintenance'Spec_View.Units.Show_Mts_Stats specification	RS-295
Show_Out_Of_Date_Objects procedure	
Cmvc.Show_Out_Of_Date_Objects	PM-323
Accept_Changes procedure	PM-205
Show_Password_Policy procedure	
Operator.Show_Password_Policy	SMU-103
setting password policy	SMU-56
Show_R1000_Configurations procedure	
!Commands.System_Maintenance'Spec_View.Units.Show_R1000_Configurations specification	RS-296
Show_Session_Of_Job procedure	
!Commands.System_Maintenance'Spec_View.Units.Show_Session_Of_Job specification	RS-297
Show_Shutdown_Settings procedure	
Operator.Show_Shutdown_Settings	SMU-104
Show_Site procedure	
!Commands.System_Maintenance'Spec_View.Units.Show_Site specification	RS-297
Show_Snapshot_Settings procedure	
Daemon.Show_Snapshot_Settings	SMU-36
Show_Snapshot_Times procedure	
!Commands.System_Maintenance'Spec_View.Units.Show_Snapshot_Times specification	RS-298
Show_Stats procedure	
!Commands.System_Maintenance'Spec_View.Units.Show_Stats specification	RS-299
Show_Tape_Users procedure	
!Commands.System_Maintenance'Spec_View.Units.Show_Tape_Users specification	RS-299
Show_Target_Key procedure	
Compilation.Show_Target_Key	LM-252
determining target keys for worlds or views	LM-213
other operations with target keys	LM-46

Show_Tasks procedure	
!Commands.System_Maintenance'Spec_View.Units.Show_Tasks specification	RS-300
Show_Tokens procedure	
!Commands.System_Maintenance'Spec_View.Units.Show_Tokens specification	RS-301
Show_Trace procedure	
!Tools.Networking.Show_Trace specification	RS-565
Show_Unused procedure	
Ada.Show_Unused	EST-41
Show_Usage procedure	
Ada.Show_Usage	EST-39
Show_Version procedure	
Debug_Maintenance.Show_Version	DEB-174
shutdown	
Operator.Archive_On_Shutdown procedure	SMU-60
Operator.Cancel_Shutdown procedure	SMU-61
Operator.Explain_Crash procedure	SMU-83
Operator.Get_Archive_On_Shutdown function	SMU-85
Operator.Get_Shutdown_Interval function	SMU-90
Operator.Show_Shutdown_Settings procedure	SMU-104
Shutdown procedure	
Operator.Shutdown	SMU-105
Cancel_Shutdown procedure	SMU-61
Explain_Crash procedure	SMU-83
Get_Shutdown_Interval function	SMU-90
Shutdown_Warning procedure	SMU-107
Shutdown_Warning procedure	
Operator.Shutdown_Warning	SMU-107
Get_Shutdown_Interval function	SMU-90
Show_Shutdown_Settings procedure	SMU-104
Shutdown procedure	SMU-105
sibling	
Common.Object.Next procedure	EST-113
simple names, defined	DEB-18, QR-2
simple statements, referencing	DEB-25
Simple_Key subtype	
Window_Io.Raw.Simple_Key	DIO-184
Simple_Name subtype	
Library.Simple_Name	LM-357
Simple_Status package	
!Tools.Simple_Status	PT-127
specification	RS-634
single quotation mark (')	
referencing overloaded units and subprograms	DEB-24
single-library application	PM-15
Single_Unit	
value for Scope parameter	LM-207
Single_Unit enumeration	

Compilation.Promote_Scope type	LM-245
size	
byte	
System.Byte_Size constant	PT-164
character	
System_Uilities.Character_Size function	SMU-239
Terminal.Set_Character_Size procedure	SMU-342
get	
Daemon.Get_Size procedure	SMU-15
memory	
System.Memory_Size constant	PT-165
report	
Window_Io.Report_Size procedure	DIO-166
set	SMU-163
word	
System.Word_Size constant	PT-167
working set	
Scheduler.Working_Set_Size function	SMU-207
Size enumeration	
Library.Field type	LM-334
Size function	
Direct_Io.Size	DIO-27
Size generic formal object	
Concurrent_Map_Generic.Size	PT-32
Map_Generic.Size	PT-90
String_Map_Generic.Size	ST-45
Size suboption	
printing plain text from PostScript printers	SMU-113
Skip_Line procedure	
Io.Skip_Line	TIO-97
Get_Line procedure	TIO-51
Set_Line procedure	TIO-91
Text_Io.Skip_Line	TIO-211
Get_Line procedure	TIO-183
Set_Line procedure	TIO-206
Skip_Page procedure	
Io.Skip_Page	TIO-98
Text_Io.Skip_Page	TIO-212
Slow_Blink character attribute	DIO-102
SMG (System Manager's Guide)	
key concepts	SMU-1
Smooth_Snapshots procedure	
!Commands.System_Maintenance'Spec_View.Units.Smooth_Snapshots specification	RS-301
SMU (System Management Utilities)	
key concepts	SMU-1
Snapshop client	SMU-4
snapshot	SMU-4
defined	SMU-4
settings	
Daemon.Get_Snapshot_Settings procedure	SMU-16
Daemon.Show_Snapshot_Settings procedure	SMU-36

Snapshot client	SMU-4, SMU-22, SMU-26
defined	SMU-4
Snapshot_Finish_Message procedure	
Daemon.Snapshot_Finish_Message	SMU-37
Snapshot_Start_Message procedure	
Daemon.Snapshot_Start_Message	SMU-38
Snapshot_Warning_Message procedure	
Daemon.Snapshot_Warning_Message	SMU-39
software flow control	SMU-250, SMU-347
defined	SMU-337
sort format	PM-136
Sort procedure	
Common.Object.Sort	
Window_Default_Sort_Order session switch, described	SJM-358
File_Uilities.Sort	LM-281
Table_Formatter.Sort	ST-100
Sort_Image procedure	
Common.Sort_Image	EST-98 , PM-136
editing links with	LM-377
sorting	
Table_Formatter.Field_List type	ST-95
Table_Sort_Generic generic procedure	PT-169
Table_Sort_Generic.Table_Sort_Generic procedure	PT-174
Source	
argument for 'S (compilation state) attribute	QR-9, RS-44
source	
defined	RS-14, RS-32
referencing locations in	DEB-22
source code, Ada	SMU-114
source configuration	PM-9
source display, automatic	DEB-8
Source enumeration	
Compilation.Unit_State type	LM-255
Source generic formal type	
Unchecked_Conversion.Source	PT-210
Unchecked_Conversions.Source	PT-240
Unchecked_Conversions.Unchecked_Conversion_Package.Source	PT-229
source names	
links	
changing	LM-375
defined	LM-371
specifying when copying objects	LM-135
source objects	
Compilation.Demote procedure	LM-224
Compilation.Make renamed procedure	LM-236
Compilation.Promote procedure	LM-242
specifying	LM-135
Source procedure	
Debug.Source	DEB-148

source state	LM-16
defined	LM-13
maintaining semantic consistency from	LM-22
maintaining semantic consistency to	LM-34
[Source_Unit] key	
Ada.Source_Unit procedure	EST-42
source unit state	EST-5
source units, modifying	LM-16
Source_Name subtype	
Links.Source_Name	LM-403
Source_Pattern subtype	
Links.Source_Pattern	LM-404
Source_Unit procedure	
Ada.Source_Unit	EST-42
demoting units	LM-33
promoting units	LM-21
summarized	LM-31, LM-37
space	
Editor.Char.Delete_Spaces procedure	EI-13
group	SMU-7
Operator.Disk_Space procedure	SJM-110, SMU-78
Space enumeration	
Debug.Information_Type type	DEB-107
Space procedure	
Library.Space	LM-358
Spacing suboption	
printing plain text from PostScript printers	SMU-113
spawn job, <i>see</i> Create_Job; Run_Job	
Spawn procedure	
Command.Spawn	EST-56
job kinds	SMU-157
placing jobs in background	SJM-35
Scheduler.Job_Kind type	SMU-187
Spec attribute	RS-40
described	QR-8, RS-38
referencing overloaded units and subprograms	DEB-24
spec views	PM-10, PM-11, PM-29, PM-52, PM-136, PM-137, PM-187
adding or removing units from	PM-95
compatibility between load views and in subsystems	LM-52
compilation	PM-61
controlled units	PM-61
creating	PM-58
names and level numbers	PM-59
spec/load subsystems	PM-187
Spec_Load_Subsystem enumeration	
Cmvc.System_Object_Enum type	PM-324
Spec_View	
argument for 'C (class) attribute (library subclasses)	QR-10, RS-42
Spec_View attribute	RS-47
described	QR-8, RS-38

searchlist component	SJM-302
special characters	PM-131
backslash (\)	PM-132
braces ({}).	PM-133
brackets ([])	LM-176, LM-180, LM-399, LM-404, PM-133
caret (^)	PM-131
dollar sign (\$)	PM-131
double dollar sign (\$\$)	PM-132
exclamation mark (!)	PM-131
for specifying deleted objects	RS-37
for specifying special objects	RS-34
grave (`)	PM-132
insert	
Editor.Char.Quote procedure	EI-12, EI-14
period (.)	PM-132
underscore (_)	PM-132
special display	
Debug.Put procedure	DEB-132
special names	DEB-15, DEB-90, DEB-121, DIO-5, EST-58, PM-127, QR-3, RS-15, TIO-4
<ACTIVITY>	EST-58, EST-131, EST-155, LM-325, LM-327, PM-128
Ada images	EST-5
<c>	DEB-15
<CURSOR>	EST-58, EST-131, EST-155, PM-128
defined	DEB-13, DEB-15, RS-14, RS-15
for default objects	RS-17
for designated objects	DEB-15, RS-16
for objects	RS-16
<HOME>	QR-3, RS-16, SJM-3
<i>	DEB-15
<IMAGE>	EST-58, EST-131, EST-155, PM-128
menu images	EST-131
online help facility	EST-123
<r>	DEB-15
<REGION>	EST-58, EST-131, EST-155, PM-128
<s>	DEB-15
<SELECTION>	EST-58, EST-131, EST-155, PM-128
<SUBSYSTEM>	QR-3, RS-16
<SWITCH>	QR-3, RS-17
<t>	DEB-15
<TEXT>	EST-58, EST-131, EST-155, PM-128
vs. parameter placeholders	DEB-16, RS-18
<VIEW>	QR-3, RS-16
<i>see also</i> special values	
special type displays	
Debug_Tools.Register generic procedure	DEB-191
defined	DEB-46
special values	PM-128, RS-52
<ALL_WORLDS>	LM-325, LM-327
combining with options	RS-60
<DEFAULT>	PM-128, TIO-6
defined	RS-16
<DIRECTORIES>	LM-221, LM-247, LM-325, LM-327
<ERRORS>	SJM-117
for filtering messages	QR-14
for special-purpose response profiles	RS-58, SJM-117
for specifying profiles	QR-14, RS-56, SJM-116
<IGNORE>	SJM-117

<NIL>	SJM-117
<PROFILE>	DIO-6, PM-128, SJM-116, TIO-6
<PROGRESS>	SJM-117
<QUIET>	SJM-117
<RAISE EXCEPTIONS>	SJM-117
<SESSION>	DIO-6, PM-128, SJM-116, TIO-6
<SUBUNITS>	LM-325, LM-327
<UNITS>	LM-325, LM-327
<VERBOSE>	SJM-117
<WARN>	SJM-117
<WORLDS>	LM-248, LM-249, LM-325, LM-327
<i>see also</i> special names	
special variables, displaying	DEB-46
Special_Types enumeration	
Debug.State_Type type	DEB-153
Specification subtype	
Switches.Specification	LM-449
Value_Image subtype	LM-450
specifications	
option	QR-13, RS-53
representation	LM-48
specificity of requests	DEB-50
specifying	
command inputs	RS-51
components	SJM-131
Current_Error	SJM-31
Current_Output	SJM-31
default format options	SMU-116
deleted objects	RS-37
destination names	LM-139, RS-32
disjoint properties	RS-39
nondefault activities	RS-63
nondefault remote-information files	RS-63
predefined response profiles	QR-14, RS-56, SJM-116, SJM-131, SJM-132
response characteristics	RS-59, SJM-21
sets of objects	RS-34
shared properties	RS-39
source names	LM-135
source objects	LM-135
Speller package	
!Commands.Speller	
specification	RS-263
Split procedure	
Calendar.Split	PT-7
spooler	
devices	
Queue.All_Spooler_Devices constant	SMU-122
print	
Queue.Kill_Print_Spooler procedure	SMU-135
Queue.Restart_Print_Spooler procedure	SMU-153
Spread_Fields procedure	
Work_Order.Venture_Editor.Spread_Fields	PM-427
ST flag	

Xref package	LM-454
stable-storage error log	
defined	SMU-5
stack	TIO-8
Stack_Generic.Empty_Stack constant	PT-148
stack frames	
defined	DEB-10, DEB-30
referencing	DEB-31
[Stack] key	
Debug.Stack procedure	DEB-150
Stack procedure	
Debug.Stack	DEB-150
call stacks	DEB-10
Context procedure	DEB-77
Debug_Addresses session switch	DEB-58
Debug_Addresses session switch, described	SJM-339
Debug_Qualify_Stack_Names session switch	DEB-61
Debug_Qualify_Stack_Names session switch, described	SJM-342
Debug_Stack_Count session switch	DEB-62
Debug_Stack_Count session switch, described	SJM-342
designating command output	DEB-17
Numeric type	DEB-117
Option type	DEB-118, DEB-120
referencing dynamic objects	DEB-30
Stack type	
Stack_Generic.Stack	PT-156
stack, file	
Io.Pop_Error procedure	TIO-68
Io.Pop_Input procedure	TIO-69
Io.Pop_Output procedure	TIO-70
Io.Reset_Error procedure	TIO-81
Io.Reset_Input procedure	TIO-82
Io.Reset_Output procedure	TIO-83
Io.Set_Error procedure	TIO-87
Io.Set_Input procedure	TIO-89
Io.Set_Output procedure	TIO-94
Stack_Count enumeration	
Debug.Numeric type	DEB-117
Stack_Generic generic package	PT-143
!Tools.Stack_Generic	
specification	RS-637
Stack_Start enumeration	
Debug.Numeric type	DEB-117
stacks	
call	DEB-10, DEB-31, RS-49
displaying qualified names in	DEB-10
standard error file	DIO-3, TIO-3, TIO-7
System_Uilities.Error_Name function	SMU-249
standard input file	DIO-3, TIO-3, TIO-7, TIO-165
System_Uilities.Input_Name function	SMU-262
standard level of detail in library images	LM-293
defined	LM-292

- setting up LM-294, LM-297
- standard output file DIO-3, TIO-3, TIO-7, TIO-165
 - System_Uilities.Output_Name function SMU-277
- Standard package **PT-161**
- standard value DEB-116, DEB-118
- Standard_Error
 - destinations for job output SJM-29
 - directing job reports SJM-29
 - for jobs SJM-231
 - redirecting command output RS-62
 - specifying SJM-31
 - starting jobs programmatically SJM-230
 - tracking job output SJM-31
 - versus Current_Error SJM-32
- Standard_Error function
 - Io.Standard_Error **TIO-99**
- Standard_Input
 - for jobs SJM-231
 - starting jobs programmatically SJM-230
- Standard_Input function
 - Io.Standard_Input **TIO-100**
 - Text_Io.Standard_Input **TIO-213**
- Standard_Output
 - destinations for job output SJM-29, SJM-231
 - directing job reports SJM-29
 - redirecting command output RS-62
 - specifying SJM-31
 - starting jobs programmatically SJM-230
 - tracking job output SJM-31
 - versus Current_Output SJM-32
- Standard_Output function
 - Io.Standard_Output **TIO-101**
 - Text_Io.Standard_Output **TIO-214**
- start
 - at scheduled time
 - Daemon.Schedule procedure SMU-28
 - debugger DEB-11
 - generator
 - Ada.Create_Body procedure EST-22
 - jobs programmatically SJM-230
 - see also* Run
- Start procedure
 - Editor.Macro.Start EI-7, EI-37, **EI-39**
 - Editor.Region.Start EI-45, **EI-49**
- _Start files
 - system-daemon initialization SMU-8
- Started_Successfully function
 - Program.Started_Successfully **SJM-249**
 - Condition subtype SJM-235
 - Create_Job procedure SJM-236, SJM-237
- Starting_At option
 - Archive.Save procedure LM-128

summarized	LM-133
startup techniques, advanced	DEB-11
state	
breakpoint	DEB-43
coded	LM-13, LM-17
defined	DEB-2
installed	LM-13, LM-16, LM-22, LM-34
job	
Scheduler.Get_Job_State function	SMU-179
Scheduler.Job_State type	SMU-189
of restored Ada units	LM-131
of restored subsystems	LM-132
source	LM-13, LM-16, LM-22, LM-34
task	DEB-39
unit	LM-15
Compilation.Unit_State type	LM-254
<i>see also</i> Ada compilation units; unit states; units	
state description directory	PM-32
state presently unknown execution message (Debug.Task_Display)	DEB-163
State procedure	
Scheduler.State	SMU-202
Job_Descriptor type	SMU-184
key concepts for Scheduler package	SMU-156
State_Type type	
Debug.State_Type	DEB-153
Statement enumeration	
Debug.Stop_Event type	DEB-158
Debug.Trace_Event type	DEB-170
[statement] prompt	
partially complete units	LM-16, LM-17
Statement_Indentation library switch	
Format.Statement_Indentation	
described	LM-423
Statement_Length library switch	
Format.Statement_Length	
described	LM-423
Statement_List	
argument for 'C (class) attribute (Ada subclasses)	QR-10, RS-42
statements	
executing procedures as	LM-55
simple	DEB-25
Statements package	
!Tools.Lm.Statements	
specification	RS-512
static definitions of variables, referencing	DEB-32
Stats suboption	
printing plain text from PostScript printers	SMU-113
printing PostScript programs	SMU-113
status	
Program.Condition subtype	SJM-235
task	DEB-37

Status enumeration	
Library.Field type	LM-334
status handling	
Simple_Status package	PT-127
Status parameter	
specifying components	SJM-131
Status procedure	
Archive.Status	LM-202
described	LM-127
Daemon.Status	SMU-40
Major_Clients constant	SMU-22
Status type	
Check.Status	PM-179
Status_Error exception	
Direct_Io generic package	
Close procedure	DIO-8
Create procedure	DIO-11
Delete procedure	DIO-12
Form function	DIO-17
Mode function	DIO-20
Name function	DIO-21
Open procedure	DIO-22
Reset procedure	DIO-25
Io package	
Append procedure	TIO-13
Close procedure	TIO-14
Col function	TIO-15
Create procedure	TIO-21
Delete procedure	TIO-25
End_Of_File function	TIO-33
End_Of_Line function	TIO-34
End_Of_Page function	TIO-35
Form function	TIO-40
Get procedure	TIO-41, TIO-42, TIO-44, TIO-46, TIO-48, TIO-49
Get_Line procedure	TIO-50, TIO-52
Line function	TIO-55
Line_Length function	TIO-56
Mode function	TIO-58
Name function	TIO-59
New_Line procedure	TIO-60
New_Page procedure	TIO-61
Open procedure	TIO-64
Page function	TIO-66
Page_Length function	TIO-67
Put procedure	TIO-72, TIO-73, TIO-75, TIO-77, TIO-78
Put_Line procedure	TIO-79
Reset procedure	TIO-80
Set_Col procedure	TIO-86
Set_Error procedure	TIO-88
Set_Input procedure	TIO-90
Set_Line procedure	TIO-92
Set_Line_Length procedure	TIO-93
Set_Output procedure	TIO-95
Set_Page_Length procedure	TIO-96
Skip_Line procedure	TIO-97
Skip_Page procedure	TIO-98

Io.Enumeration_Io generic package	
Get procedure	TIO-113
Put procedure	TIO-116
Io.Fixed_Io generic package	
Get procedure	TIO-124
Put procedure	TIO-128
Io.Float_Io generic package	
Get procedure	TIO-136
Put procedure	TIO-140
Io.Integer_Io generic package	
Get procedure	TIO-147
Put procedure	TIO-151
Io_Exceptions.Status_Error	DIO-36, TIO-162
Polymorphic_Sequential_Io package	
Append procedure	DIO-40
Close procedure	DIO-41
Create procedure	DIO-43
Delete procedure	DIO-44
End_Of_File function	DIO-45
Form function	DIO-48
Mode function	DIO-50
Name function	DIO-51
Open procedure	DIO-52
Reset procedure	DIO-53
Polymorphic_Sequential_Io.Operations package	
Read procedure	DIO-57
Sequential_Io package	
Close procedure	DIO-62
Create procedure	DIO-64
Delete procedure	DIO-65
End_Of_File function	DIO-67
Form function	DIO-70
Mode function	DIO-72
Name function	DIO-73
Open procedure	DIO-75
Read procedure	DIO-76
Reset procedure	DIO-77
Text_Io package	
Close procedure	TIO-166
Col function	TIO-167
Create procedure	TIO-170
Delete procedure	TIO-173
End_Of_File function	TIO-174
End_Of_Line function	TIO-175
End_Of_Page function	TIO-176
Get procedure	TIO-181, TIO-182
Get_Line procedure	TIO-184
Line function	TIO-186
Line_Length function	TIO-187
Mode function	TIO-188
Name function	TIO-189
New_Line procedure	TIO-190
New_Page procedure	TIO-191
Open procedure	TIO-194
Page function	TIO-195
Page_Length function	TIO-196
Put procedure	TIO-198, TIO-199
Put_Line procedure	TIO-200
Reset procedure	TIO-202

Set_Col procedure	TIO-204
Set_Input procedure	TIO-205
Set_Line procedure	TIO-207
Set_Line_Length procedure	TIO-208
Set_Output procedure	TIO-209
Set_Page_Length procedure	TIO-210
Skip_Line procedure	TIO-211
Skip_Page procedure	TIO-212
Text_Io.Enumeration_Io generic package	
Get procedure	TIO-221
Put procedure	TIO-224
Text_Io.Fixed_Io generic package	
Get procedure	TIO-232
Put procedure	TIO-236
Text_Io.Float_Io generic package	
Get procedure	TIO-244
Put procedure	TIO-248
Text_Io.Integer_Io generic package	
Get procedure	TIO-255
Put procedure	TIO-259
Window_Io package	
Char_At function	DIO-106
Close procedure	DIO-107
Create procedure	DIO-110
Delete procedure	DIO-113, DIO-114
Delete_Lines procedure	DIO-115
End_Of_File function	DIO-118
End_Of_Line function	DIO-119
Font_At function	DIO-123
Form function	DIO-124
Get procedure	DIO-126, DIO-128
Get_Line function	DIO-132
Get_Line procedure	DIO-135
Insert procedure	DIO-139
Last_Line function	DIO-143
Line_Image function	DIO-144
Line_Length function	DIO-145
Mode function	DIO-147
Move_Cursor procedure	DIO-149
Name function	DIO-150
New_Line procedure	DIO-151
Overwrite procedure	DIO-156
Position_Cursor procedure	DIO-159
Read_Banner function	DIO-161
Report_Cursor procedure	DIO-163
Report_Location procedure	DIO-164
Report-Origin procedure	DIO-165
Report_Size procedure	DIO-166
Set_Banner procedure	DIO-168
Window_Io.Raw package	
Close procedure	DIO-172
Get procedure	DIO-177
Open procedure	DIO-183
step, <i>see</i> Next; Run	
step into, <i>see</i> Run	
[Step] key	
controlling program execution	DEB-9

[Step Local] key	
controlling program execution	DEB-9
stepping	DEB-139
jobs	
System_Uilities.Done function	SMU-245
removing	
Debug.Clear_Stepping procedure	DEB-75
sessions	
System_Uilities.Done function	SMU-245
terminals	
System_Uilities.Done function	SMU-245
<i>see also</i> Next	
Steps enumeration	
Debug.State_Type type	DEB-153
stop	
bits	SMU-336
Terminal.Set_Stop_Bits procedure	SMU-360
jobs	SJM-35
output	
Text.Block procedure	EST-146
shutdown	
Operator.Cancel_Shutdown procedure	SMU-61
tasks	DEB-38
<i>see also</i> Cancel_Shutdown; Debug_Off; Kill; Quiesce; Un_Register	
[Stop] key	
controlling program execution	DEB-9
Debug.Stop procedure	DEB-155
Stop procedure	
Debug.Stop	DEB-155
Context procedure	DEB-77, DEB-80
controlling program execution	DEB-9
Hold procedure	DEB-104
task control commands	DEB-39
terminology	DEB-40
Stop_Bits function	
System_Uilities.Stop_Bits	SMU-293
terminal ports	SMU-226
Stop_Bits_Range subtype	
System_Uilities.Stop_Bits_Range	SMU-294
Terminal.Stop_Bits_Range	SMU-366
Stop_Event type	
Debug.Stop_Event	DEB-157
Stopped enumeration	
Debug.Task_Category type	DEB-162
stopped tasks	
explicitly stopped	DEB-39
implicitly stopped	DEB-39
state, defined	DEB-39
Stops_And_Holds enumeration	
Debug.State_Type type	DEB-154
storage	
default	
Unbounded_String.Default_Maximum_Length generic formal object	ST-109

reclaiming, <i>see</i> Allows_Deallocation; Unchecked_Deallocation	
storage management, <i>see</i> Allocate; Allows_Deallocation; Free; Unchecked_Deallocation	
Storage_Error exception	
Concurrent_Map_Generic generic package	
Initialize procedure	PT-21
Debug package	DEB-90
job page limit	LM-40
Map_Generic generic package	
Initialize procedure	PT-79
Standard.Storage_Error	PT-161
System_Uilities package	
Set_Page_Limit procedure	SMU-291
Storage_Unit constant	
System.Storage_Unit	PT-166
stream operations	EI-3
Stream_Jobs parameter	
number of runnable jobs on streams	SMU-161
strict stream policy	SMU-162
Stream_Time parameter	
job-stream time limits	SMU-161
Stream_Type type	
Window_Io.Raw.Stream_Type	DIO-185
streams	
job	SMU-161
number of runnable jobs on	SMU-161
strict stream policy	SMU-162
defined	SMU-162
Strict_Stream_Policy scheduler parameter	
strict stream policy	SMU-162
string	
Bounded_String.Variable_String type	ST-23
String_Uilities.Hash_String function	ST-74
String_Uilities.Number_To_String function	ST-81
System.Byte_String type	PT-164
Unbounded_String.Variable_String type	ST-125
Window_Io.Raw.Key_String type	DIO-182
<i>see also</i> strings	
string flags	DEB-10
string matching, literal	LM-257
String type	
Standard.String	PT-161
string values	
building profiles through	SJM-137
setting profiles through	SJM-131
String_Length subtype	
Bounded_String.String_Length	ST-21
Unbounded_String.String_Length	ST-123
String_Map_Generic generic package	
!Tools.String_Map_Generic	ST-25
specification	RS-638

String_Table package	
!Tools.String_Table	ST-49
specification	RS-640
String_To_Number procedure	
String_Utilities.String_To_Number	ST-84
String_Utilities package	
!Tools.String_Utilities	ST-69
specification	RS-641
strings	
byte	
System_Utilities.Byte_String subtype	SMU-237
case conversion of	
String_Utilities package	ST-69
comparison of	
String_Utilities package	ST-69
convert from byte	
Unchecked_Conversions.Convert_From_Byte_String function	PT-232
Unchecked_Conversions.Convert_From_Byte_String generic function	PT-231
convert to byte	
Unchecked_Conversions.Convert_To_Byte_String function	PT-238
Unchecked_Conversions.Convert_To_Byte_String generic function	PT-237
fill	
Bounded_String.Set_Length procedure	ST-19
Unbounded_String.Set_Length procedure	ST-122
insert	
Editor.Char.Insert_String procedure	EI-13
name	PM-127
read enumeration value from	
Io.Enumeration_Io.Get procedure	TIO-114
Text_Io.Enumeration_Io.Get procedure	TIO-222
read fixed-point value from	
Io.Fixed_Io.Get procedure	TIO-125
Text_Io.Fixed_Io.Get procedure	TIO-233
read floating-point value from	
Io.Float_Io.Get procedure	TIO-137
Text_Io.Float_Io.Get procedure	TIO-245
read from file	
Io.Get procedure	TIO-42
Text_Io.Get procedure	TIO-182
read integer value from	
Io.Integer_Io.Get procedure	TIO-148
Text_Io.Integer_Io.Get procedure	TIO-256
read single line except terminator	
Io.Get_Line procedure	TIO-51
Text_Io.Get_Line procedure	TIO-183
searching	
String_Utilities package	ST-69
variable length	
Bounded_String package	ST-1
Unbounded_String package	ST-103
write enumeration value to	
Io.Enumeration_Io.Put procedure	TIO-117
Text_Io.Enumeration_Io.Put procedure	TIO-225
write fixed-point value to	
Io.Fixed_Io.Put procedure	TIO-129
Text_Io.Fixed_Io.Put procedure	TIO-237
write floating-point value to	
Io.Float_Io.Put procedure	TIO-141

Text_Io.Float_Io.Put procedure	TIO-249
write integer value to	
Io.Integer_Io.Put procedure	TIO-152
Text_Io.Integer_Io.Put procedure	TIO-260
write to current error file (message window)	
Io.Echo procedure	TIO-27, TIO-32
write to file	
Io.Put procedure	TIO-73
Io.Put_Line procedure	TIO-79
Text_Io.Put procedure	TIO-199
Text_Io.Put_Line procedure	TIO-200
see also string	
Strip function	
String_Uilities.Strip	ST-86
Strip procedure	
File_Uilities.Strip	LM-284
Strip_Leading function	
String_Uilities.Strip_Leading	ST-87
Strip_Trailing function	
String_Uilities.Strip_Trailing	ST-88
structural editing	DIO-89, DIO-93
structure, of backup tapes	SMU-210
Subclass enumeration	
Library.Field type	LM-334
subclasses	
Ada	QR-10, RS-42
defined	LM-1
file	QR-11, RS-43
library	QR-10, RS-42
set	
Library.Set_Subclass procedure	LM-356
Subitem procedure	
Table_Formatter.Subitem	ST-91, ST-101
Subitem_Separator generic formal object	
Table_Formatter.Subitem_Separator	ST-102
Subpackage enumeration	
Library.Kind type	LM-340
subpath	PM-13, PM-37, PM-224, PM-227, PM-280
creating	PM-37
differences between paths and subpaths	PM-47
integrating into a single release	PM-46
name extension	PM-37, PM-47
Subprogram_Body	
argument for 'C (class) attribute (Ada subclasses)	QR-10, RS-42
Subprogram_Instantiation	
argument for 'C (class) attribute (Ada subclasses)	QR-10, RS-42
Subprogram_Rename	
argument for 'C (class) attribute (Ada subclasses)	QR-10, RS-42
Subprogram_Spec	
argument for 'C (class) attribute (Ada subclasses)	QR-10, RS-42

subprograms	
overloaded	DEB-23
referencing	DEB-23
substitute, <i>see</i> Replace	
substitution characters	PM-130, QR-5, RS-32
at sign (@)	PM-130
defined	RS-14, RS-32
for specifying destination names	RS-32
pound sign (#)	PM-130
question mark (?)	PM-130
testing	RS-32
using	LM-142
Subsystem	
argument for 'C (class) attribute (library subclasses)	QR-10, RS-42
<SUBSYSTEM>	
special name for objects	QR-3, RS-6
Subsystem_Interface library switch	
Semantics.Subsystem_Interface	
described	LM-423
Subsystem_Name subtype	
Activity.Subsystem_Name	PM-166
subsystems	PM-3 – 5, PM-136, PM-137, PM-187
access rights	LM-68
child	PM-16
compatibility between spec views and load views in	LM-52
compiling units	PM-29
copying identification number	PM-104
copying releases and code views	PM-104
copying views among hosts	PM-103, PM-109
creating	PM-17, PM-20, PM-98
sample program	PM-17
defined	PM-3, PM-4, SJM-4
demoting across	LM-37
developing applications using multiple	PM-51
developing with joined objects	PM-38
development paths	PM-33
editing controlled objects	PM-26
executing an entire application	PM-84
exports	PM-10
identification number	PM-104
imports	PM-10
interfaces	PM-10, PM-11
internal structure	PM-20, PM-24
library switches and	LM-410
links and	LM-373
making design changes	PM-89
making implementation changes	PM-86
managing CMVC information interactively	PM-188
managing views	PM-48
moving a primary to another host	PM-108
primary	LM-149, LM-154, PM-2, PM-16, PM-339, PM-351, PM-354
program development within	PM-13
promoting across	LM-28
propagating changes across hosts	PM-105
releasing configurations	PM-30
restored	LM-132

- secondary LM-132, LM-149, LM-154, PM-2, PM-16, PM-339, PM-351, PM-354
- setting up PM-96
 - for cross-development PM-115
 - multiple development paths PM-47
 - primary and secondary PM-103
 - Units directory PM-23
- testing an application PM-85
- using CDFs with PM-111
- using CMVC PM-17
- using Main pragma in LM-60
- visibility across LM-28
- working view PM-21
 - predefined library characteristics PM-22
 - putting objects under CMVC PM-25
- <SUBUNITS>
 - special value LM-208, LM-218, LM-325, LM-327
- Subunits_Too
 - value for Scope parameter LM-207
- Subunits_Too enumeration
 - Compilation.Promote_Scope type LM-245
- successful start
 - Program.Started_Successfully function SJM-249
- sum
 - Calendar.+ function PT-8
- Summarize renamed procedure
 - Log.Summarize **SJM-102**
 - Copy procedure SJM-65
 - Filter procedure SJM-67
 - Filter_Errors procedure SJM-70
- summary, of debugger facilities DEB-1
- Summary constant
 - Profile.Summary **SJM-221**
- Sun_Positions type
 - Time_Uilities.Sun_Positions **PT-202**
- super user, *see* Change_Identity; Enable_Privileges; privileged mode
- supplier PM-70
- support, technical SMU-2
- Swap procedure
 - Editor.Hold_Stack.Swap EI-21, **EI-23**
 - Editor.Mark.Swap EI-4, EI-41, **EI-43**
 - Editor.Screen.Swap EI-7, EI-52, **EI-54**
 - see also* Transpose
- Switch
 - argument for 'C (class) attribute (file subclasses) QR-11, RS-43
- <SWITCH>
 - special name for default objects QR-3, RS-17
- switch file
 - association
 - Switches.Associate procedure LM-427
 - Switches.Associated function LM-429
 - Switches.Dissociate procedure LM-439

basic operations on	DEB-56
constant	
Switches.Of_Library constant	LM-445
Switches.Of_Session constant	LM-446
creating	DEB-56, LM-412
Switches.Create procedure	LM-432
Switches.Define procedure	LM-435
default	
Switches.Default_File constant	LM-434
defined	DEB-55
display	
Switches.Display	LM-437
editing	DEB-56
Switches.Edit procedure	LM-440
Switches.Visit procedure	LM-451
library	LM-410, LM-414
name	
Switches.File_Name subtype	LM-443
opening for editing	LM-413
saving	DEB-57, LM-414
setting switches	
Switches.Set procedure	LM-447
<i>see also</i> session switch files	
switch images	EST-1
Switch_Definition	
argument for 'C (class) attribute (file subclasses)	QR-11, RS-43
switches	
changing values of	LM-414
composite name	
Switches.Composite_Name subtype	LM-431
defined	LM-9
editing	LM-424
Switches.Edit_Session_Attributes procedure	LM-442
for debugger operations	DEB-58
for file transfers	LM-416
for formatting Ada units	LM-415
for R1000 compiler	LM-416
for registering Ada units in libraries	LM-416
for semanticizing Ada units	LM-416
formatting	LM-155
help on	LM-415
inserting	
Switches.Insert procedure	LM-444
library	EST-60, SJM-12
<i>see also</i> library switches; <i>specific switch name</i>	
listing	LM-413
obtaining help on	DEB-57
session	DEB-55, EI-7, EST-140, PM-362, SJM-11, SJM-12, SJM-333
setting	
Switches.Set procedure	LM-447
that control compilation	LM-214
that exist as both library and session switches	LM-411
value	
Switches.Value_Image subtype	LM-450
<i>see also</i> library switches; session, switches; session switches; <i>specific switch name</i>	
Switches package	
!Commands.Switches	LM-409

commands from package Common for editing switches	LM-424
described	LM-9
key concepts for	LM-409
library switches described	LM-417
library switches grouped by function	LM-415
resources in	LM-409
specification	RS-266
using commands from	LM-412
symbol table	
String_Map_Generic generic package	ST-25
String_Table package	ST-49
symbolic name	
System_Uilities.Job_Name function	SMU-266
symbolize, <i>see</i> Address_To_Location	
SYMBOLS	
changing format of message prefixes	RS-62
symbols, <i>see specific symbol</i>	
Symbols enumeration	
Profile.Log_Prefix type	SJM-169
synchronization	DIO-5, TIO-5
synonyms, task	
Debug.Context procedure	DEB-79, DEB-80
Debug.Set_Task_Name procedure	DEB-141
Debug_Tools.Get_Task_Name function	DEB-189
Debug_Tools.Set_Task_Name procedure	DEB-203
defined	DEB-35
<i>see also</i> nicknames	
syntax	
for attributes	RS-38
for combining options and special values	RS-60
syntax error, <i>see</i> Input_Syntax_Error	
System, operator capability	SMU-52
system	PM-16, PM-187, PM-325
backups	
vs. Archive package	LM-127
boot, initialization during	SMU-333
daemon	
defined	SMU-3
initialization	SMU-7
default	
resetting searchlists to	SJM-306
Search_List.Reset_To_System_Default procedure	SJM-320
default profile	RS-56, SJM-23
defined	QR-14, RS-56, SJM-22, SJM-115
default searchlist	SJM-303
defined	SJM-303
diagnosis	
Operator.Internal_System_Diagnosis procedure	SMU-93
hardware	SMU-229
information, obtaining	SMU-222
object	PM-187
ports, configuring	SMU-333
setting up	PM-326

transferring data between by tape	SMU-314
view	PM-187, PM-325
releasing	PM-327
System enumeration	
Cmvc.System_Object_Enum type	PM-324
System format (Debug.Memory_Display)	DEB-112
System Management Utilities (SMU)	
key concepts	SMU-1
System Manager's Guide (SMG)	
key concepts	SMU-1
System package	
!Lrm.System	PT-163
specification	RS-387
System_Backup package	
!Commands.System_Backup	SMU-209
key concepts for	SMU-209
procedures requiring operator capability	SMU-53
resources in	SMU-209
specification	RS-269
System_Boot_Configuration function	
System_Utilities.System_Boot_Configuration	SMU-295
system hardware	SMU-229
System_Header suboption	
printing text with formatting	SMU-112
System_Information package	
!Tools.System_Availability'Spec_View.Units.System_Information specification	RS-653
System_Login procedure	
systemwide login procedures	SJM-7
System_Name constant	
System.System_Name	PT-166
System_Object_Enum type	
Cmvc.System_Object_Enum	PM-324
System_Report package	
!Tools.System_Availability'Spec_View.Units.System_Report specification	RS-657
System_Subsystem	
argument for 'C (class) attribute (library subclasses)	QR-10, RS-42
System_Up_Time function	
System_Utilities.System_Up_Time	SMU-296
system hardware	SMU-229
System_Utilities package	
!Tools.System_Utilities	SMU-221
entities accessed by	SMU-223
key concepts for	SMU-223
procedures requiring operator capability	SMU-53
SMU versus SMG	SMU-1
specification	RS-658
System_View	
argument for 'C (class) attribute (library subclasses)	QR-10, RS-42

systemwide default searchlists	SJM-12
defined	SJM-12
systemwide login procedures	SJM-7
defined	SJM-5

T

<> special name	
described	DEB-15
T (target key) attribute	QR-8, RS-46
described	RS-38
T generic formal type	
Hash.T	PT-42, PT-46
tab	
backward	
Editor.Char.Tab_Backward procedure	EI-14
column width	
Editor.Set.Tab_Width procedure	EI-62
forward	
Editor.Char.Tab_Forward procedure	EI-14
remove	
Editor.Set.Tab_Off procedure	EI-62
set	
Editor.Set.Tab_On procedure	EI-62
stops	
What.Tabs procedure	SJM-380
to comment	
Editor.Char.Tab_To_Comment procedure	EI-15
Tab_Backward procedure	
Editor.Char.Tab_Backward	EI-5, EI-6, EI-11, EI-14
Tab_Forward procedure	
Editor.Char.Tab_Forward	EI-5, EI-6, EI-11, EI-14
Tab_Off procedure	
Editor.Set.Tab_Off	EI-6, EI-62
Image_Tab_Stops session switch, described	SJM-346
Tab_On procedure	
Editor.Set.Tab_On	EI-6, EI-62
Image_Tab_Stops session switch, described	SJM-346
Tab_Width procedure	EI-62
Tab_To_Comment procedure	
Editor.Char.Tab_To_Comment	EI-5, EI-6, EI-15
Tab_Width procedure	
Editor.Set.Tab_Width	EI-6, EI-62
Tab_On procedure	EI-62
Tab_Width suboption	
printing text with formatting	SMU-112
table	
new	
String_Table.New_Table function	ST-61
sorting	
Table_Formatter.Field_List type	ST-95
symbol	

String_Map_Generic generic package	ST-25
String_Table package	ST-49
Table type	
String_Table.Table	ST-64
Table_Formatter generic package	
!Tools.Table_Formatter	ST-91
specification	RS-663
Table_Full exception	
String_Table.Table_Full	ST-49, ST-65
Table_Sort_Generic generic procedure	
!Tools.Table_Sort_Generic	PT-169
specification	RS-664
Table_Sort_Generic procedure	
Table_Sort_Generic.Table_Sort_Generic	PT-174
Tabs procedure	
What.Tabs	SJM-380
Editor.Set.Tab_On procedure	EI-62
Editor.Set.Tab_Width procedure	EI-62
tail, <i>see</i> Rest	
tailoring, compilation setting	LM-39
Take_History procedure	
Debug.Take_History	DEB-159
Context procedure	DEB-77, DEB-78
recording task histories	DEB-54
Trace_Event type	DEB-170
Taken At timestamp	
restoring backups	SMU-210
Tape	
argument for 'C (class) attribute (object classes)	QR-9, RS-41
tape	DIO-2, TIO-2
ANSI-labeled	SMU-314
backup	SMU-210
copying objects onto	
Archive.Save procedure	LM-128, LM-129
defined	SMU-210, SMU-313
devices	SMU-228
displaying	
Tape.Display_Tape procedure	SMU-315
formatting	
Tape.Format_Tape procedure	SMU-321
IDs	SMU-229
label	
Tape.Examine_Labels procedure	SMU-319
listing names of objects on	
Archive.List procedure	LM-127
non-ANSI	SMU-314
other operations	SMU-314
reading	
Tape.Read procedure	SMU-322
restoring from a remote device	
Archive.Restore procedure	LM-144
restoring objects from	
Archive.Restore procedure	LM-127

rewinding	
Tape.Rewind procedure	SMU-325
saving onto a remote device	
Archive.Save procedure	LM-144
transferring data between systems by	SMU-314
transferring objects between R1000s	
Archive.Restore procedure	LM-127, LM-129
Archive.Save procedure	LM-127
unloading	
Tape.Unload procedure	SMU-326
writing objects onto	
Archive.Save procedure	LM-127
Tape object manager	SMU-5, SMU-60
described	SMU-5
Tape package	
!Commands.Tape	SMU-313
key concepts for	SMU-313
resources in	SMU-313
SMU versus SMG	SMU-1
specification	RS-304
tape devices	SMU-228
Tape subtype	
System_Uilities.Tape	SMU-297
IDs for sessions, jobs, terminal ports, and tapes	SMU-229
tape devices	SMU-228
Tape_Name function	
System_Uilities.Tape_Name	SMU-298
names	SMU-230
tape devices	SMU-228
Tape_Specific package	
!lo.Tape_Specific	
specification	RS-365
Tape_Tools package	
!Tools.Tape_Tools	
specification	RS-665
Target generic formal type	
Unchecked_Conversion.Target	PT-211
Unchecked_Conversions.Target	PT-235
Unchecked_Conversions.Unchecked_Conversion_Package.Target	PT-230
target keys	LM-45, PM-113, PM-303
changing	LM-45, LM-213
compatible	LM-46, LM-213
defined	LM-2, LM-45, LM-213
determining for worlds or views	LM-213
getting	
Compilation.Get_Target_Key function	LM-233
managing	LM-212
obtaining lists of available	LM-213
other operations with	LM-46
setting	LM-45
Target parameter, joined units	LM-61, LM-62
target processor, defined	LM-15, LM-41
task, <i>see</i> tasks	

[Task Display] key	
Debug.Task_Display procedure	DEB-163
Task_Body	
argument for 'C (class) attribute (Ada subclasses)	QR-10, RS-42
Task_Category type	
Debug.Task_Category	DEB-162
Task_Display procedure	
Debug.Task_Display	DEB-38, DEB-163
Debug_Addresses session switch	DEB-58
Debug_Addresses session switch, described	SJM-339
Debug_Include_Packages session switch	DEB-60
Debug_Include_Packages session switch, described	SJM-341
Option type	DEB-118, DEB-119
percent	RS-50
referencing task activations	DEB-31
Task_Category type	DEB-162
Task_Name subtype	DEB-166
Task_Name subtype	
Debug.Task_Name	DEB-166
Tasking_Error exception	
Debug package	DEB-90
Standard.Tasking_Error	PT-161
tasks	PM-15
activations	
defined	DEB-14
referencing	DEB-31
breakpoints and	DEB-42
constructs, naming locations in	DEB-28
controlling	DEB-39, DEB-63
current	
Debug.Display procedure	DEB-86
declaration, defined	DEB-14
defined	DEB-14
displaying history	
Debug.History_Display procedure	DEB-101
displaying stack	
Debug.Stack procedure	DEB-150
displaying status	DEB-63
explicitly held tasks	DEB-40
explicitly stopped tasks	DEB-40
history, recording	DEB-54
holding	DEB-38
implicitly held tasks	DEB-40
implicitly stopped tasks	DEB-40
managing	DEB-35
name	
Debug.Task_Name subtype	DEB-166
Debug_Tools.Get_Task_Name function	DEB-189
Debug_Tools.Set_Task_Name procedure	DEB-203
nickname	
Debug.Context procedure	DEB-79, DEB-80
Debug.Set_Task_Name procedure	DEB-141
Debug_Tools.Get_Task_Name function	DEB-189
Debug_Tools.Set_Task_Name procedure	DEB-203
<i>see also</i> nicknames; synonyms	
naming	DEB-35, DEB-63

Debug.Set_Task_Name procedure	DEB-141
naming multiple activations of	DEB-36
releasing	DEB-38
releasing from held state	
Debug.Release procedure	DEB-136
removing stepping	
Debug.Clear_Stepping procedure	DEB-75
resuming execution	
Debug.Execute procedure	DEB-94
Debug.Xecute procedure	DEB-172
root task	DEB-4, DEB-35
showing	
Debug.Task_Display procedure	DEB-163
states	DEB-39
held task state	DEB-39
running task state	DEB-39
stopped task state	DEB-39
status, displaying	DEB-37
stopped tasks	DEB-39
stopping	DEB-38
stopping execution	
Debug.Hold procedure	DEB-104
Debug.Stop procedure	DEB-155
synonym	
Debug.Context procedure	DEB-79, DEB-80
Debug.Set_Task_Name procedure	DEB-141
Debug_Tools.Get_Task_Name function	DEB-189
Debug_Tools.Set_Task_Name procedure	DEB-203
<i>see also</i> nicknames; synonyms	
tracing	DEB-53
Debug.Trace procedure	DEB-167
user	SMU-1
when to stop	
Debug.Stop_Event type	DEB-157
Tcp_Ip_Boot procedure	
!Tools.Networking.Tcp_Ip_Boot specification	RS-566
Tcp_Ip_Dump procedure	
!Tools.Networking.Tcp_Ip_Dump specification	RS-568
technical support, SMU and	SMU-2
Telnet package	
!Commands.Telnet specification	RS-307
Telnet_Port package	
!Tools.Networking.Telnet_Tools'Spec_View.Units.Telnet_Port specification	RS-570
Telnet_Product package	
!Tools.Networking.Telnet_Product specification	RS-568
Telnet_Profile package	
!Tools.Networking.Telnet_Profile specification	RS-569
Telnet_Protocol package	
!Tools.Networking.Telnet_Tools'Spec_View.Units.Telnet_Protocol	

specification	RS-572
Telnet_Tools package	
!Tools.Networking.Telnet_Tools'Spec_View.Units.Telnet_Tools specification	RS-575
temporary breakpoints	DEB-43
defined	DEB-43
temporary file	
Direct_Io.Create procedure	DIO-10
Polymorphic_Sequential_Io.Create procedure	DIO-42
Sequential_Io.Create procedure	DIO-63
Terminal	
argument for 'C (class) attribute (object classes)	QR-9, RS-41
terminal	
access	DIO-80
bell	
Editor.Alert procedure	EI-10
connect to job	
Job.Connect procedure	SJM-37
control of	DIO-91
devices	SMU-228
defined	SMU-223, SMU-228
information, obtaining	SMU-222
emulator, defined	SMU-228
disable	
Operator.Disable_Terminal procedure	SMU-76
enable	
Operator.Enable_Terminal procedure	SMU-81
input/output	DIO-3, TIO-3
keyboard input	DIO-80
line	
Terminal.Port subtype	SMU-341
number	
System_Uilities.Value function	SMU-307
object	SMU-281
options	
Window_Io.Bell procedure	DIO-104
ports	SMU-226
defined	SMU-223
IDs	SMU-229
iteration	SMU-232
objects for	SMU-230
obtaining information for	SMU-222
System_Uilities.Port subtype	SMU-281
versions for	SMU-230
settings	
Terminal.Settings procedure	SMU-364
setup, session switches for	SJM-330
stepping	
System_Uilities.Done function	SMU-245
types	DIO-85, RS-685
Terminal.Set_Terminal_Type procedure	SMU-361
Terminal function	
System_Uilities.Terminal	SMU-299
sessions	SMU-224
Terminal object manager	SMU-5, SMU-60
described	SMU-5

Terminal package	
!Commands.Terminal	SMU-331
key concepts for	SMU-331
machine initialization	SMU-2, SMU-333
modifying port disconnect and login behavior	SMU-334
procedures requiring operator capability	SMU-53
resources in	SMU-331
SMU versus SMG	SMU-1
specification	RS-309
Terminal subtype	
Window_Io.Raw.Terminal	DIO-186
Terminal_Columns function	
System_Uilities.Terminal_Columns	SMU-300
terminal devices	SMU-228
Terminal_Configuration file	
Local.Terminal_Configuration	
configuring RS232 ports	SMU-335
initialization during system boot	SMU-333
interactive changes	SMU-333
setting port disconnect behavior	SMU-335
Terminal_Echo library switch	
R1000_Cg.Terminal_Echo	
described	LM-47, LM-424
Terminal_Echo session switch	
Command_Cg.Terminal_Echo	
described	SJM-356
Terminal_Iterator type	
System_Uilities.Terminal_Iterator	SMU-301
terminal iteration	SMU-232
terminal ports	SMU-227
Terminal_Line_Speed session switch	
Session.Terminal_Line_Speed	
described	SJM-356
Terminal_Lines function	
System_Uilities.Terminal_Lines	SMU-302
terminal devices	SMU-228
Terminal_Name function	
System_Uilities.Terminal_Name	SMU-303
names	SMU-230
Terminal_Padding session switch	
Session.Terminal_Padding	
described	SJM-356
Terminal_Specific package	
!Io.Terminal_Specific	
specification	RS-369
Terminal_Type function	
System_Uilities.Terminal_Type	SMU-304
names	SMU-230
terminal devices	SMU-228
Terminated enumeration	
Scheduler.Job_Kind type	SMU-188

terminated execution message (Debug.Task_Display)	DEB-163
terminated jobs	SJM-18
defined	SJM-35, SMU-157
termination message	
Job.Set_Termination_Message procedure	SJM-48
terminators	DIO-6, TIO-5
terminology	DEB-40
DOD-STD-2167/2167A terms	RS-710
Rational-specific terms	RS-695
Terse constant	
Profile.Terse	SJM-222
Terse_Format constant	
Library.Terse_Format	LM-360
test	
application	PM-85
recombinant	PM-85
substitution characters	RS-32
Text	
argument for 'C (class) attribute (file subclasses)	QR-11, RS-43
text	
definition	EST-137
edit	EI-5
image type	EST-1, EST-137
commands from package Common	EST-140
committing	EST-139
designation	EST-138
job I/O	EST-139
key concepts	EST-138
locks	EST-139
session switches	EST-140
structure	EST-137
versions	EST-139
normal	
Editor.Set.Designation_Off procedure	EI-60
plain	SMU-113
printing	SMU-111
Profile.Cached_Selected_Text function	SJM-141
retrieve	EI-5
select	EI-6
<TEXT>	
described	DEB-15
special name	EST-58, EST-131, EST-155, PM-128, QR-3, RS-16
Text enumeration	
Window_Io.Designation type	DIO-116
Text field	
Window_Io package	DIO-83
text file	DIO-1, TIO-1, TIO-7
creating Ada units from	LM-212
Io.Create procedure	TIO-20
Text.Create procedure	EST-148
Text_Io.Create procedure	TIO-169
Text package	

!Commands.Text	EST-145
specification	RS-312
Text_Bottom_Stripe session switch	
Session.Text_Bottom_Stripe	
described	SJM-356
Text_Convert_Tabs session switch	
Session.Text_Convert_Tabs	
described	SJM-356
Text_Header session switch	
Session.Text_Header	
described	SJM-357
Text_Io package	
!Io.Text_Io	TIO-165
specification	RS-373
Text_Print_Name session switch	
Session.Text_Print_Name	
described	SJM-357
Text_Print_Number session switch	
Session.Text_Print_Number	
described	SJM-357
Text_Print_Time session switch	
Session.Text_Print_Time	
described	SJM-357
Text_Reuse_Window session switch	
Session.Text_Reuse_Window	
described	SJM-357
Text_Scroll_Output session switch	
Session.Text_Scroll_Output	
described	SJM-357
Text_Top_Stripe session switch	
Session.Text_Top_Stripe	
described	SJM-357
textual presentation of libraries, controlling	LM-298
The_Current_Activity function	
Activity.The_Current_Activity	PM-167
'Spec_View and 'View attributes	RS-47
The_Enclosing_Subsystem function	
Activity.The_Enclosing_Subsystem	PM-168
The_Enclosing_View function	
Activity.The_Enclosing_View	PM-169
threshold, disk-collection	SMU-4
Daemon.Get_Log_Threshold function	SMU-14
Daemon.Log_Threshold type	SMU-21
Daemon.Set_Log_Threshold procedure	SMU-33
Daemon.Show_Log_Thresholds procedure	SMU-35
Threshold_Warnings procedure	
Daemon.Threshold_Warnings	SMU-42
throw away, <i>see</i> Delete	
Tick constant	
System.Tick	PT-167

tilde (~)	LM-176, LM-180, LM-399, LM-404, PM-133
excluding properties	RS-39
indicating replace window state	EI-63, EI-65, EI-67
restricted naming expression	LM-137, LM-176, LM-180, QR-7, RS-51
set notation	QR-6
wildcard characters and	LM-136
TIME	
changing format of message prefixes	RS-62
time	
formats	
Operator.Set_System_Time procedure	SMU-100
job	
Window_Io.Job_Time function	DIO-142
limits	
job stream	SMU-161
Operator.Set_System_Time procedure	SMU-100
Scheduler.Get_Cpu_Time_Used function	SMU-174
System_Uilities.Elapsed function	SMU-247
System_Uilities.System_Up_Time function	SMU-296
Time_Uilities.Convert_Time function	PT-179
Time_Uilities.Get_Time function	PT-187
Time enumeration	
Profile.Log_Prefix type	SJM-169
Time procedure	
What.Time	SJM-381
Time type	
Calendar.Time	PT-7
Time_Uilities.Time	PT-175, PT-203
Image function	PT-190
Time_Error exception	
Calendar.Time_Error	PT-7
Time_Format type	
Time_Uilities.Time_Format	PT-204
Time_Of function	
Calendar.Time_Of	PT-7
Time_Only enumeration	
Time_Uilities.Image_Contents type	PT-192
Time_Uilities package	
!Tools.Time_Uilities	PT-175
specification	RS-669
Timestamps enumeration	
Debug.Option type	DEB-120
Token_Information procedure	
!Commands.System_Maintenance'Spec_View.Units.Token_Information	
specification	RS-301
top	
hold stack	
Editor.Hold_Stack.Copy_Top procedure	EI-21
Editor.Hold_Stack.Delete_Top procedure	EI-22
Editor.Hold_Stack.Top procedure	EI-23
image	

Editor.Image.Beginning_Of procedure	EI-25
mark	
Editor.Mark.Copy_Top procedure	EI-41
Editor.Mark.Delete_Top procedure	EI-42
Editor.Mark.Top procedure	EI-43
screen	
Editor.Screen.Copy_Top procedure	EI-52
Editor.Screen.Delete_Top procedure	EI-52
Editor.Screen.Top procedure	EI-54
selection	
Editor.Region.Beginning_Of procedure	EI-45
window	
Editor.Window.Beginning_Of procedure	EI-64
Top function	
Stack_Generic.Top	PT-157
Top procedure	
Editor.Hold_Stack.Top	EI-21, EI-23
Editor.Mark.Top	EI-4, EI-41, EI-43
Editor.Screen.Top	EI-7, EI-51, EI-54
Trace procedure	
Debug.Trace	DEB-167
Context procedure	DEB-77, DEB-78
Debug_Addresses session switch	DEB-58
Debug_Addresses session switch, described	SJM-339
Display procedure	DEB-86
Option type	DEB-118
Trace_Event type	DEB-170
tracing tasks	DEB-53
<i>see also</i> Input_Logging_To	
Trace_Event type	
Debug.Trace_Event	DEB-170
Trace_To_File procedure	
Debug.Trace_To_File	DEB-171
Trace procedure	DEB-167
tracing tasks	DEB-53
Traces enumeration	
Debug.State_Type type	DEB-154
tracing	
defined	DEB-53
messages	
Debug.Trace procedure	DEB-167
tasks	DEB-53
trailing characters	
String_Uilities.Strip function	ST-86
String_Uilities.Strip_Trailing function	ST-88
Trailing_Blanks option	
summarized	LM-133
Training_Authorization procedure	
!Commands.System_Maintenance'Spec_View.Units.Training_Authorization specification	RS-302
Transfer package	
!Commands.Transfer specification	RS-313

Transfer_Generic generic package !Tools.Networking.Transfer_Generic specification	RS-577
Transfer_Mode library switch Ftp.Transfer_Mode described	LM-424
Transfer_Mode session switch Session_Ftp.Transfer_Mode described	SJM-358
Transfer_Structure library switch Ftp.Transfer_Structure described	LM-424
Transfer_Structure session switch Session_Ftp.Transfer_Structure described	SJM-358
Transfer_Type library switch Ftp.Transfer_Type described	LM-424
Transfer_Type session switch Session_Ftp.Transfer_Type described	SJM-358
transferring	
data between R1000s	LM-142
data between systems by tape	SMU-314
files	LM-416
transitive closure	PM-68
translating machine values	DEB-63
Transport package !Tools.Networking.Transport specification	RS-581
Transport_Defs package !Tools.Networking.Transport_Defs specification	RS-586
Transport_Interchange generic instantiation !Tools.Networking.Transport_Interchange specification	RS-588
Transport_Name package !Tools.Networking.Transport_Name specification	RS-589
Transport_Route package !Commands.Transport_Route specification	RS-315
Transport_Server generic package !Tools.Networking.Transport_Server specification	RS-594
Transport_Server_Job package !Tools.Networking.Transport_Server_Job specification	RS-596
Transport_Server_Proc generic procedure !Tools.Rpc'Spec_View.Units.Transport_Server_Proc	

specification	RS-630
Transport_Stream package	
!Tools.Networking.Transport_Stream	
specification	RS-597
Transpose procedure	EI-5
Editor.Char.Transpose	EI-15
Editor.Line.Transpose	EI-31, EI-34
Editor.Window.Transpose	EI-64, EI-68
Editor.Word.Transpose	EI-71
trapping exceptions	DEB-49
Traverse_Job_Descriptors generic formal procedure	
Scheduler.Traverse_Job_Descriptors	SMU-204
Traverse_Job_Descriptors.Put generic formal procedure	
Scheduler.Traverse_Job_Descriptors.Put	SMU-205
trip count, defined	DEB-42
truncate string, <i>see</i> Set_Length	
Truncate suboption	
printing text with formatting	SMU-112
tum off	
Operator.Shutdown procedure	SMU-105
Twoup suboption	
printing plain text from PostScript printers	SMU-113
printing PostScript programs	SMU-113
Typ format (Debug.Memory_Display)	DEB-111
Typ procedure	
!Tools.CiSpec_View.Units.Commands.Typ	
specification	RS-414
type	
activity	
Profile.Activity_Type subtype	SJM-140
breakpoint	DEB-43
context	
Debug.Context_Type type	DEB-81
domain	
Concurrent_Map_Generic.Domain_Type generic formal type	PT-13
Map_Generic.Domain_Type generic formal type	PT-71
element	
Direct_Io.Element_Type generic formal type	DIO-13
Polymorphic_Sequential_Io.Operations.Element_Type generic formal type	DIO-56
Sequential_Io.Element_Type generic formal type	DIO-66
error	
Simple_Status.Error_Type function	PT-138
file	
Direct_Io.File_Type type	DIO-16
Io.File_Type type	TIO-38
Polymorphic_Sequential_Io.File_Type type	DIO-47
Sequential_Io.File_Type type	DIO-69
Text_Io.File_Type type	TIO-179
Window_Io.File_Type type	DIO-122
information	
Debug.Information_Type	DEB-107
job	SJM-17

range	
Concurrent_Map_Generic.Range_Type generic formal type	PT-31
Map_Generic.Range_Type generic formal type	PT-89
String_Map_Generic.Range_Type generic formal type	ST-44
state	
Debug.State_Type type	DEB-153
stream	
Window_Io.Raw.Stream_Type type	DIO-185
terminal	
System_Uilities.Terminal_Type function	SMU-304
Terminal.Set_Terminal_Type procedure	SMU-361
type error, <i>see</i> Output_Type_Error	
Type_Error exception	
System.Type_Error	PT-167
Unchecked_Conversion.Source generic formal type	PT-210
Unchecked_Conversion.Target generic formal type	PT-211
Unchecked_Conversion.Unchecked_Conversion function	PT-212, PT-213
Unchecked_Conversions.Convert_From_Byte_String function	PT-232, PT-233
Unchecked_Conversions.Convert_To_Byte_String function	PT-238
Unchecked_Conversions.Source generic formal type	PT-240
Unchecked_Conversions.Target generic formal type	PT-235
Unchecked_Conversions.Unchecked_Conversion_Package.Convert function	PT-226, PT-227
Unchecked_Conversions.Unchecked_Conversion_Package.Source generic formal type	PT-229
Unchecked_Conversions.Unchecked_Conversion_Package.Target generic formal type	PT-230
Type_Information package	
!Tools.Lrm.Type_Information specification	RS-520
Type_Set subtype	
Io.Type_Set	TIO-102
Io.Enumeration_Io generic package	TIO-109
Type_Set type	
Text_Io.Type_Set	TIO-215
Text_Io.Enumeration_Io generic package	TIO-217

U

U flag	
Xref package	LM-454
Un_Register generic procedure	
Debug_Tools.Un_Register	DEB-205
Un_Register.T generic formal type	
Debug_Tools.Un_Register.T	DEB-206
Unbounded constant	
Io.Unbounded	TIO-8, TIO-103
Text_Io.Unbounded	TIO-165, TIO-216
Unbounded_String generic package	
!Tools.Unbounded_String specification	ST-103 RS-672
Unchecked_Conversion function	
Unchecked_Conversion.Unchecked_Conversion	PT-212 , PT-219, PT-225

Unchecked_Conversion generic function	
!Lrm.Unchecked_Conversion	PT-209
specification	RS-391
Unchecked_Conversion_Package generic package	
Unchecked_Conversions.Unchecked_Conversion_Package	PT-219, PT-225
Unchecked_Conversions package	
!Tools.Unchecked_Conversions	PT-219
specification	RS-675
Unchecked_Deallocation generic procedure	
!Lrm.Unchecked_Deallocation	PT-241
Allows_Deallocation generic function	PT-1
Allows_Deallocation.Allows_Deallocation function	PT-2
specification	RS-392
Unchecked_Deallocation procedure	
Unchecked_Deallocation.Unchecked_Deallocation	PT-246
Enable_Deallocation library switch	LM-49
Unicode procedure	
!Commands.System_Maintenance'Spec_View.Units.Unicode	
specification	RS-302
Uncomment procedure	
Editor.Region.Uncomment	EI-49
Uncontrol option	
CMVC access control	LM-147
summarized	LM-133
Undefine procedure	
Concurrent_Map_Generic.Undefine	PT-33
Map_Generic.Undefine	PT-91
String_Map_Generic.Undefine	ST-46
Undefined exception	
Concurrent_Map_Generic.Undefined	PT-34
Eval function	PT-15
Undefine procedure	PT-33
Map_Generic.Undefined	PT-92
Eval function	PT-73
Undefine procedure	PT-91
String_Map_Generic.Undefined	ST-47
Eval function	ST-30
Undefine procedure	ST-46
Undelete procedure	
Library.Undelete	LM-361
Compilation.Delete procedure	LM-222
Default procedure	LM-289
deleted objects	LM-290
deleted versions and retention count	LM-289
deleting	LM-9
using Delete, Destroy, and Atomic_Destroy procedures	LM-206
undeleted, defined	LM-289
Underflow exception	
Stack_Generic.Underflow	PT-143, PT-158
Pop procedure	PT-154
Top function	PT-157

underline	
next	
Editor.Cursor.Next procedure	EI-19
previous	
Editor.Cursor.Previous procedure	EI-19
remove	EST-64
underlined errors	LM-40
[Underlines Off] key	
Common.Clear_Underlining procedure	EST-64
underlining	
Common.Clear_Underlining procedure	EST-64
underscore (_)	
debugger context character	QR-4, RS-49
identifier character	PM-129
indirect-file prefix	RS-35
referencing stack frames	DEB-31
special character	PM-132
Underscore character attribute	DIO-102
undo a deletion	
Library.Undelete procedure	LM-361
Undo procedure	
Common.Undo	EST-47, EST-59, EST-99 , PM-193
command images	EST-50
commands from package Common	DEB-5
editing libraries with	LM-299
Redo procedure	EST-49, EST-93
Unfreeze procedure	
Library.Unfreeze	LM-363
Freeze procedure	LM-338
uninitialized, <i>see</i> Is_Nil; Nil	
Uninstall procedure	
!Commands.System_Maintenance'Spec_View.Units.Uninstall specification	RS-303
union, defined	RS-39
Unique function	
String_Table.Unique	ST-66
Unique_Index function	
String_Table.Unique_Index	ST-67
uniqueness, name	LM-42
unit states	
Ada images	EST-5
archived	EST-5
coded	EST-5
command images	EST-46
defined	LM-15
false usages	
xref images	EST-161
installed	EST-5
source	EST-5
<i>see also</i> states	
Unit_Name subtype	

Activity.Unit_Name	PM-170
Compilation.Unit_Name	LM-253
Unit_Only	
value for Scope parameter	LM-207
Unit_Only enumeration	
Compilation.Promote_Scope type	LM-245
Unit_State type	
Compilation.Unit_State	LM-254
units	
Ada	DEB-25
archived	LM-18, LM-33
coded	LM-18
coding	LM-18, LM-20
creating	
Library.Create_Unit renamed procedure	LM-317
installed	LM-17
installing	LM-17
joined	LM-61
levels of elision	LM-295
library	DEB-22
naming locations in	DEB-26
overloaded	DEB-23
partially complete	LM-16
providing local aliases for	LM-44
source	LM-16
System.Storage_Unit constant	PT-166
<i>see also</i> Ada compilation units	
<UNITS>	
special value for Limit parameter	LM-208, LM-218, LM-325, LM-327
Units directory, setting up	PM-23
Units procedure	
Check.Units	PM-180
System_Maintenance'Spec_View.Units	
procedures requiring operator capability	SMU-53
Unknown_Key exception	
Window_Io.Raw.Unknown_Key	DIO-187
Value function	DIO-188
Unload option	
Archive.Restore procedure	LM-129
Archive.Save procedure	LM-128
summarized	LM-133
Unload procedure	
Tape.Unload	SMU-326
other tape operations	SMU-314
unlock	PM-136
unqualified pathnames	DEB-17, DEB-21
defined	DEB-21, RS-49
unreferenced	
Ada.Show_Unused procedure	EST-41
Unregister procedure	
Queue.Unregister	SMU-154
Remove procedure	SMU-151

Unsupported_Error	
Io_Exceptions.Use_Error exception	DIO-37, TIO-163
until	
Time_Utilities.Duration_Until function	PT-185
Time_Utilities.Duration_Until_Next function	PT-186
unused	
Ada.Show_Unused procedure	EST-41
Up procedure	
Editor.Cursor.Up	EI-17, EI-20
Editor.Image.Up	EI-25, EI-26
Window_Scroll_Overlap session switch, described	SJM-359
Editor.Screen.Up	EI-54
up time	
System_Utilities.System_Up_Time function	SMU-296
update joined objects	PM-40
Update procedure	
Links.Update	LM-405
changing source names	LM-375
Replace procedure	LM-401
Source_Name subtype	LM-403
Remote_Passwords.Update	SJM-298
encrypting passwords	SJM-279
Update_Cdb procedure	
Cmvc_Maintenance.Update_Cdb	PM-108, PM-358
converting secondary subsystems	LM-155
Make_Primary procedure	PM-351
propagating incremental changes	LM-152
Update_Time enumeration	
Library.Field type	LM-334
Updated_Objects option	
Archive.Restore procedure	LM-130
summarized	LM-133
Updater enumeration	
Library.Field type	LM-334
updating	
images	EST-59
preventing automatic	PM-42
secondary subsystems	LM-150
Upper_Case constant	
Io.Upper_Case	TIO-104
Upper_Case function	
String_Utilities.Upper_Case	ST-89
Upper_Case procedure	
Editor.Char.Upper_Case	EI-15
Editor.Line.Upper_Case	EI-35
Editor.Region.Upper_Case	EI-49
Editor.Word.Upper_Case	EI-72
String_Utilities.Upper_Case	ST-90
<i>see also</i> Capitalize	
usage	

Ada.Show_Usage procedure	EST-39
Xref.Used_By procedure	LM-458
Xref.Uses procedure	LM-462
use clauses, object numbering rules	DEB-26
Use_Default_Wsl_Limits procedure	
Scheduler.Use_Default_Wsl_Limits	SMU-206
Set_Wsl_Limits procedure	SMU-201
Use_Error	
redirecting command output	RS-62
Use_Error enumeration	
Profile.Log_Output_File type	SJM-168
Use_Error exception	
Access_List package	
Read constant	LM-80
Write constant	LM-87
Access_List_Tools package	
Read constant	LM-119
Write constant	LM-125
Direct_Io generic package	DIO-7
Create procedure	DIO-11
Delete procedure	DIO-12
Element_Type type	DIO-13
Open procedure	DIO-22
Reset procedure	DIO-25
Write procedure	DIO-28
Io package	TIO-2, TIO-3, TIO-5
Append procedure	TIO-13
Create procedure	TIO-21
Delete procedure	TIO-25
Open procedure	TIO-64
Reset procedure	TIO-80
Set_Error procedure	TIO-88
Set_Input procedure	TIO-90
Set_Line_Length procedure	TIO-93
Set_Output procedure	TIO-95
Set_Page_Length procedure	TIO-96
Io_Exceptions.Use_Error	DIO-2, DIO-3, DIO-5, DIO-37, TIO-163
Polymorphic_Sequential_Io package	
Append procedure	DIO-40
Create procedure	DIO-43
Delete procedure	DIO-44
Open procedure	DIO-52
Reset procedure	DIO-53
Polymorphic_Sequential_Io.Operations package	
Write procedure	DIO-58
Sequential_Io package	DIO-61
Create procedure	DIO-64
Delete procedure	DIO-65
Open procedure	DIO-75
Reset procedure	DIO-77
Write procedure	DIO-78
Text_Io package	
Create procedure	TIO-170
Delete procedure	TIO-173
Open procedure	TIO-194
Reset procedure	TIO-202
Set_Line_Length procedure	TIO-208

Set_Page_Length procedure	TIO-210
Use_Output	
redirecting command output	RS-62
Use_Output enumeration	
Profile.Log_Output_File type	SJM-168, SJM-200, SJM-212
Use_Prefix parameter	
Archive.Restore procedure	LM-130
copying objects between remote R1000s	LM-144
copying objects onto another R1000	LM-143
copying or restoring objects under original names	LM-139
distributing objects onto multiple R1000s	LM-143
specifying destination names	LM-139
using Archive.Copy or Restore procedure to reorganize objects	LM-141
Use_Standard_Error	
redirecting command output	RS-62
Use_Standard_Error enumeration	
Profile.Log_Output_File type	SJM-168, SJM-200, SJM-212
Use_Standard_Output	
redirecting command output	RS-62
Use_Standard_Output enumeration	
Profile.Log_Output_File type	SJM-168, SJM-200, SJM-212
Used_By procedure	
Xref.Used_By	LM-458
described	LM-453
reading Xref report	LM-454
User	
argument for 'C (class) attribute (object classes)	QR-9, RS-41
user	SMU-223
access control	SMU-50
change job attribute	
Scheduler.Set_Job_Attribute procedure	SMU-200
create	
Operator.Create_User procedure	SMU-68
defined	SMU-223
delete	
Operator.Delete_User procedure	SMU-74
group membership	
Operator.Add_To_Group procedure	SMU-58
Operator.Display_Group procedure	SJM-111, SMU-79
Operator.Remove_From_Group procedure	SMU-96
home library	
System_Uilities.Home_Library function	SMU-257
library	
What.Home_Library procedure	SJM-367
login	
Operator.Get_Login_Limit function	SMU-86
Operator.Limit_Login procedure	SMU-94
logoff	
Operator.Force_Logoff procedure	SJM-112, SMU-84
name	
System_Uilities.User_Name function	SMU-306
objects for	SMU-230
password	
Operator.Change_Password procedure	SJM-106, SMU-62

versions for	SMU-230
who	
What.Users procedure	SJM-382
user accounts, components	
home world	SJM-3
password	SJM-2
sessions	SJM-4
username	SJM-2
User function	
System_Uilities.User	SMU-305
sessions	SMU-224
users	SMU-224
user groups, <i>see</i> Group	
user information, obtaining	SMU-221
User object manager	SMU-5, SMU-60
described	SMU-5
User option	LM-148
access-control identity of jobs	SJM-230
changing archive server identities	LM-147
of jobs	SJM-230
summarized	LM-133
user tasks, SMU and	SMU-1
user-defined commands, response profiles and	SJM-118
user-defined groups	SMU-51
user-defined messages (###, \$\$\$, @@@)	
filtering messages	RS-59, RS-61
user-defined profiles	SJM-118
User_Break procedure	
Debug_Tools.User_Break	DEB-207
programmatic access to debugger facilities	DEB-11
User_Name function	
System_Uilities.User_Name	SMU-306
names	SMU-230
sessions	SMU-224
users	SMU-224
username	SJM-2
defined	SMU-223
described	SJM-278
username groups	SMU-50
defined	SMU-50
Username library switch	
Ftp.Useaname	
described	LM-424
overriding default remote-passwords file	SJM-280
Username session switch	
Session_Ftp.Username	
described	SJM-358
overriding default remote-passwords file	SJM-280
Users procedure	
What.Users	SJM-382

job identification	SJM-15 SJM-16, SMU-225
obtaining information about jobs	SJM-20, SJM-35
Uses procedure	
Xref.Uses	LM-462
described	LM-453
reading Xref report	LM-454
using	
argument prefixes	DEB-7
commands bound to keys	DEB-7
commands from package Search_List	SJM-305
commands in package Job	SJM-34
remote-passwords files	SJM-276
set notation	LM-139
UT flag	
Xref package	LM-454
utilities	
String_Uilities package	ST-69
Time_Uilities package	PT-175

V

V (version) attribute	RS-40
arguments for	QR-9, RS-40
described	QR-8, RS-38
levels of elision	LM-295
versions	LM-289
validity	
Access_List_Tools.Check_Validity procedure	LM-97
value, <i>see</i> Eval; values	
value error, <i>see</i> Input_Value_Error; Output_Value_Error	
Value function	
Bounded_String.Value	ST-22
Concurrent_Map_Generic.Value	PT-35
Init procedure	PT-19
Iterator type	PT-24
List_Generic.Value	PT-66
Init procedure	PT-54
Iterator type	PT-57
Map_Generic.Value	PT-93
Init procedure	PT-77
Iterator type	PT-82
Profile.Value	SJM-223
Profile.Convert procedure	SJM-138, SJM-142
Profile.Image function	SJM-162
Queue_Generic.Value	PT-110
Init procedure	PT-102
Iterator type	PT-106
Set_Generic.Value	PT-125
Init procedure	PT-117
Iterator type	PT-121
Stack_Generic.Value	PT-159
Init procedure	PT-149
Iterator type	PT-151
String_Map_Generic.Value	ST-48

Init procedure	ST-33
Iterator type	ST-38
String_Table.Value	ST-68
Init procedure	ST-56
Iterator type	ST-59
System_Uilities.Value	SMU-307
Done function	SMU-245, SMU-259
Init procedure	SMU-259
Job_Iterator type	SMU-265
Session_Iterator type	SMU-289
Terminal_Iterator type	SMU-301
Time_Uilities.Value	PT-205
Unbounded_String.Value	ST-124
Window_Io.Raw.Value	DIO-188
Value procedure	
Window_Io.Raw.Value	DIO-190
Value_Copy enumeration	
Activity.Creation_Mode	PM-146
Activity.Display procedure	PM-148
Value_Image subtype	
Switches.Value_Image	LM-450
values	
Boolean	RS-54
data	DEB-32
Debug.Set_Value procedure	DEB-142
defined	RS-53
displaying	DEB-63
for Limit parameter	LM-208
for Scope parameter	LM-207
literal	RS-54
of switches	LM-414
parameter	DEB-32
conventions	QR-1, RS-13
runtime	DEB-32
special	QR-14, RS-16, RS-52, RS-56, RS-58, RS-60, SJM-116, SJM-117
string	SJM-131, SJM-137
Vanilla constant	
Window_Io.Vanilla	DIO-170
variable length strings	
Bounded_String package	ST-1
Unbounded_String package	ST-103
Variable_String type	
Bounded_String.Variable_String	ST-1, ST-23
Unbounded_String.Variable_String	ST-103, ST-125
variables	
defined	DEB-14
designating	DEB-16
displaying	DEB-45
handling	DEB-63
locations vs.	DEB-14
modifying	DEB-45
referencing runtime values of	DEB-32
referencing static definitions of	DEB-32
special variables	DEB-46
Venture	

argument for 'C (class) attribute (file subclasses)	QR-11, RS-43
venture	PM-2, PM-15, PM-361
editing	PM-385, PM-417
venture images	EST-1
venture policy switch	PM-361
Venture_Editor package	
Work_Order.Venture_Editor	PM-417
Venture_Policy_Switch type	
Work_Order.Venture_Policy_Switch	PM-400
<VERBOSE>	
described	SJM-117
special value for filtering messages	QR-14
special value for special-purpose response profiles	RS-58
Verbose option	
summarized	LM-133
Verbose renamed function	
Profile.Verbose	SJM-224
building profiles through internal representations	SJM-137
obtaining profiles	SJM-135
Verbose_Format constant	
Library.Verbose_Format	LM-365
Verbose_List renamed procedure	
Library.Verbose_List	LM-366
Verify_Backup procedure	
!Commands.System_Maintenance'Spec_View.Units.Verify_Backup specification	RS-303
Version enumeration	
Library.Field type	LM-334
Version procedure	
What.Version	SJM-385
Version subtype	
System_Uilities.Version	SMU-309
sessions	SMU-225
users	SMU-223, SMU-224
versions for sessions, users, and terminal ports	SMU-230
versions	EST-58, LM-289, PM-408, SMU-229
ACLs and	LM-67
Ada images	EST-8
command images	EST-46
control	PM-3
defined	PM-1, PM-6
default	LM-289, RS-40
deleted	LM-289
error, <i>see</i> Nonexistent_Version_Error	
for sessions	SMU-230
for terminal ports	SMU-230
for users	SMU-230
levels of elision	LM-295
Library.Default_Keep_Versions constant	LM-323
nondefault	LM-289, RS-40
pathname	

- System_Uilities.Image function SMU-258
- print
 - Queue.Print_Version procedure SJM-265, SMU-147
 - text images EST-139
- vertical layout DIO-93, DIO-94
- view PM-1, PM-3, PM-8
 - building from a configuration object PM-50
 - client PM-10
 - code PM-16, PM-30, PM-262, PM-348
 - combined PM-53, PM-116
 - contents of tape
 - Tape.Display_Tape procedure SMU-315
 - deleting PM-48
 - determining target key for LM-213
 - links LM-373
 - load LM-52, PM-10, PM-11, PM-52, PM-136, PM-137
 - managing PM-48
 - names, coordinating level numbers PM-94
 - overwriting LM-156
 - print queue
 - Queue.Display procedure SJM-253, SMU-133
 - released PM-30
 - renaming PM-50
 - repairing damaged PM-50
 - searchlists SJM-305
 - spec LM-52, PM-10, PM-11, PM-52, PM-137
 - using to control compilation LM-41
 - working PM-21, PM-224
 - see also* working view
- <VIEW>
 - double dollar sign RS-25
 - special name for objects QR-3, RS-16
- View attribute RS-47
 - described QR-8, RS-38
 - searchlist component SJM-302
- view defining occurrences
 - Common.Definition procedure EST-71
- View_Name subtype
 - Activity.View_Name **PM-171**
- View_Or_Activity_Name subtype
 - Activity.View_Or_Activity_Name **PM-172**
- View_Simple_Name subtype
 - Activity.View_Simple_Name **PM-173**
- Views procedure
 - Check.Views **PM-182**
- visibility
 - across libraries LM-26
 - across subsystems LM-28
 - controlling LM-42, LM-43
- visit other part of Ada unit
 - Ada.Other_Part procedure EST-36
- Visit procedure
 - Activity.Visit **PM-174**

Links.Visit	LM-407
Edit procedure	LM-373, LM-392
Switches.Visit	LM-451
Edit procedure	LM-440
Edit_Session_Attributes procedure	LM-442
listing switches	LM-414
opening switch files for editing	LM-413
vocabulary	
DOD-STD-2167/2167A terms	RS-710
Rational-specific terms	RS-695
Volume option	
summarized	LM-133
Volume parameter	
disk volumes	LM-2
Volume subtype	
Daemon.Volume	SMU-43
Library.Volume	LM-368
volumes, disk	LM-2

W

W (write access)	
operator capability	SMU-52
wait	
Scheduler.Disk_Waits function	SMU-167
Wait enumeration	
Scheduler.Job_State type	SMU-189
Wait job state	
described	SJM-19
job states	SJM-20
wait load, disk	SMU-164
Wait state	
described	SMU-157, SMU-158
Wait_For procedure	
Program.Wait_For	SJM-250
instructing jobs to wait	SJM-231
Wait_For_Job procedure	
Debug_Maintenance.Wait_For_Job	DEB-175
waiting at accept for entry call execution message (Debug.Task_Display)	DEB-163
waiting at entry for accept execution message (Debug.Task_Display)	DEB-163
waiting at select for entry call execution message (Debug.Task_Display)	DEB-163
waiting at select-delay for entry call execution message (Debug.Task_Display)	DEB-163
waiting at select-terminate for entry call execution message (Debug.Task_Display)	DEB-163
waiting at select-terminate for entry call with dependents execution message (Debug.Task_Display)	DEB-163
waiting at timed entry for accept execution message (Debug.Task_Display)	DEB-163
waiting for child elaboration execution message (Debug.Task_Display)	DEB-163

waiting for children execution message (Debug.Task_Display)	DEB-163
waiting for delay execution message (Debug.Task_Display)	DEB-163
waiting for parent elaboration execution message (Debug.Task_Display)	DEB-163
waiting for task activation execution message (Debug.Task_Display)	DEB-163
<WARN>	
described	SJM-117
special value for filtering messages	QR-14
special value for special-purpose response profiles	RS-58
Warn renamed function	
Profile.Warn	SJM-226
building profiles through internal representations	SJM-137
obtaining profiles	SJM-135
warning	
Daemon.Get_Warning_Interval function	SMU-17
Daemon.Threshold_Warnings procedure	SMU-42
Operator.Shutdown_Warning procedure	SMU-107
Warning enumeration	
Daemon.Condition_Class type	SMU-11
Simple_Status.Condition_Class type	PT-130
warning interval	SMU-54
warning messages (!!!)	
filtering messages	RS-59, RS-61
Warning_Interval procedure	
Daemon.Warning_Interval	SMU-44
Warning_Msg enumeration	
Profile.Msg_Kind type	SJM-173
week	
Time_Uilities.Day_Of_Week function	PT-183
Weekday type	
Time_Uilities.Weekday	PT-206
Image function	PT-190
Weekly client	SMU-4, SMU-5
object managers	
Archived_Code	SMU-5
Code_Segment	SMU-5
Configuration	SMU-5
DDB	SMU-5
Group	SMU-5
Link	SMU-5
Null_Device	SMU-5
Pipe	SMU-5
Program_Library	SMU-5
Session	SMU-5
Tape	SMU-5
Terminal	SMU-5
User	SMU-5
[What Load] key	
What.Load procedure	SJM-372
[What Locks] key	
What.Lock procedure	SJM-374

[What Object] key	
What.Object procedure	SJM-377
What package	
!Commands.What	SJM-361
commands from package Common for Jobs procedure display	SJM-362
commands from package Common for use in help windows	SJM-361
obtaining information about jobs	SJM-20
resources in	SJM-361
specification	RS-317
[What Time] key	
What.Time procedure	SJM-381
[What Users] key	
What.Users procedure	SJM-382
What.Does procedure	
obtaining help on switches	DEB-57
who	
What.Users procedure	SJM-382
Wide suboption	
printing bitmapped images	SMU-115
printing plain text from PostScript printers	SMU-113
printing PostScript programs	SMU-113
width	
default	
Io.Enumeration_Io.Default_Width constant	TIO-111
Io.Integer_Io.Default_Width constant	TIO-145
Profile.Default_Width constant	SJM-151
Text_Io.Enumeration_Io.Default_Width constant	TIO-219
Text_Io.Integer_Io.Default_Width constant	TIO-253
output	RS-62
set	
Profile.Set_Default_Width procedure	SJM-208
Profile.Set_Width procedure	SJM-220
Width function	
Profile.Width	SJM-228
Profile.Set_Default_Width procedure	SJM-208
Profile.Set_Width procedure	SJM-220
Width option	
adjusting output width	RS-62
Width suboption	
printing bitmapped images	SMU-115
printing text with formatting	SMU-112
wildcard characters	QR-5, RS-29
defined	LM-258, RS-14
for pattern matching	LM-258, QR-7, RS-53
set notation and	LM-136
using	LM-142
<i>see also specific wildcard character; wildcards</i>	
Wildcard_Iterator generic procedure	
Io.Wildcard_Iterator	TIO-105
Wildcard_Iterator procedure	
Io.Wildcard_Iterator	TIO-8, TIO-108
Note_Error generic formal procedure	TIO-106

Process generic formal procedure	TIO-107
wildcards	DIO-5, PM-127, PM-129, TIO-4
defined	RS-29
for matching pathnames	RS-29
library	
at sign (@)	LM-176, LM-180, LM-399, LM-404, PM-129
double question mark (??)	PM-129
pound sign (#)	LM-176, LM-180, LM-399, LM-404, PM-129
question mark (?)	LM-176, LM-180, LM-399, LM-404, PM-129
pattern-matching	RS-52
<i>see also</i> wildcard characters	
window	DIO-2, DIO-79, DIO-81, TIO-2
active	
Editor.Window.Directory procedure	EI-66
attributes	
Window_Io.Job_Number function	DIO-141
Window_Io.Job_Time function	DIO-142
Window_Io.Last_Line function	DIO-143
Window_Io.Line_Image function	DIO-144
Window_Io.Line_Length function	DIO-145
Window_Io.Line_Number subtype	DIO-146
Window_Io.Read_Banner function	DIO-161
Window_Io.Report_Cursor procedure	DIO-163
Window_Io.Report_Location procedure	DIO-164
Window_Io.Report_Origin procedure	DIO-165
Window_Io.Report_Size procedure	DIO-166
Window_Io.Set_Banner procedure	DIO-168
banner	
* symbol	PM-135, PM-404
* symbol	PM-210, PM-232, PM-244, PM-292
= symbol	PM-135
bottom of	
Editor.Window.End_Of procedure	EI-66
changing to next higher state	
Editor.Window.Promote procedure	EI-67
changing to next lower state	
Editor.Window.Demote procedure	EI-65
command	DEB-7, LM-41, SJM-333
current	RS-20, RS-24
debugger	DEB-4
Editor window	
Io.Current_Error function	TIO-22
Io.Current_Input function	TIO-23
Io.Current_Output function	TIO-24
Io.Standard_Error function	TIO-99
Io.Standard_Input function	TIO-100
Io.Standard_Output function	TIO-101
Text_Io.Current_Input function	TIO-171
Text_Io.Current_Output function	TIO-172
Text_Io.Standard_Input function	TIO-213
Text_Io.Standard_Output function	TIO-214
expanding	
Editor.Window.Expand procedure	EI-66
Editor.Window.Join procedure	EI-66
help	SJM-361
images	EST-1, EST-6
committing	EST-155
demoting	EST-155

Reference Summary (RS)

key concepts	EST-154
promoting	EST-155
refreshing	EST-156
releasing	EST-156
structure	EST-153
traversing	EST-155
I/O	SJM-331
keeping on screen	
Editor.Window.Promote procedure	EI-67
managing	EI-6
Editor.Window package	EI-63
moving between windows	
Editor.Window.Next procedure	EI-67
Editor.Window.Previous procedure	EI-67
moving to next	
Editor.Window.Child procedure	EI-64
moving to previous	
Editor.Window.Parent procedure	EI-67
removing	
Editor.Window.Delete procedure	EI-65
restoring frame size	
Editor.Window.Focus procedure	EI-66
setting number of work windows	
Editor.Window.Frames procedure	EI-66
states	EI-63
swapping locations	
Editor.Window.Transpose procedure	EI-68
top of	
Editor.Window.Beginning_Of procedure	EI-64
two views	
Editor.Window.Copy procedure	EI-65
utilities	DIO-86
Window Directory	EI-6, EST-153
commands from package Common	EST-156
committing	EST-155
debugger window	DEB-5
demoting	EST-155
designation	EST-154
Editor.Image.Find procedure	EI-26
Editor.Window package	EI-63
Editor.Window.Directory procedure	EI-66
image structure	EST-153
key concepts	EST-154
promoting	EST-155
refreshing	EST-156
releasing images	EST-156
traversing	EST-155
Window package	
Editor.Window	EI-6, EI-63
[Window] - [Definition] key combination	
Editor.Window.Directory procedure	EI-66
[Window] - [Demote] key combination	
Editor.Window.Demote procedure	EI-65
[Window] - [Promote] key combination	
Editor.Window.Promote procedure	EI-67
Window_Command_Size session switch	

Session.Window_Command_Size described	SJM-358
Window_Default_Sort_Order session switch Session.Window_Default_Sort_Order described	SJM-358
Window_Frames session switch Session.Window_Frames described	SJM-358
Window_Frames_Startup session switch Session.Window_Frames_Startup described	SJM-358
Window_Have_Sides session switch Session.Window_Have_Sides described	SJM-359
Window_Io package !Io.Window_Io specification	DIO-79 RS-379
Window_Is_Staggered session switch Session.Window_Is_Staggered described	SJM-359
Window_Message_Life session switch Session.Window_Message_Life described	SJM-359
Window_Message_Size session switch Session.Window_Message_Size described	SJM-359
Window_Scroll_Overlap session switch Session.Window_Scroll_Overlap described	SJM-359
Window_Shift_Overlap session switch Session.Window_Shift_Overlap described	SJM-359
Withdraw procedure Ada.Withdraw	EST-43 , PM-35, PM-36
[Withdraw Unit] key Ada.Withdraw procedure	EST-43
withdrawal, page	SMU-163
withdrawing defined objects	LM-16 PM-35
withheld jobs, number of	SMU-160
withheld task Scheduler.Get_Withheld_Task_Load procedure	SMU-181
Withhold_Multiple_Jobs scheduler parameter number of withheld jobs	SMU-160
Withhold_Run_Load scheduler parameter run load	SMU-160
Word package Editor.Word	EI-69

Word_Breaks session switch	
Session.Word_Breaks	
described	SJM-359
Editor.Word.Breaks procedure	EI-70
text images	EST-138
Word_Size constant	
System.Word_Size	PT-167
words	
beginning of	
Editor.Word.Beginning_Of procedure	EI-69
case conversion	
Editor.Word.Capitalize procedure	EI-70
Editor.Word.Lower_Case procedure	EI-71
Editor.Word.Upper_Case procedure	EI-72
deletion	
Editor.Word.Delete procedure	EI-70
Editor.Word.Delete_Backward procedure	EI-70
Editor.Word.Delete_Forward procedure	EI-70
editing operations	
Editor.Word package	EI-69
end of	
Editor.Word.End_Of procedure	EI-71
next	
Editor.Word.Next procedure	EI-71
previous	
Editor.Word.Previous procedure	EI-71
redefine break characters	
Editor.Word.Breaks procedure	EI-70
swap locations	
Editor.Word.Transpose procedure	EI-71
work order	PM-2, PM-15, PM-361
editing	PM-403
images	EST-1, EST-2
list	PM-2, PM-15, PM-361
editing	PM-384
Work_Order	
argument for 'C (class) attribute (file subclasses)	QR-11, RS-43
Work_Order package	
!Commands.Work_Order	PM-361
specification	RS-318
Work_Order_List	
argument for 'C (class) attribute (file subclasses)	QR-11, RS-43
working library	PM-7
working set limits (WSL)	
job	SMU-163
Scheduler.Get_Wsl_Limits procedure	SMU-182
Scheduler.Set_Wsl_Limits procedure	SMU-201
Scheduler.Use_Default_Wsl_Limits procedure	SMU-206
working set size, job	SMU-163
working view	PM-8, PM-21, PM-188, PM-224
predefined library characteristics	PM-22
putting objects under CMVC	PM-25
releasing configurations	PM-30
<i>see also</i> view	

Working_Set_Size function	
Scheduler.Working_Set_Size	SMU-207
Job_Descriptor type	SMU-184
workspace	SJM-1
changing	SJM-13
customizing	SJM-4
World	
argument for 'C (class) attribute (library subclasses)	QR-10, RS-42
world	LM-2
access classes	
Access_List.Create constant	LM-73
Access_List.Delete constant	LM-75
Access_List.Owner constant	LM-79
Access_List.Read constant	LM-80
Access_List_Tools.Create constant	LM-99
Access_List_Tools.Delete constant	LM-100
Access_List_Tools.Owner constant	LM-118
Access_List_Tools.Read constant	LM-119
access rights	LM-65
all	
Compilation.All_Worlds constant	LM-216
as control point	LM-2
creating	
Library.Create_World renamed procedure	LM-319
current	RS-25
determining target keys for	LM-213
enclosing	PM-132
Library.Enclosing_World procedure	LM-329
home	SJM-2, SJM-3, SMU-223
model	LM-2, LM-43, LM-45, LM-288, LM-372, LM-410
root	LM-3
same	
Compilation.Same_World constant	LM-248
Compilation.Same_Worlds constant	LM-249
using to control compilation	LM-41
World enumeration	
Library.Kind type	LM-340
World_Acl option	
Archive.Restore procedure	LM-131
CMVC access control	LM-147
summarized	LM-133
World_Name subtype	
Links.World_Name	LM-408
<WORLDS>	
promoting across libraries	LM-27
special value for Limit parameter	LM-29, LM-35, LM-208, LM-218, LM-248, LM-249, LM-325, LM-327
Wrap suboption	
printing text with formatting	SMU-112
Wrap_Indentation library switch	
Format.Wrap_Indentation	
described	LM-424
write	

Boolean value to message window	
Io.Echo procedure	TIO-31
character to message window	
Io.Echo procedure	TIO-26
files with different types of data	
Polymorphic_Sequential_Io package	DIO-39
floating-point value to message window	
Io.Echo procedure	TIO-29
integer value to message window	
Io.Echo procedure	TIO-28
open to	
Out_File constant	TIO-65
string to message window	
Io.Echo procedure	TIO-27
Io.Echo_Line procedure	TIO-32
<i>see also</i> Put; Put_Line	
Write (W) access right	
CMVC access control	LM-147
defined	LM-64, LM-65
operator capability	SMU-52
Write constant	
Access_List.Write	LM-87
Access_List_Tools.Write	LM-125
write lock	EST-59
Write procedure	
Activity.Write	PM-175
Direct_Io.Write	DIO-28
Polymorphic_Sequential_Io.Operations.Write	DIO-58
Sequential_Io.Write	DIO-78
Switches.Write	LM-452
saving switch files	DEB-57, LM-414, SJM-329
Tape.Write	SMU-327
processing ANSI-labeled tapes	SMU-314
transferring data between systems by tape	SMU-314
write-only access	
Direct_Io.File_Mode type	DIO-15
Io.File_Mode subtype	TIO-37
Polymorphic_Sequential_Io.File_Mode type	DIO-46
Sequential_Io.File_Mode type	DIO-68
Text_Io.File_Mode type	TIO-178
Window_Io.File_Mode type	DIO-120
Write_File procedure	
Common.Write_File	EST-100
command images	EST-50
commands from package Common	DEB-5
commands from package Common for debugger	DEB-64
debugger window	DEB-4
described	DEB-5
text images	EST-142
Write_To_Read_Only_Page_Error	
Io_Exceptions.Device_Error exception	DIO-31, TIO-157
writer, report	
Table_Formatter package	ST-91
Wsl	
Scheduler.Get_Wsl_Limits procedure	SMU-182

Scheduler.Set_Wsl_Limits procedure	SMU-201
Scheduler.Use_Default_Wsl_Limits procedure	SMU-206
Wsl_Decay_Factor scheduler parameter memory scheduling	SMU-163
Wsl_Growth_Factor scheduler parameter memory scheduling	SMU-163

X

X,Y suboption printing bitmapped images	SMU-115
Xecute procedure Debug.Xecute	DEB-172
Execute procedure	DEB-172
Xon/Xoff System_Uilities.Receive_Xon_Xoff_Bytes function	SMU-284
System_Uilities.Receive_Xon_Xoff_Characters function	SMU-285
Terminal.Set_Receive_Xon_Xoff_Bytes procedure	SMU-358
Terminal.Set_Receive_Xon_Xoff_Characters procedure	SMU-359
Terminal.Set_Xon_Xoff_Bytes procedure	SMU-362
Terminal.Set_Xon_Xoff_Characters procedure	SMU-363
Xon_Xoff_Bytes function System_Uilities.Xon_Xoff_Bytes	SMU-310
terminal ports	SMU-226
Xon_Xoff_Characters function System_Uilities.Xon_Xoff_Characters	SMU-311
terminal ports	SMU-226
xref images	EST-2, EST-159
commands from package Common	EST-161
designation	EST-160
elision	EST-160
expansion	EST-160
key concepts	EST-160
structure	EST-159
unit states false usages	EST-161
Xref package Tools.Xref_UTILITY'Spec_View.Units.Commands.Xref	LM-453
key concepts for	LM-453
resources in	LM-453
specification	RS-676
Xref report flag definitions	LM-454
reading	LM-454

Y

Year function Calendar.Year	PT-7
Year_Month_Day enumeration Time_Uilities.Date_Format type	PT-180

Reference Summary (RS)

Year_Number subtype
Calendar.Year_Number **PT-7**

Years type
Time_Uilities.Years **PT-207**

YR_MN_DY
changing format of message prefixes RS-62

Yr_Mn_Dy enumeration
Profile.Log_Prefix type SJM-169

RATIONAL

READER'S COMMENTS

Note: This form is for documentation comments only. You can also submit problem reports and comments electronically by sending e-mail to support@rational.com. If you use e-mail to submit documentation comments, please indicate the manual name, book name, and page number.

Did you find this book understandable, usable, and well organized? Please comment and list any suggestions for improvement.

If you found errors in this book, please specify the error and the page number. If you prefer, attach a photocopy with the error marked.

Indicate any additions or changes you would like to see in the index.

How much experience have you had with the Rational Environment?

- 6 mo. or less 6 mo.–1 year 1–3 years 3 years or more

How much experience have you had with the Ada programming language?

- 6 mo. or less 6 mo.–1 year 1–3 years 3 years or more

Name (optional) _____ Date _____

Company _____

Address _____

City _____ State _____ ZIP Code _____

Please return this form to: **Publications Department**
RATIONAL
3320 Scott Boulevard
Santa Clara, CA 95054-3197

RATIONAL

READER'S COMMENTS

Note: This form is for documentation comments only. You can also submit problem reports and comments electronically by sending e-mail to support@rational.com. If you use e-mail to submit documentation comments, please indicate the manual name, book name, and page number.

Did you find this book understandable, usable, and well organized? Please comment and list any suggestions for improvement.

If you found errors in this book, please specify the error and the page number. If you prefer, attach a photocopy with the error marked.

Indicate any additions or changes you would like to see in the index.

How much experience have you had with the Rational Environment?

6 mo. or less 6 mo.–1 year 1–3 years 3 years or more

How much experience have you had with the Ada programming language?

6 mo. or less 6 mo.–1 year 1–3 years 3 years or more

Name (optional) _____ Date _____

Company _____

Address _____

City _____ State _____ ZIP Code _____

Please return this form to: **Publications Department**
RATIONAL
3320 Scott Boulevard
Santa Clara, CA 95054-3197