

ND SOFTWARE LIBRARY DISKETTE

PAGE 1

Containing :
Telefix Files for User Sites

Directory Name :
210375C00-XX-01S

User Name : **FLOPPY-USER**

No	File name	Type	T	Public	Friend	Own	Pages	Bytes
0	TELEFIX-A-RECE-C	PROG	I	R	RWA	RWACD	5	8192
1	TELEFIX-A-TRAN-C	PROG	I	R	RWA	RWACD	5	8192
2	TELEFIX-FILE-TR	MODE	I	RW	RWACD	RWACD	2	607
3	files using 12 pages. 148 pages reserved out of 148 pages.							

ND SOFTWARE LIBRARY DISKETTE

PAGE 1

Containing :
Telefix Files for User Sites

Directory Name :
210375C00-XX-01D

User Name : FLOPPY-USER

No	File name	Type	T	Public	Friend	Own	Pages	Bytes
0	TELEFIX-A-RECE-C	PROG	I	R	RWA	RWACD	5	8192
1	TELEFIX-A-TRAN-C	PROG	I	R	RWA	RWACD	5	8192
2	TELEFIX-FILE-TR	MODE	I	RW	RWACD	RWACD	2	607
3	files using 12 pages. 610 pages reserved out of 610 pages.							

Date 87.06.05				Norsk Data A.S		Page 1 of 1	
PROGRAM DESCRIPTION							
Product	Name Telefix for User Sites			Reg. no. 210375C		Category STPR	
Reason	. New product X Change/Addition . Other: Error Correction . Different Environment			
Documen- tation	Title TELEFIX Reference Manual					Reg. no. 30.040.2 EN	
Purpose	Programs used by ND-Service to transfer files to/from Telefix Centers.						
Prerequi- sites	Computer	Type	Floating format	Op. system Version			
	ND-100	All	All	VS/VSE/VSX I or later			
	ND-500	All	All	VSE/VSX I or later			
	Minimum permanent mass storage resources						
	User	User space		Number of files			
	SYSTEM	10 pages on 2		files			
						Reg. no. Source 210376C	
File Name	Type	Containing					
TELEFIX-FILE-TR	MODE	file for installation.					
TELEFIX-A-RECE-C	PROG	program to receive files					
TELEFIX-A-TRAN-C	PROG	program to transm. files					

1 INSTALLATION PROCEDURE

- Log in as user SYSTEM
- Insert the diskette (210375C00-XX-01) in a vacant floppy drive and enter the directory by using the SINTRAN command:

```
@ENTER-DIRECTORY↓
DIRECTORY NAME: 210375C00-XX-01↓
DEVICE NAME: FLOPPY-DEVICE-<device>,<unit>↓
```

- Start the mode job by using the SINTRAN command:

```
@MODE↓
INPUT FILE: (210375B:FLOPPY-U)TELEFIX-FILE-TR:MODE,,↓
```

- After termination of the mode job, the directory must be released using the SINTRAN command :

```
@RELEASE-DIRECTORY 210375C-XX-01↓
```



Date 87.06.05		Norsk Data A.S		Page 1 of 1	
PROGRAM DESCRIPTION					
Product	Name	Reg. no.	Category		
	Telefix for User Sites	210375C	STPR		
Reason	. New product X Change/Addition . Other: Error Correction . Different Environment		
Documen- tation	Title	Reg. no.			
	TELEFIX Reference Manual	30.040.2 EN			
Purpose	Programs used by ND-Service to transfer files to/from Telefix Centers.				
Prerequi- sites	Computer	Type	Floating format	Op. system	Version
	ND-100	All	All	VS/VSE/VSX	I or later
	ND-500	All	All	VSE/VSX	I or later
	Minimum permanent mass storage resources				
	User	User space	Number of files		
	SYSTEM	10 pages on 2	files		
				Reg. no.	
				Source	
				210376C	
File Name	Type	Containing			
TELEFIX-FILE-TR	MODE	file for installation.			
TELEFIX-A-RECE-C	PROG	program to receive files			
TELEFIX-A-TRAN-C	PROG	program to transm. files			

1 INSTALLATION PROCEDURE

- Log in as user SYSTEM
- Insert the diskette (210375C00-XX-01) in a vacant floppy drive and enter the directory by using the SINTRAN command:

```
@ENTER-DIRECTORY↓
DIRECTORY NAME: 210375C00-XX-01↓
DEVICE NAME: FLOPPY-DEVICE-<device>,<unit>↓
```

- Start the mode job by using the SINTRAN command:

```
@MODE↓
INPUT FILE: (210375B:FLOPPY-U)TELEFIX-FILE-TR:MODE,,↓
```

- After termination of the mode job, the directory must be released using the SINTRAN command :

```
@RELEASE-DIRECTORY 210375C-XX-01↓
```

