

Boo! programmer til partner.

ROD. 398 + 399

ROE 114 + 115

SUM 1800 + 5000 kl CDOS 6.0.

C:\SYSTEM>ddt86
DI 86 1.2

Partner

DISK PARAMETER TABLE

```
=====
Disk type                :   DOS
Physical sector size    :   512
Block size               :  2048
Sector's/track          :    17
Directory entry's      :   512
Number of block's       : 10282
Number of reserved track's :    4
BSH                      :    4
BLM                      :   15
EXM                      :    0
CKS                      : 32768
PSH                      :    2
PRM                      :    3
EXTFLAG                  :  FFFEh
NFATS                    :    2
NFATRECS                 :   42
NCLSTRS                  : 10282
FATADD                   :    1
=====
```

Press ESC to return to menu

Konsol=3 ZAP86

Skriver=1

21:50:32

IBM.

DI-Disk Information, Advanced Edition, (C) Copr 1987, 1988, Peter Norton

Information from DOS

Drive A:

Information from the boot record

	system id	'TS 3.10'	
	media descriptor (hex)	F9	
0	drive number		
0	unit within driver		
512	bytes per sector	512	
1	sectors per cluster	1	
0	reserved sectors	1	
2	number of FATs	2	
224	root directory entries	224	
7	sectors per FAT	7	
2,371	number of clusters		
	number of sectors	2,400	
1	offset to FAT		
15	offset to directory		
29	offset to data		
	sectors per track	15	
	sides	2	
	hidden sectors	0	

41/224

Press any key to continue...

Partner.

DIR

Disk A SRC39 (CP/M Medie)

Katalog: A:\

CHAR8	CMD : ORGEL	CSV : ZAP1	CMD : ZAP	CMD : SWEEP11	CMD
P	: PIP	CMD : SDIR	CMD : MENU	CMD : IMC	CMD
KONFIG	CMD : ALARM	CMD : SKAKCPU	CMD : SKAK	CMD : SKAK	CHS
SKAK	FNT : SYSTAT	CMD : SKAK	HLP : SKAK	PAR : SKAKCLK	CMD
SKAK	OP : COMAL80	CMD : AHTEST	CSV : HAND1	CSV : CCFM	SYS

622.464 byte(s) brugt i 25 Fil(er) 458.752 byte(s) fri

System filer findes

A:\

Konfigurering af V24 port		Version 3.2
A	Linie hastighed (baud)	9600
B	Stopbit	1
C	Bit per tegn ved modtagning	8
D	Bit per tegn ved sending	8
E	Paritet	lige
F	CCP/M enhed	Skriver 1
G	Initial værdi af RTS	høj
H	Modtage buffer (bytes)	16
I	Sendebuffer (bytes)	16
J	Protokol	Ingen

Tryk ESC for at returnere

Konsol=1 KONFIG

Skriver=1 LAS 22:21:06